

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

MDA 40 FEET AND VISIBILITY CATS C AND D 1/4 MILE.

CHART NOTE: BARO-VNAV AND VDP NA WITH VICKSBURG MUNI, MS ALTIMETER SETTING.

TAA

	FROM	TO	ALT
1.	267/30 CW 087/30 (NOPT)	267/24 CW 087/24	3000
	267/24 CW 087/24	YAYDI (IF/IAF) (FB)	2000
2.	087/30 CW 267/30	YAYDI (IF/IAF) (FO)	3000

QUALITY
18
CHECKED

CITY AND STATE
TALLULAH, LA

ELEVATION: 86 TDZE: 86
AIRPORT NAME:
VICKSBURG TALLULAH RGNL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 36, AMDT 4
15 SEPTEMBER 2016

SUP:
AMDT: 3
DATED: 08/03/2006

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

CITY AND STATE
TALLULAH, LA

ELEVATION: 86 TDZE: 86
AIRPORT NAME:
VICKSBURG TALLULAH RGNL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 36, AMDT 4
15 SEPTEMBER 2016

SUP:	
AMDT:	3
DATED:	08/03/2006

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KTVR
RUNWAY	RW36
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W36A
LTP/FTP LATITUDE	322041.0360N
LTP/FTP LONGITUDE	0910139.2405W
LTP/FTP ELLIPSOIDAL HEIGHT	-00004
FPAP LATITUDE	322210.3085N
FPAP LONGITUDE	0910140.8195W
THRESHOLD CROSSING HEIGHT (TCH)	00049.3
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1224
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	35.0
<u>CRC REMAINDER</u>	D9EF9D55

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+00261
FPAP ORTHOMETRIC HEIGHT	+00261

QUALITY
18
CHECKED

CITY AND STATE
TALLULAH, LA

ELEVATION: 86 TDZE: 86
AIRPORT NAME:
VICKSBURG TALLULAH RGNL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 36, AMDT 4
15 SEPTEMBER 2016

SUP:	
AMDT:	3
DATED:	08/03/2006

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - KTVR

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
YAYDI	010	YAYDI	HF	FO		357.1			R			AA 02000		EE A
	010	YAYDI	IF	FB								AA 02000		E I
	020	WEJJI	TF	FB	0.5	357.1						AA 01700		E F
	021	JANLU	TF	FB	0.3	357.1		3.00				AA 00580 GS 00581		E S
	030	RW36	TF	FO	0.3	357.1		3.00				AT 00135		GY M
	040		CA	FB		357.1						AA 00286		M
	050	DEWI	DF	FO								AA 02000		EY
	060	DEWI	HM	FO		177.1			R			AA 02000		EE

POINTS

POINT NAME	LATITUDE	LONGITUDE
DEWI	N323323.10	W0910152.75
JANLU	N321916.87	W0910137.75
WEJJI	N321545.60	W0910134.02
YAYDI	N320848.38	W0910126.67

RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW36	N322041.04	W0910139.24	00086	49

QUALITY
15
CHECKED

CITY AND STATE TALLULAH, LA	ELEVATION: 86 TDZE: 86	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 36, AMDT 4 15 SEPTEMBER 2016	SUP:
	AIRPORT NAME: VICKSBURG TALLULAH RGNL			AMDT: 3
				DATED: 08/03/2006