

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ROCKY	SEVEN	ROCKY7.ROCKY	SIX	10/20/2011	20 SEP 2012

TYPE: SID

DP ROUTE DESCRIPTION:

DEPARTING INDIANAPOLIS INTL:

TAKE-OFF RWY 23R (TURBOJETS ONLY- DME REQUIRED): CLIMB ON HEADING 226.56 TO I-UZK 2.6 DME, THEN ON ASSIGNED HEADING 227 OR 212. MAINTAIN 5000. THENCE...

TAKE-OFF RWY 23L (TURBOJETS ONLY- DME REQUIRED): CLIMB ON HEADING 226.57 TO I-FVJ 2.3 DME, THEN ON ASSIGNED HEADING 210, 227, OR 242. MAINTAIN 5000. THENCE...

TAKE-OFF RWY 5R (TURBOJETS ONLY- DME REQUIRED): CLIMB ON HEADING 046.55 TO I-OQV 0.3 DME, THEN ON ASSIGNED HEADING 047 OR 070. MAINTAIN 5000. THENCE...

TAKE-OFF ALL OTHER RWYS (TURBOJETS ONLY): CLIMB ON ASSIGNED HEADING. MAINTAIN 5000. THENCE...

TAKE-OFF ALL RWYS (PROPELLER ONLY): CLIMB ON ASSIGNED HEADING. MAINTAIN 3000. THENCE...

DEPARTING EAGLE CREEK AIRPARK: TAKEOFF RWY 3: CLIMB HEADING 027.53 TO 2100 BEFORE TURNING RIGHT. THEN ON ASSIGNED HEADING TO ASSIGNED ALTITUDE. THENCE...

DEPARTING GREENWOOD MUNI: TAKEOFF RWY 1: CLIMB HEADING 009.65 TO 1500 BEFORE TURNING RIGHT. THEN ON ASSIGNED HEADING TO ASSIGNED ALTITUDE. THENCE...

DEPARTING INDIANAPOLIS METROPOLITAN: TAKEOFF RWY 33: CLIMB HEADING 328.58 TO 1400 BEFORE TURNING LEFT. THEN ON ASSIGNED HEADING TO ASSIGNED ALTITUDE. THENCE...

DEPARTING INDIANAPOLIS RGNL: TAKEOFF RWY 25: CLIMB HEADING 270.00 TO 2000 BEFORE TURNING LEFT. THEN ON ASSIGNED HEADING TO ASSIGNED ALTITUDE. THENCE...

DEPARTING ALL OTHER AUTHORIZED RUNWAYS / AIRPORTS: CLIMB ON ASSIGNED HEADING TO ASSIGNED ALTITUDE. THENCE...

... EXPECT RADAR VECTORS TO JOIN VHP R-244 TO TTH VORTAC, THEN VIA TTH R-273 TO ROCKY INT THEN VIA TRANSITION OR ASSIGNED ROUTE. EXPECT CLEARANCE TO REQUESTED ALTITUDE TEN MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes
SPINNER	ROCKY7.SPI	ROCKY INT	SPI VORTAC	291.85 (SPI R-112)	41.90	7000	3100	
ST LOUIS	ROCKY7.STL	ROCKY INT	STL VORTAC	238.92 (STL R-059)	88.38	10000	2300	ROCKY AT/ABOVE 10000

QUALITY
CHECKED

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ROCKY	SEVEN	ROCKY7.ROCKY	SIX	10/20/2011	20 SEP 2012

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

NOTE: RADAR REQUIRED.

NOTE: SELECT APPROPRIATE LOCALIZER/DME FREQUENCY/CHANNEL PRIOR TO DEPARTURE.

NOTE: TURBOJETS ACCELERATE TO 250 KIAS UNTIL REACHING 10000, IF UNABLE ADVISE ATC.

NOTE: ASSIGNED TO AIRCRAFT WITH A REQUESTED ALTITUDE OF 11000 OR ABOVE.

TAKEOFF MINIMUMS:

INDIANAPOLIS INTL: RWY 5L, 5R, 14, 23L, 23R, 32 STANDARD.

EAGLE CREEK AIRPARK: RWY 3, 21 STANDARD.

INDIANAPOLIS EXECUTIVE: RWY 18, 36 STANDARD

SHELBYVILLE MUNI: RWY 1, 19 STANDARD. RWY 9, 27 NA – ENVIRONMENTAL

GREENWOOD MUNI: RWY 1 STANDARD. RWY 19, 300-1 OR STANDARD WITH MINIMUM CLIMB OF 441 FT PER NM TO 1200.

INDIANAPOLIS METROPOLITAN: RWY 15 NA – OBSTACLES. RWY 33 STANDARD.

INDIANAPOLIS RGNL: RWY 7, 25, 16 STANDARD. RWY 34, 300-1 OR STANDARD WITH MINIMUM CLIMB OF 347 FT PER NM TO 1100.

TAKEOFF OBSTACLES NOTES:

INDIANAPOLIS INTL: NOTE: RWY 5L, ROD ON OL MICROWAVE TOWER 5052 FT FROM DER, 140 FT RIGHT OF CENTERLINE, 129 FT AGL/923 FT MSL. TOWER 5073 FT FROM DER, 93 FT RIGHT OF CENTERLINE, 128 FT AGL/923 FT MSL.

NOTE: RWY 5R, TOWER 3756 FT FROM DER, 1048 FT LEFT OF CENTERLINE, 111 FT AGL/901 FT MSL. ROD ON OL DOME 3765 FT FROM DER, 1076 FT LEFT OF CENTERLINE, 107 FT AGL/901 FT MSL.

NOTE: RWY 23R, TREE 3295 FT FROM DER, 948 FT RIGHT OF CENTERLINE, 78 FT AGL/822 FT MSL. TREE 5159 FT FROM DER, 1144 FT RIGHT OF CENTERLINE, 101 FT AGL/870 FT MSL.

NOTE: RWY 32, ANTENNA 2370 FT FROM DER, 755 FT RIGHT OF CENTERLINE, 70 FT AGL/849 FT MSL. TREE 2244 FT FROM DER, 707 FT RIGHT OF CENTERLINE, 66 FT AGL/845 FT MSL.

EAGLE CREEK AIRPARK: NOTE: RWY 3, ANT ON BLDG 859 FT FROM DER, 524 FT RIGHT OF CENTERLINE 35 FT AGL/851 FT MSL. POLE 507 FT FROM DER, 631 FT LEFT OF CENTERLINE, 38 FT AGL/860 FT MSL. MULTIPLE TREES BEGINNING 2015 FT FROM DER, 583 FT LEFT OF CENTERLINE, UP TO 89 FT AGL/904 FT MSL.

NOTE: RWY 21, APT BCN 10 FT FROM DER, 464 FT LEFT OF CENTERLINE, 54 FT AGL/867 FT MSL. POLE 167 FT FROM DER, 385 FT LEFT OF CENTERLINE, 33 FT AGL/848 FT MSL. ANT ON BLDG 363 FT FROM DER, 258 FT LEFT OF CENTERLINE, 14 FT AGL/828 FT MSL. POLES 699 FT FROM DER, 38 FT AGL/849 FT MSL. MULTIPLE TREES BEGINNING 1383 FT FROM DER, 57 FT LEFT OF CENTERLINE, UP TO 94 FT AGL/904 FT MSL. VEHICLES ON ROAD, 310 FT FROM DER, RIGHT AND LEFT OF CENTERLINE, 15 FT AGL/833 FT MSL. TREES 677 FT FROM DER, 522 FT RIGHT OF CENTERLINE, 99 FT AGL/889 FT MSL. MULTIPLE TREES BEGINNING 761 FT FROM DER, 267 FT RIGHT OF CENTERLINE, UP TO 89 FT AGL/901 FT MSL.

SAFETY
1
CHECKED

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ROCKY	SEVEN	ROCKY7.ROCKY	SIX	10/20/2011	20 SEP 2012

INDIANAPOLIS EXECUTIVE: NOTE: RWY 18, TREE 1870 FT FROM DER, 524 FT LEFT OF CENTERLINE, 52 FT AGL/971 FT MSL.

NOTE: RWY 36, POLES 1115 FT FROM DER, 321 FT LEFT OF CENTERLINE, 33 FT AGL/958 FT MSL. MULTIPLE TREES BEGINNING 1257 FT FROM DER, 320 FT RIGHT OF CENTERLINE, UP TO 80 FT AGL/999 FT MSL. MULTIPLE TREES BEGINNING 2266 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 126 FT AGL/1035 FT MSL.

SHELBYVILLE MUNI: NOTE: RWY 1, TREES 1111 FT FROM DER, 753 FT RIGHT OF CENTERLINE, 69 FT AGL/869 FT MSL.

NOTE: RWY 19, TREES 2180 FT FROM DER, 261 FT RIGHT OF CENTERLINE, 100 FT AGL/899 FT MSL. TREES 2696 FT FROM DER, 498 FT LEFT OF CENTERLINE, 100 FT AGL/899 FT MSL.

GREENWOOD MUNI: NOTE: RWY 1, HANGAR 72 FT FROM DER, 500 FT LEFT OF CENTERLINE, 23 FT AGL/839 FT MSL. POLE 525 FT FROM DER, 224 FT LEFT OF CENTERLINE, 17 FT AGL/833 FT MSL. POLE 689 FT FROM DER, 627 FT LEFT OF CENTERLINE, 46 FT AGL/864 FT MSL. TREES BEGINNING 1274 FT FROM DER, 394 FT LEFT OF CENTERLINE, UP TO 85 FT AGL/899 FT MSL. BLDG 558 FT FROM DER, 409 FT RIGHT OF CENTERLINE, 40 FT AGL/858 FT MSL. POLE 1263 FT FROM DER, 722 FT RIGHT OF CENTERLINE, 37 FT AGL/860 FT MSL. POLE 1276 FT FROM DER, 482 FT RIGHT OF CENTERLINE, 34 FT AGL/856 FT MSL. TREES BEGINNING 2636 FT FROM DER, 375 FT RIGHT OF CENTERLINE, UP TO 77 FT AGL/898 FT MSL.

NOTE: RWY 19, TREES 1168 FT FROM DER, 288 FT LEFT OF CENTERLINE, UP TO 67 FT AGL/887 FT MSL. TREES 3111 FT FROM DER, 632 FT LEFT OF CENTERLINE, 64 FT AGL/914 FT MSL. TREES BEGINNING 1577 FT FROM DER, 379 FT RIGHT OF CENTERLINE, UP TO 82 FT AGL/902 FT MSL. TREES 2832 FT FROM DER, 385 FT RIGHT OF CENTERLINE, 88 FT AGL/923 FT MSL. TANK 4134 FT FROM DER, 70 FT RIGHT OF CENTERLINE, 120 FT AGL/985 FT MSL.

INDIANAPOLIS METROPOLITAN: NOTE: RWY 33, VEHICLES ON ROAD 367 FT FROM DER, CROSSING LEFT AND RIGHT OF CENTERLINE, UP TO 15 FT AGL/799 FT MSL. TREES BEGINNING 682 FT FROM DER, 69 FT RIGHT OF CENTERLINE, UP TO 100 FT AGL/879 FT MSL. TREES BEGINNING 1805 FT FROM DER, 648 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/874 FT MSL.

INDIANAPOLIS RGNL: NOTE: RWY 7, AIRPLANE ON TAXIWAY, 177 FT FROM DER, 518 FT LEFT OF CENTERLINE, UP TO 17 FT AGL/871 FT MSL. TREES BEGINNING 4074 FT FROM DER, 434 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/969 FT MSL. TREES BEGINNING 4626 FT FROM DER, 837 FT RIGHT OF CENTERLINE, UP TO 100 FT AGL/979 FT MSL. NOTE: RWY 16, AIRPLANE ON TAXIWAY, 183 FT FROM DER, 479 FT RIGHT OF CENTERLINE, UP TO 17 FT AGL/871 FT MSL. POLE 234 FT FROM DER, 550 FT RIGHT OF CENTERLINE, 6 FT AGL/864 FT MSL. TREES BEGINNING 1634 FT FROM DER, 666 FT LEFT OF CENTERLINE, UP TO 78 FT AGL/929 FT MSL. NOTE: RWY 25, TREES BEGINNING 2347 FT FROM DER, 927 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/969 FT MSL. NOTE: RWY 34, TREES BEGINNING 1309 FT FROM DER, 7 FT LEFT OF CENTERLINE, UP TO 98 FT AGL/954 FT MSL. POLE 1587 FT FROM DER, 295 FT LEFT OF CENTERLINE, 41 FT AGL/900 FT MSL. TREES BEGINNING 3099 FT FROM DER, 1043 FT RIGHT OF CENTERLINE, UP TO 86 FT AGL/960 FT MSL. ANTENNAS AND TOWERS BEGINNING 3682 FT FROM DER, 1364 FT RIGHT OF CENTERLINE, UP TO 167 FT AGL/1022 FT MSL.

CONTROLLING OBSTACLES:

EAGLE CREEK AIRPARK: RWY 3: 1866 FT MSL TOWER 395325.00N/0861220.00W

GREENWOOD MUNI: RWY 19: 985 FT MSL TANK 393635.00N/0860529.00W.

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 1 – 1542 FT MSL TOWER 394006.00N/0860144.00W.

INDIANAPOLIS METROPOLITAN: OBSTACLE MANDATING ODP ROUTE DEVELOPMENT: RWY 33 - 1864 FT MSL TOWER, 395543.00N/0861055.00W

INDIANAPOLIS RGNL: RWY 34: 1022 FT MSL TOWER 395153.00N/0855341.00W.

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 25 - 1875 FT MSL TOWER 394603.00N/0860012.00W.

LOST COMMUNICATIONS PROCEDURES:

QUALITY
1
CHECKED

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ROCKY	SEVEN	ROCKY7.ROCKY	SIX	10/20/2011	20 SEP 2012

ADDITIONAL FLIGHT DATA:

CHART R-3401A AND R-3401B, V-14-50, VHP VORTAC AND VHP R-244 TO TTH VORTAC; MEA, HEADING, AND DISTANCE VHP VORTAC TO TTH VORTAC (MEA 2700, HEADING 243.73, DISTANCE 45.28), TTH VORTAC AND TTH R-TTH R-273 TO ROCKY INT; MEA, HEADING, AND DISTANCE TTH VORTAC (MEA 5000, HEADING 273.12, DISTANCE 73.79).
CHART: ALL INDIANAPOLIS INTL RWYS.

AIRPORTS SERVED:

INDIANAPOLIS INTL
EAGLE CREEK AIRPARK
INDIANAPOLIS EXECUTIVE
SHELBYVILLE MUNI
GREENWOOD MUNI
INDIANAPOLIS METROPOLITAN
INDIANAPOLIS RGNL

INDIANAPOLIS, IN
INDIANAPOLIS, IN
INDIANAPOLIS, IN
SHELBYVILLE, IN
INDIANAPOLIS, IN
INDIANAPOLIS, IN
INDIANAPOLIS, IN

COMMUNICATIONS:

ATIS, INDIANAPOLIS CLEARANCE DELIVERY, INDIANAPOLIS GROUND CONTROL, INDIANAPOLIS TOWER, INDIANAPOLIS DEPARTURE CONTROL.

FIXES AND/OR NAVAIDS:**REMARKS:**

QUALITY
1
CHECKED

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ROCKY	SEVEN	ROCKY7.ROCKY	SIX	10/20/2011	20 SEP 2012

ARINC PACKET - 424-18 - SID

	1	2	3	4	5	6	7	8	9	0	1	2	3
NAVAID	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890
SUSAD	SPI	K5011270VTHW	N39502304W089403983			N39502304W089403983W0010005862					NARSPINNER		
SUSAD	STL	K3011740VTHA	N38513848W090285652			N38513848W090285652E0010004502					NARST LOUIS		
SUSAD	TTH	K5011530VTHA	N39292019W087145647			N39292019W087145647E0020006062					NARTERRE HAUTE		

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP KEYEK5DROCKY72ALL	010TTH	K5D 0V	IF							18000			
SUSAP KEYEK5DROCKY72ALL	020ROCKYK5EA0EE	TF			2730								
SUSAP KEYEK5DROCKY73SPI	010ROCKYK5EA0E	IF								18000			
SUSAP KEYEK5DROCKY73SPI	020SPI	K5D 0VE	TF		29190419								
SUSAP KEYEK5DROCKY73STL	010ROCKYK5EA0E	IF						+ 10000		18000			
SUSAP KEYEK5DROCKY73STL	020STL	K3D 0VE	TF		23890884								

[illegible]

FAA Form 8260-15C / August 2009 (Computer Generated)

Page 1 of 14

QUALITY
7
CHECKED

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ROCKY	SEVEN	ROCKY7.ROCKY	SIX	10/20/2011	20 SEP 2012

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	ALL	TTH	010		IF		FB					
	ALL	ROCKY	020		TF		FB		273.0()			
	SPI	ROCKY	010		IF		FB					
	SPI	SPI	020		TF		FB		291.9()	041.9		
	STL	ROCKY	010		IF		FB				AA 10000	
	STL	STL	020		TF		FB		238.9()	088.4		

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	SPI	N395023.04	W0894039.83	N3950.384	W08940.664
	STL	N385138.48	W0902856.52	N3851.641	W09028.942
	TTH	N392920.19	W0871456.47	N3929.337	W08714.941
	ROCKY	N393516.62	W0885000.79	N3935.277	W08850.013
	RW03	N394931.86	W0861751.39	N3949.531	W08617.857
	RW21	N395009.31	W0861728.19	N3950.155	W08617.470

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW03	00817	61
	RW21	00823	40

QUALITY
7
CHECKED

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ROCKY	SEVEN	ROCKY7.ROCKY	SIX	10/20/2011	20 SEP 2012

ARINC PACKET - 424-18 - SID

[illegible][illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP KGEZK5DROCKY72ALL	010TTH	K5D	OV	IF						18000			
SUSAP KGEZK5DROCKY72ALL	020ROCKYK5EA0EE	TF				2730							
SUSAP KGEZK5DROCKY73SPI	010ROCKYK5EA0E	IF								18000			
SUSAP KGEZK5DROCKY73SPI	020SPI	K5D	OVE	TF		29190419							
SUSAP KGEZK5DROCKY73STL	010ROCKYK5EA0E	IF						+ 10000		18000			
SUSAP KGEZK5DROCKY73STL	020STL	K3D	OVE	TF		23890884							

[illegible]

QUALITY
7
CHECKED

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ROCKY	SEVEN	ROCKY7.ROCKY	SIX	10/20/2011	20 SEP 2012

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	ALL	TTH	010		IF		FB					
	ALL	ROCKY	020		TF		FB		273.0()			
	SPI	ROCKY	010		IF		FB					
	SPI	SPI	020		TF		FB		291.9()	041.9		
	STL	ROCKY	010		IF		FB				AA 10000	
	STL	STL	020		TF		FB		238.9()	088.4		

POINT DATA

WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
SPI	N395023.04	W0894039.83	N3950.384	W08940.664
STL	N385138.48	W0902856.52	N3851.641	W09028.942
TTH	N392920.19	W0871456.47	N3929.337	W08714.941
ROCKY	N393516.62	W0885000.79	N3935.277	W08850.013
RW01	N393446.50	W0854816.81	N3934.775	W08548.280
RW09	N393437.50	W0854834.37	N3934.625	W08548.573
RW19	N393535.77	W0854811.78	N3935.596	W08548.196
RW27	N393436.78	W0854809.68	N3934.613	W08548.161

RUNWAY DATA

RWY	THRESHOLD ELEVATION	TCH
RW01	00801	45
RW09	00790	50
RW19	00802	45
RW27	00800	50

QUALITY
7
CHECKED

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ROCKY	SEVEN	ROCKY7.ROCKY	SIX	10/20/2011	20 SEP 2012

ARINC PACKET - 424-18 - SID

[illegible][illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP KHFKYK5DROCKY72ALL	010TTH	K5D	OV	IF						18000			
SUSAP KHFKYK5DROCKY72ALL	020ROCKYK5EA0EE	TF				2730							
SUSAP KHFKYK5DROCKY73SPI	010ROCKYK5EA0E	IF								18000			
SUSAP KHFKYK5DROCKY73SPI	020SPI	K5D	OVE	TF		29190419							
SUSAP KHFKYK5DROCKY73STL	010ROCKYK5EA0E	IF											
SUSAP KHFKYK5DROCKY73STL	020STL	K3D	OVE	TF		23890884							

[illegible]

QUALITY
1
CHECKED

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ROCKY	SEVEN	ROCKY7.ROCKY	SIX	10/20/2011	20 SEP 2012

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	ALL	TTH	010		IF		FB					
	ALL	ROCKY	020		TF		FB		273.0()			
	SPI	ROCKY	010		IF		FB					
	SPI	SPI	020		TF		FB		291.9()	041.9		
	STL	ROCKY	010		IF		FB				AA 10000	
	STL	STL	020		TF		FB		238.9()	088.4		

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	SPI	N395023.04	W0894039.83	N3950.384	W08940.664
	STL	N385138.48	W0902856.52	N3851.641	W09028.942
	TTH	N392920.19	W0871456.47	N3929.337	W08714.941
	ROCKY	N393516.62	W0885000.79	N3935.277	W08850.013
	RW01	N393715.40	W0860521.07	N3937.257	W08605.351
	RW19	N393803.40	W0860512.73	N3938.057	W08605.212

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW01	00821	39
	RW19	00820	40

QUALITY
7
CHECKED

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ROCKY	SEVEN	ROCKY7.ROCKY	SIX	10/20/2011	20 SEP 2012

ARINC PACKET - 424-18 - SID

[illegible][illegible]

	1	2	3	4	5	6	7	8	9	0	1	2	3
AIRPORT	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890
SUSAP KINDK5AIND	0	112YHN39430228W086174078W002000797	1800018000C	MNAR	INDIANAPOLIS INTL								

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP KINDK5DROCKY72ALL	010TTH	K5D OV	IF							18000			
SUSAP KINDK5DROCKY72ALL	020ROCKYK5EA0EE	TF				2730							
SUSAP KINDK5DROCKY73SPI	010ROCKYK5EA0E	IF								18000			
SUSAP KINDK5DROCKY73SPI	020SPI	K5D OVE	TF			29190419							
SUSAP KINDK5DROCKY73STL	010ROCKYK5EA0E	IF						+ 10000		18000			
SUSAP KINDK5DROCKY73STL	020STL	K3D OVE	TF			23890884							

[illegible]

QUALITY
CHECKED

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ROCKY	SEVEN	ROCKY7.ROCKY	SIX	10/20/2011	20 SEP 2012

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	ALL	TTH	010		IF		FB					
	ALL	ROCKY	020		TF		FB		273.0()			
	SPI	ROCKY	010		IF		FB					
	SPI	SPI	020		TF		FB		291.9()	041.9		
	STL	ROCKY	010		IF		FB				AA 10000	
	STL	STL	020		TF		FB		238.9()	088.4		

POINT DATA

WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
SPI	N395023.04	W0894039.83	N3950.384	W08940.664
STL	N385138.48	W0902856.52	N3851.641	W09028.942
TTH	N392920.19	W0871456.47	N3929.337	W08714.941
ROCKY	N393516.62	W0885000.79	N3935.277	W08850.013
RW05L	N394223.03	W0861914.94	N3942.384	W08619.249
RW05R	N394200.87	W0861815.94	N3942.015	W08618.266
RW14	N394403.21	W0861719.81	N3944.054	W08617.330
RW23L	N394311.28	W0861646.17	N3943.188	W08616.770
RW23R	N394341.91	W0861734.40	N3943.699	W08617.573
RW32	N394312.73	W0861613.42	N3943.212	W08616.224

RUNWAY DATA

RWY	THRESHOLD ELEVATION	TCH
RW05L	00738	55
RW05R	00789	50
RW14	00787	52
RW23L	00788	59
RW23R	00783	55
RW32	00782	53

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ROCKY	SEVEN	ROCKY7.ROCKY	SIX	10/20/2011	20 SEP 2012

ARINC PACKET - 424-18 - SID

[illegible]

	1	2	3	4	5	6	7	8	9	0	1	2	3
WP	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890	1234567890
	SUSAAEENRT	ROCKY K50	C	B	N39351662W088500079			W0023	NAR		ROCKY		

[illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KMQJK5DROCKY72ALL	010TTH	K5D OV	IF						18000			
SUSAP	KMQJK5DROCKY72ALL	020ROCKYK5EA0EE	TF			2730							
SUSAP	KMQJK5DROCKY73SPI	010ROCKYK5EA0E	IF							18000			
SUSAP	KMQJK5DROCKY73SPI	020SPI	K5D OVE	TF		29190419							
SUSAP	KMQJK5DROCKY73STL	010ROCKYK5EA0E	IF					+ 10000		18000			
SUSAP	KMQJK5DROCKY73STL	020STL	K3D OVE	TF		23890884							

[illegible]

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ROCKY	SEVEN	ROCKY7.ROCKY	SIX	10/20/2011	20 SEP 2012

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	ALL	TTH	010		IF		FB					
	ALL	ROCKY	020		TF		FB		273.0()			
	SPI	ROCKY	010		IF		FB					
	SPI	SPI	020		TF		FB		291.9()	041.9		
	STL	ROCKY	010		IF		FB				AA 10000	
	STL	STL	020		TF		FB		238.9()	088.4		

POINT DATA

WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
SPI	N395023.04	W0894039.83	N3950.384	W08940.664
STL	N385138.48	W0902856.52	N3851.641	W09028.942
TTH	N392920.19	W0871456.47	N3929.337	W08714.941
ROCKY	N393516.62	W0885000.79	N3935.277	W08850.013
RW07	N395013.40	W0855434.20	N3950.223	W08554.570
RW16	N395114.11	W0855341.59	N3951.235	W08553.693
RW25	N395031.98	W0855327.89	N3950.533	W08553.465
RW34	N395037.88	W0855324.51	N3950.631	W08553.409

RUNWAY DATA

RWY	THRESHOLD ELEVATION	TCH
RW07	00862	46
RW16	00858	31
RW25	00858	53
RW34	00857	33

QUALITY
1
CHECKED

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ROCKY	SEVEN	ROCKY7.ROCKY	SIX	10/20/2011	20 SEP 2012

ARINC PACKET - 424-18 - SID

[illegible][illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP KTYQK5DROCKY72ALL	010TTH	KSD 0V	IF							18000			
SUSAP KTYQK5DROCKY72ALL	020ROCKYK5EA0EE	TF				2730							
SUSAP KTYQK5DROCKY73SPI	010ROCKYK5EA0E	IF								18000			
SUSAP KTYQK5DROCKY73SPI	020SPI KSD 0VE	TF				29190419							
SUSAP KTYQK5DROCKY73STL	010ROCKYK5EA0E	IF						+ 10000		18000			
SUSAP KTYQK5DROCKY73STL	020STL K3D 0VE	TF				23890884							

[illegible]

QUALITY
1
CHECKED

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ROCKY	SEVEN	ROCKY7.ROCKY	SIX	10/20/2011	20 SEP 2012

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	ALL	TTH	010		IF		FB					
	ALL	ROCKY	020		TF		FB		273.0()			
	SPI	ROCKY	010		IF		FB					
	SPI	SPI	020		TF		FB		291.9()	041.9		
	STL	ROCKY	010		IF		FB				AA 10000	
	STL	STL	020		TF		FB		238.9()	088.4		

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	SPI	N395023.04	W0894039.83	N3950.384	W08940.664
	STL	N385138.48	W0902856.52	N3851.641	W09028.942
	TTH	N392920.19	W0871456.47	N3929.337	W08714.941
	ROCKY	N393516.62	W0885000.79	N3935.277	W08850.013
	RW18	N400217.58	W0861505.47	N4002.293	W08615.091
	RW36	N400123.24	W0861504.82	N4001.387	W08615.080

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW18	00922	45
	RW36	00922	52

QUALITY
1
CHECKED

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ROCKY	SEVEN	ROCKY7.ROCKY	SIX	10/20/2011	20 SEP 2012

ARINC PACKET - 424-18 - SID

[illegible][illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP KUMPK5DROCKY72ALL	010TTH	K5D 0V	IF							18000			
SUSAP KUMPK5DROCKY72ALL	020ROCKYK5EA0EE	TF				2730							
SUSAP KUMPK5DROCKY73SPI	010ROCKYK5EA0E	IF								18000			
SUSAP KUMPK5DROCKY73SPI	020SPI K5D 0VE	TF				29190419							
SUSAP KUMPK5DROCKY73STL	010ROCKYK5EA0E	IF						+ 10000		18000			
SUSAP KUMPK5DROCKY73STL	020STL K3D 0VE	TF				23890884							

[illegible]

QUALITY
1
CHECKED

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ROCKY	SEVEN	ROCKY7.ROCKY	SIX	10/20/2011	20 SEP 2012

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	ALL	TTH	010		IF		FB					
	ALL	ROCKY	020		TF		FB		273.0()			
	SPI	ROCKY	010		IF		FB					
	SPI	SPI	020		TF		FB		291.9()	041.9		
	STL	ROCKY	010		IF		FB				AA 10000	
	STL	STL	020		TF		FB		238.9()	088.4		

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	SPI	N395023.04	W0894039.83	N3950.384	W08940.664
	STL	N385138.48	W0902856.52	N3851.641	W09028.942
	TTH	N392920.19	W0871456.47	N3929.337	W08714.941
	ROCKY	N393516.62	W0885000.79	N3935.277	W08850.013
	RW15	N395622.49	W0860255.62	N3956.375	W08602.927
	RW33	N395551.11	W0860227.73	N3955.852	W08602.462

RUNWAY DATA

RWY	THRESHOLD ELEVATION	TCH
RW15	00787	43
RW33	00811	40

QUALITY
1
CHECKED