

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
YMONT	ONE	YMONT1.YMONT	NONE		22 JUNE 2017

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**DP ROUTE DESCRIPTION:**

TAKEOFF RWY 3: CLIMB HEADING 034.43 TO 6020 THEN CLIMBING LEFT TURN TO 13000 DIRECT SANPT AND ON TRACK 353.50 TO YMONT.

**TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):**

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	-------------------------------------	----------------------------	--------------------------	---------------	-----------------	------------	-------------	------------------------------------

**PROCEDURAL DATA NOTES:**

NOTE: RNAV-1

NOTE: GPS REQUIRED

**TAKEOFF MINIMUMS:**

RWY 3: STANDARD WITH MINIMUM CLIMB OF 340 FT PER NM TO 7000

**TAKEOFF OBSTACLES NOTES:**

NOTE: RWY 03, RISING TERRAIN 7 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 5517 FT MSL.

RISING TERRAIN 48 FT FROM DER, 324 FT RIGHT OF CENTERLINE, 5522 FT MSL.

VEHICLES ON ROAD BEGINNING 115 FT FROM DER, 522 FT LEFT OF CENTERLINE, UP TO 5526 FT MSL.

VEHICLES ON ROAD AND RISING TERRAIN BEGINNING 122 FT FROM DER, 212 FT RIGHT OF CENTERLINE, UP TO 5539 FT MSL.

VEHICLES ON ROAD BEGINNING 169 FT FROM DER, 24 FT LEFT OF CENTERLINE, UP TO 5537 FT MSL.

VEHICLES ON ROAD AND RISING TERRAIN BEGINNING 225 FT FROM DER, 273 FT RIGHT OF CENTERLINE, UP TO 5543 FT MSL.

TREES, BUSHES, POLES AND VEHICLES ON ROAD BEGINNING 552 FT FROM DER, 40 FT RIGHT OF CENTERLINE, UP TO 39 FT AGL/5568 FT MSL.

POLE 1710 FT FROM DER, 630 FT RIGHT OF CENTERLINE, 5573 FT MSL.

COMMUNICATION TWR 1.9 NM FROM DER, 3176 FT RIGHT OF CENTERLINE, 124 FT AGL/5851 FT MSL.

POLE 2 NM FROM DER, 3612 FT RIGHT OF CENTERLINE, 5854 FT MSL.

POLE 2.1 NM FROM DER, 3970 FT RIGHT OF CENTERLINE, 30 FT AGL/5900 FT MSL.

**CONTROLLING OBSTACLES:**

RWY 3: 6602 FT AAO 392259.00N/1113218.00W

OBSTACLE MANDATING ODP ROUTE DEVELOPMENT: 11488 FT AAO 392331.76/1112127.36

**LOST COMMUNICATIONS PROCEDURES:**

**ADDITIONAL FLIGHT DATA:**

REFERENCE MAG VAR: K41U 11E EPOCH YEAR 2020

CHART: TOP ALTITUDE: ASSIGNED BY ATC

DME/DME ASSESSMENT NOT CONDUCTED

**AIRPORTS SERVED:**

<u>AIRPORT NAME</u>	<u>CITY</u>	<u>STATE</u>
MANTI-EPHRAIM	MANTI	UT



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<b><u>DP NAME</u></b>	<b><u>NUMBER</u></b>	<b><u>DP COMPUTER CODE</u></b>	<b><u>SUPERSEDED NUMBER</u></b>	<b><u>DATED</u></b>	<b><u>EFFECTIVE DATE</u></b>
YMONT	ONE	YMONT1.YMONT	NONE		22 JUNE 2017

**COMMUNICATIONS:**

CTAF, AWOS-3PT, ZLC

**FIXES AND/OR NAVAIDS:**

**REMARKS:**

**FLIGHT INSPECTED BY:**

CHARLES D CUNNINGHAM

*Digitally signed by*

**ALLAN WILL**

Apr 13, 2017

**OFFICE SYMBOL:**

FICO

**DATE:**

11/30/2016

**DEVELOPED BY:**

ROBERT ABBOTT

*Digitally signed by*

**ROBERT G ABBOTT**

Apr 05, 2017

**OFFICE SYMBOL:**

AJV-5430

**DATE:**

09/22/2016

**APPROVED BY:**

LONNIE EVERHART

*Digitally signed by*

**ALLAN WILL**

Apr 13, 2017

**OFFICE SYMBOL:**

AJV-5430

**DATE:**

**REQUIRED EFFECTIVE DATE:**

CONCURRENT WITH AIRSPACE DOCKET 15-ANM-25

**COORDINATED WITH:**

**A4A**

☐

**ALPA**

☒

**AOPA**

☒

**APA**

☐

**HAI**

☐

**NBAA**

☒

**OTHER:**

ZLC, AMGR, UTAH DIVISION OF AERONAUTICS

**CHANGES - REASONS:**

4/5/2017: THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 9/22/2016.

1. CHANGED WAYPOINT NAME FROM ZEVEN TO SANPT IN DP ROUTE DESCRIPTION AND 8260-15C FIX/NAVAID LINE 3.

QUALITY  
9  
CHECKED

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
DEPARTURE (DATA RECORD)**

DP NAME							NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	EFFECTIVE DATE
YMONT							ONE	YMONT1.YMONT	NONE		22 JUNE 2017
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS		
RW03 (AER)	391935.74N/1113708.10W	N	-	-	-	-					
6020 MSL		-	-	VA	045.43	-			CG 340 FT PER NM TO 7000		
SANPT	393752.43N/1113235.87W	Y	FB	DF	-	-			LEFT TURN		
YMONT	400147.79N/1113009.04W	Y	FB	TF	004.50	23.98	13000				

