

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
GUSTAVUS	ONE	GSTVS1.SSR	NONE		06/27/2013

TYPE: OBSTACLE

DP ROUTE DESCRIPTION:

TAKEOFF RWY 2, CLIMB IN VISUAL CONDITIONS TO CROSS GUSTAVUS AIRPORT AT OR ABOVE 1500, CONTINUE CLIMB TO AT OR ABOVE 3000 VIA SSR VORTAC R-297 TO SSR VORTAC. WHEN EXECUTING VCOA, NOTIFY ATC PRIOR TO DEPARTURE.

TAKEOFF RWY 11, CLIMBING RIGHT TURN TO AT OR ABOVE 3000 TO INTERCEPT SSR VORTAC R-297 TO SSR VORTAC OR CLIMB IN VISUAL CONDITIONS TO CROSS GUSTAVUS AIRPORT AT OR ABOVE 1500 THEN CLIMB TO AT OR ABOVE 3000 VIA SSR R-297 TO SSR VORTAC. WHEN EXECUTING VCOA, NOTIFY ATC PRIOR TO DEPARTURE.

TAKEOFF RWY 20, CLIMBING LEFT TURN TO AT OR ABOVE 3000 TO INTERCEPT SSR VORTAC R-297 TO SSR VORTAC OR CLIMB IN VISUAL CONDITIONS TO CROSS GUSTAVUS AIRPORT AT OR ABOVE 1500 THEN CLIMB TO AT OR ABOVE 3000 VIA R-297 TO SSR VORTAC. WHEN EXECUTING VCOA, NOTIFY ATC PRIOR TO DEPARTURE.

TAKEOFF RWY 29, CLIMBING LEFT TURN TO AT OR ABOVE 3000 TO INTERCEPT SSR VORTAC R-297 TO SSR VORTAC.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

TAKEOFF MINIMUMS: RWY 2 1500-2 ½ FOR CLIMB IN VISUAL CONDITIONS,
RWY 11 STANDARD WITH MINIMUM CLIMB OF 265 FT PER NM TO 1200 OR 1500-2 ½ FOR CLIMB IN VISUAL CONDITIONS,
RWY 20 STANDARD WITH MINIMUM CLIMB OF 323 FT PER NM TO 1200 OR 1500-2 ½ FOR CLIMB IN VISUAL CONDITIONS,
RWY 29 STANDARD

TAKEOFF OBSTACLES NOTES:

NOTE RWY 11, TREES BEGINNING 1009 FT FROM DER, 151 FT LEFT AND RIGHT OF CENTERLINE, UP TO 140 FT AGL/ 147 FT MSL. BUSH 140 FT FROM DER, 472 FT RIGHT OF CENTERLINE, 24 FT AGL/ 34 FT MSL.

CONTROLLING OBSTACLES:

RWY 11: 799 FT MSL AAO 582144.09N/1353743.80W.
RWY 20, 899 FT MSL AAO 582201.36N/1353949.53W.
RWY 2, 11, 20, (VCOA) 1149 MSL TREE 582845.00N/1354136.00W.
OBSTACLES MANDATING ROUTE DEVELOPMENT: RWY 2, 11, 20, 29 – 10928 FT MSL AAO 583344.90N/1370457.50W.

LOST COMMUNICATIONS PROCEDURES:



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
GUSTAVUS	ONE	GSTVS1.SSR	NONE		06/27/2013

ADDITIONAL FLIGHT DATA:

CHART HOLDING AT SSR VORTAC, HOLD SE, RT, 296.86 INBOUND.

AIRPORTS SERVED:

GUSTAVUS, GUSTAVUS, AK

COMMUNICATIONS:

ZAN, JNU FSS,

FIXES AND/OR NAVAIDS:

