

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33						Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.										
TERMINAL ROUTES											MISSED APPROACH					
FROM		TO		COURSE AND DISTANCE			ALTITUDE		LPV: DA LNAV/VNAV: DA LNAV: RW04 CLIMB TO 3000 DIRECT IROKE AND HOLD. ADDITIONAL FLIGHT DATA: HOLD NE, RT, 224.13 INBOUND. CHART FAS OBST: 1100 TREE 445018N/0913045W CHART FALLS 1&2 MOA. DISTANCE TO THLD FROM 200 HAT: 0.49 NM. CHART VDP AT 1.34 NM TO RW04* *LNAV ONLY. WAAS CHANNEL # 69217 REFERENCE PATH ID: W04A CHART CIRCLING ICON. CHART 1130 TANK 444951N/0913218W LTP HAE: 239.2 M							
WESIX (IAF)		RIMLE (NOPT) (FB)		133.75 / 6.40			3000									
HEDVU (IAF)		RIMLE (NOPT) (FB)		313.90 / 6.40			3000									
RIMLE (IF/IAF)		JASAK (FB)		043.82 / 6.10			2700									
JASAK (FAF)		YARGU/2.60 NM TO RW04 (FB)		043.89 / 2.96												
YARGU/2.60 NM TO RW04		RW04 (MAP) (FO)		043.89 / 2.60												
RW04 (MAP)		1089 MSL		043.89			3000									
1089 MSL		IROKE (FO)														
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD SW RIMLE, RT, 043.82 INBOUND, 3000 FT. IN LIEU OF PT (IAF) 3. FAC: 043.89 FAF: JASAK DIST FAF TO MAP: 5.56 THLD: 5.56 4. MIN. ALT: RIMLE 3000, JASAK 2700, YARGU/2.60 NM TO RW04 1740* 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: 2700 GS ALT AT: JASAK 2700 OM: _____ MM: _____ IM: _____ 7. GS ANGLE: 3.00 TCH: 44.0 34:1 IS CLEAR 8. MSA FROM: _____											MAG VAR: 1E		EPOCH YEAR: 1995			
MINIMUMS																
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A		STANDARD @							
CATEGORY >>>>>	A			B			C			D			E			
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LPV DA	1089	3/4	200	1089	3/4	200	1089	3/4	200	1089	3/4	200				
LNAV/VNAV DA	1379	1 5/8	490	1379	1 5/8	490	1379	1 5/8	490	1379	1 5/8	490				
LNAV MDA	1360	1	471	1360	1	471	1360	1 3/8	471	1360	1 3/8	471				
CIRCLING	1480	1	567	1540	1	627	1660	2 1/4	747	2200	3	1287				
NOTES: CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -21C (-5F) OR ABOVE 54C (130F). CHART NOTE: BARO-VNAV AND VDP NA WHEN USING RICE LAKE RGNL-CARL'S FIELD ALTIMETER SETTING. CHART NOTE: DME/DME RNP-0.3 NA. (CONTINUED ON PAGE 2)																
CITY AND STATE			ELEVATION: 913 TDZE: 889			FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:					SUP:			
EAU CLAIRE, WI			AIRPORT NAME:					RNAV (GPS) RWY 4, AMDT 1					AMDT: ORIG			
			CHIPPEWA VALLEY RGNL					10 NOVEMBER 2016					DATED 04/08/2010			

**RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE RICE LAKE RGNL- CARL'S FIELD AIRPORT ALTIMETER SETTING AND INCREASE LPV DA TO 1199, LNAV/VNAV DA TO 1489 AND ALL VISIBILITIES 7/8 SM.

INCREASE ALL MDA 120' AND LNAV CAT C/D AND CIRCLING CAT C VISIBILITY 1/4 SM.

CHART NOTE: CIRCLING RWY 32 NA AT NIGHT.

TAA

	<u>FROM</u>	<u>TO</u>	<u>ALT</u>
1.	314/30 CW 134/30 (NOPT)	RIMLE (IF/IAF) (FB)	3000
2.	134/30 CW 224/30	134/13 CW 224/13	3200
3.	134/13 CW 224/13	WESIX (IAF) (FB)	3000
4.	224/30 CW 314/30	224/15 CW 314/15	4100
5.	224/15 CW 314/15	HEDVU (IAF) (FB)	3000

CITY AND STATE

EAU CLAIRE, WI

ELEVATION: 913

TDZE: 889

AIRPORT NAME:

CHIPPEWA VALLEY RGNL

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 4, AMDT 1

10 NOVEMBER 2016

SUP:

AMDT:

DATED:

 QUALITY
18
CHECKED

ORIG

04/08/2010

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

CITY AND STATE
EAU CLAIRE, WI

ELEVATION: 913 TDZE: 889
AIRPORT NAME:
CHIPPEWA VALLEY RGNL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 4, AMDT 1
10 NOVEMBER 2016

SUP:	
AMDT:	ORIG
DATED:	04/08/2010



**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KEAU
RUNWAY	RW04
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W04A
LTP/FTP LATITUDE	445136.2255N
LTP/FTP LONGITUDE	0912929.8530W
LTP/FTP ELLIPSOIDAL HEIGHT	+02392
FPAP LATITUDE	445239.2605N
FPAP LONGITUDE	0912801.3160W
THRESHOLD CROSSING HEIGHT (TCH)	00044.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0408
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	35.0
 <u>CRC REMAINDER</u>	 9F537F0F

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K5
LTP ORTHOMETRIC HEIGHT	+02702
FPAP ORTHOMETRIC HEIGHT	+02702

CITY AND STATE

EAU CLAIRE, WI

ELEVATION: 913

TDZE: 889

AIRPORT NAME:

CHIPPEWA VALLEY RGNL

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 4, AMDT 1

10 NOVEMBER 2016

SUP:

AMDT:

DATED:

 QUALITY
18
CHECKED

ORIG

04/08/2010

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33												Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.																																																																																																																																																																																																																																				
ARINC SUMMARY - KEAU ROUTES <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">TRANSITION</th> <th style="text-align: left;">WPT SEQ</th> <th style="text-align: left;">WPT NAME</th> <th style="text-align: left;">LEG TYPE</th> <th style="text-align: left;">FB/FO</th> <th style="text-align: left;">RNP</th> <th style="text-align: left;">MAG CRS</th> <th style="text-align: left;">REC NAV</th> <th style="text-align: left;">ANGLE</th> <th style="text-align: left;">TURN DIR</th> <th style="text-align: left;">CENTER FIX</th> <th style="text-align: left;">TURN RADIUS</th> <th style="text-align: left;">ALTITUDE DESCRIPTION & VALUE</th> <th style="text-align: left;">SPEED LIMIT DESCRIPTION & VALUE</th> <th style="text-align: left;">WPT DESCRIPTION CODE</th> </tr> </thead> <tbody> <tr><td>HEDVU</td><td>010</td><td>HEDVU</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E A</td></tr> <tr><td>HEDVU</td><td>020</td><td>RIMLE</td><td>TF</td><td>FB</td><td>1.0</td><td>313.9</td><td></td><td></td><td></td><td></td><td></td><td>AA 03000</td><td></td><td>EE B</td></tr> <tr><td>RIMLE</td><td>010</td><td>RIMLE</td><td>HF</td><td>FO</td><td></td><td>043.8</td><td></td><td></td><td>R</td><td></td><td></td><td>AA 03000</td><td></td><td>EE A</td></tr> <tr><td>WESIX</td><td>010</td><td>WESIX</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E A</td></tr> <tr><td>WESIX</td><td>020</td><td>RIMLE</td><td>TF</td><td>FB</td><td>1.0</td><td>133.8</td><td></td><td></td><td></td><td></td><td></td><td>AA 03000</td><td></td><td>EE B</td></tr> <tr><td></td><td>010</td><td>RIMLE</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AA 03000</td><td></td><td>E I</td></tr> <tr><td></td><td>020</td><td>JASAK</td><td>TF</td><td>FB</td><td>1.0</td><td>043.8</td><td></td><td></td><td></td><td></td><td></td><td>AA 02700</td><td></td><td>E F</td></tr> <tr><td></td><td>021</td><td>YARGU</td><td>TF</td><td>FB</td><td>0.3</td><td>043.9</td><td></td><td>3.00</td><td></td><td></td><td></td><td>AA 01740 GS 01758</td><td></td><td>E S</td></tr> <tr><td></td><td>030</td><td>RW04</td><td>TF</td><td>FO</td><td>0.3</td><td>043.9</td><td></td><td>3.00</td><td></td><td></td><td></td><td>AT 00930</td><td></td><td>GY M</td></tr> <tr><td></td><td>040</td><td></td><td>CA</td><td>FB</td><td></td><td>043.9</td><td></td><td></td><td></td><td></td><td></td><td>AA 01089</td><td></td><td>M</td></tr> <tr><td></td><td>050</td><td>IROKE</td><td>DF</td><td>FO</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AA 03000</td><td></td><td>EY</td></tr> <tr><td></td><td>060</td><td>IROKE</td><td>HM</td><td>FO</td><td></td><td>224.1</td><td></td><td></td><td>R</td><td></td><td></td><td>AA 03000</td><td></td><td>EE</td></tr> </tbody> </table> POINTS <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">POINT NAME</th> <th style="text-align: left;">LATITUDE</th> <th style="text-align: left;">LONGITUDE</th> </tr> </thead> <tbody> <tr><td>HEDVU</td><td>N443849.91</td><td>W0913441.45</td></tr> <tr><td>IROKE</td><td>N450059.81</td><td>W0911614.90</td></tr> <tr><td>JASAK</td><td>N444740.19</td><td>W0913500.67</td></tr> <tr><td>RIMLE</td><td>N444320.76</td><td>W0914102.98</td></tr> <tr><td>WESIX</td><td>N444751.25</td><td>W0914725.49</td></tr> <tr><td>YARGU</td><td>N444945.82</td><td>W0913204.74</td></tr> </tbody> </table> RUNWAYS <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">RUNWAY</th> <th style="text-align: left;">THRESHOLD LATITUDE</th> <th style="text-align: left;">THRESHOLD LONGITUDE</th> <th style="text-align: left;">THRESHOLD ELEVATION</th> <th style="text-align: left;">PROCEDURE TCH</th> </tr> </thead> <tbody> <tr> <td>RW04</td> <td>N445136.23</td> <td>W0912929.85</td> <td>00886</td> <td>44</td> </tr> </tbody> </table>															TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE	HEDVU	010	HEDVU	IF	FB										E A	HEDVU	020	RIMLE	TF	FB	1.0	313.9						AA 03000		EE B	RIMLE	010	RIMLE	HF	FO		043.8			R			AA 03000		EE A	WESIX	010	WESIX	IF	FB										E A	WESIX	020	RIMLE	TF	FB	1.0	133.8						AA 03000		EE B		010	RIMLE	IF	FB								AA 03000		E I		020	JASAK	TF	FB	1.0	043.8						AA 02700		E F		021	YARGU	TF	FB	0.3	043.9		3.00				AA 01740 GS 01758		E S		030	RW04	TF	FO	0.3	043.9		3.00				AT 00930		GY M		040		CA	FB		043.9						AA 01089		M		050	IROKE	DF	FO								AA 03000		EY		060	IROKE	HM	FO		224.1			R			AA 03000		EE	POINT NAME	LATITUDE	LONGITUDE	HEDVU	N443849.91	W0913441.45	IROKE	N450059.81	W0911614.90	JASAK	N444740.19	W0913500.67	RIMLE	N444320.76	W0914102.98	WESIX	N444751.25	W0914725.49	YARGU	N444945.82	W0913204.74	RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH	RW04	N445136.23	W0912929.85	00886	44
TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE																																																																																																																																																																																																																																		
HEDVU	010	HEDVU	IF	FB										E A																																																																																																																																																																																																																																		
HEDVU	020	RIMLE	TF	FB	1.0	313.9						AA 03000		EE B																																																																																																																																																																																																																																		
RIMLE	010	RIMLE	HF	FO		043.8			R			AA 03000		EE A																																																																																																																																																																																																																																		
WESIX	010	WESIX	IF	FB										E A																																																																																																																																																																																																																																		
WESIX	020	RIMLE	TF	FB	1.0	133.8						AA 03000		EE B																																																																																																																																																																																																																																		
	010	RIMLE	IF	FB								AA 03000		E I																																																																																																																																																																																																																																		
	020	JASAK	TF	FB	1.0	043.8						AA 02700		E F																																																																																																																																																																																																																																		
	021	YARGU	TF	FB	0.3	043.9		3.00				AA 01740 GS 01758		E S																																																																																																																																																																																																																																		
	030	RW04	TF	FO	0.3	043.9		3.00				AT 00930		GY M																																																																																																																																																																																																																																		
	040		CA	FB		043.9						AA 01089		M																																																																																																																																																																																																																																		
	050	IROKE	DF	FO								AA 03000		EY																																																																																																																																																																																																																																		
	060	IROKE	HM	FO		224.1			R			AA 03000		EE																																																																																																																																																																																																																																		
POINT NAME	LATITUDE	LONGITUDE																																																																																																																																																																																																																																														
HEDVU	N443849.91	W0913441.45																																																																																																																																																																																																																																														
IROKE	N450059.81	W0911614.90																																																																																																																																																																																																																																														
JASAK	N444740.19	W0913500.67																																																																																																																																																																																																																																														
RIMLE	N444320.76	W0914102.98																																																																																																																																																																																																																																														
WESIX	N444751.25	W0914725.49																																																																																																																																																																																																																																														
YARGU	N444945.82	W0913204.74																																																																																																																																																																																																																																														
RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH																																																																																																																																																																																																																																												
RW04	N445136.23	W0912929.85	00886	44																																																																																																																																																																																																																																												
CITY AND STATE EAU CLAIRE, WI					ELEVATION: 913 TDZE: 889 AIRPORT NAME: CHIPPEWA VALLEY RGNL					FACILITY IDENTIFIER: RNAV		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 4, AMDT 1 10 NOVEMBER 2016			SUP: 4 AMDT: ORIG DATED: 04/08/2010																																																																																																																																																																																																																																	