

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
IXEVY/2.20 NM TO RW14	RW14 (MAP) (FO)	143.65 / 2.20	
RW14 (MAP)	409 MSL	143.65	
409 MSL	NAKDE (FB)		
NAKDE	JOHON (FO)	233.70 / 22.51	3000

NOTES, (CONT.):

- VISIBILITY 1/4 MILE AND LNAV CAT C VISIBILITY 1/8 MILE.
- CHART NOTE: BARO-VNAV NA.
- CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.
- CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT TULLO ON V554 NORTHWEST BOUND.
- CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT JOHON ON V212 WESTBOUND.
- CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT HEZ VOR/DME ON V71 SOUTHEAST BOUND.



CITY AND STATE VIDALIA, LA	ELEVATION: 55	TDZE: 55	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 14, ORIG 10 DECEMBER 2015	SUP:
	AIRPORT NAME: CONCORDIA PARISH				AMDT: NONE
					DATED:

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	0R4
RUNWAY	RW14
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W14A
LTP/FTP LATITUDE	313357.9430N
LTP/FTP LONGITUDE	0913035.9460W
LTP/FTP ELLIPSOIDAL HEIGHT	-00098
FPAP LATITUDE	313245.9935N
FPAP LONGITUDE	0912934.1890W
THRESHOLD CROSSING HEIGHT (TCH)	00050.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1624
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0
 <u>CRC REMAINDER</u>	 5D609C7C

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+00166
FPAP ORTHOMETRIC HEIGHT	+00166



CITY AND STATE VIDALIA, LA	ELEVATION: 55	TDZE: 55	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 14, ORIG 10 DECEMBER 2015	SUP:
	AIRPORT NAME: CONCORDIA PARISH				AMDT: NONE
					DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	HEZ	HEZ	010		IF		FB					
	HEZ	MOJOS	020		TF		FO	2.0	289.4 (289.4T)	018.6	AA 02700	
	HEZ	MOJOS	030	IAF	HF	R	FO		143.6 (143.6T)	004.0	AA 02700	
	JOHON	JOHON	010		IF		FB					
	JOHON	MOJOS	020		TF		FO	2.0	017.3 (017.3T)	027.9	AA 02700	
	JOHON	MOJOS	030	IAF	HF	R	FO		143.6 (143.6T)	004.0	AA 02700	
	LARTO	LARTO	010		IF		FB					
	LARTO	MOJOS	020		TF		FO	2.0	047.2 (047.2T)	029.1	AA 02700	
	LARTO	MOJOS	030	IAF	HF	R	FO		143.6 (143.6T)	004.0	AA 02700	
	TULLO	TULLO	010	IAF	IF		FB					
	TULLO	MOJOS	020		TF		FB	1.0	151.6 (151.6T)	017.6	AA 02700	
		MOJOS	010	FACF	IF		FB				AA 02700	
		RAGAE	020	FAF	TF		FB	0.5	143.6 (143.6T)	006.5	AA 01700	
		IXEVY	021	SDF	TF		FB	0.3	143.7 (143.7T)	002.8	AA 00800	GS 00805
		RW14	030	MAP	TF		FO	0.3	143.7 (143.7T)	002.2	AT 00104	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		143.7 (143.7T)		AA 00409	
	NAKDE	050		DF		FB					
	JOHON	060		TF		FO	1.0	233.7 (233.7T)	022.5	AA 03000	
	JOHON	070		HM	R	FO		088.0 (088.0T)	004.0	AA 03000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	HEZ	N313705.44	W0911758.72	N3137.091	W09117.979
	IXEVY	N313544.52	W0913207.49	N3135.742	W09132.125
	JOHON	N311632.64	W0914817.87	N3116.544	W09148.298
	LARTO	N312327.75	W0920336.04	N3123.463	W09203.601
	MOJOS	N314315.33	W0913835.51	N3143.256	W09138.592
	NAKDE	N312955.47	W0912707.96	N3129.925	W09127.133
	RAGAE	N313800.66	W0913404.53	N3138.011	W09134.076
	TULLO	N315847.77	W0914824.56	N3158.796	W09148.409
	RW14	N313357.94	W0913035.95	N3133.966	W09130.599

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW14	00054	50



CITY AND STATE VIDALIA, LA	ELEVATION: 55	TDZE: 55	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: CONCORDIA PARISH		RNAV	RNAV (GPS) RWY 14, ORIG 10 DECEMBER 2015	AMDT: NONE
					DATED: