

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
RZC VORTAC	FITAL (FO)	007.99 / 7.26	3300	LPV: DA LNAV: RW18
PINNE	JATUM (FB)	154.00 / 9.26	3300	
TEEUP	WARIT (FB)	245.63 / 3.65	3300	CLIMB TO 3800 DIRECT ZAVOR AND HOLD.
CITGA (IAF)	FITAL (NOPT) (FB)	214.91 / 13.49	3300	
WARIT (IAF)	FITAL (NOPT) (FB)	273.17 / 5.00	3300	
JATUM (IAF)	FITAL (NOPT) (FB)	093.05 / 5.00	3300	
FITAL (IF/IAF)	BEDVE (FB)	183.11 / 6.01	3000	ADDITIONAL FLIGHT DATA: HOLD S, RT, 003.07 INBOUND. CHART FAS OBST: 1812 ANT 361234N/0940607W DISTANCE TO THLD FROM 291 HATH: 0.78 NM. CHART VDP AT 2.22 MILES TO RW18* *LNAV ONLY. WAAS CHANNEL # 70312 REFERENCE PATH ID: W18A CHART CIRCLING ICON LTP HAE: 380.2 M
(SEE FORM 8260-10)				

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. HOLD N FITAL, RT, 183.11 INBOUND, 3300 FT. IN LIEU OF PT (IAF)
3. FAC: 183.10 FAF: BEDVE DIST FAF TO MAP: 5.00 THLD: 5.00
4. MIN. ALT: FITAL 3300, BEDVE 3000
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
6. MIN GS INCPT: 3000 GS ALT AT: BEDVE 3000 OM: MM: IM:
7. GS ANGLE: 3.00 TCH: 45.0 34:1 IS NOT CLEAR
8. MSA FROM: RW18 4500

MAG VAR: 4E EPOCH YEAR: 1995

MINIMUMS

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		X			
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	1630	3/4	291	1630	3/4	291	1630	3/4	291	1630	3/4	291			
LNAV/VNAV DA		NA			NA			NA			NA				
LNAV MDA	2080	3/4	741	2080	1	741	2080	1 7/8	741	2080	1 7/8	741			
CIRCLING	2080	1	727	2080	1	727	2080	2	727	2220	2 3/4	867			

NOTES:
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT.
 CHART NOTE: CIRCLING NA EAST OF RWY 18-36.
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE FAYETTEVILLE/DRAKE FIELD ALTIMETER
 (SEE FORM 8260-10)



CITY AND STATE SPRINGDALE, AR	ELEVATION: 1353 THRE: 1339 AIRPORT NAME: SPRINGDALE MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 18, AMDT 1C 27 JUNE 2013	SUP: AMDT: 1B DATED 10/18/2012
----------------------------------	---	------------------------------	--	--------------------------------------

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
BEDVE (FAF)	RW18 (MAP) (FO)	183.10 / 5.00	
RW18 (MAP)	1630 MSL	183.10	
1630 MSL	ZAVOR (FO)		3800

NOTES, (CONT.):

SETTING AND INCREASE ALL DA 39 FEET AND ALL MDA 40 FEET; INCREASE LPV ALL CATS AND LNAV CAT C/D VISIBILITY 1/8 MILE, CIRCLING CAT C/D VISIBILITY 1/4 MILE.

CHART NOTE: FOR INOPERATIVE MALSF, INCREASE LPV ALL CATS VISIBILITY TO 1 MILE, LNAV CAT C/D VISIBILITY TO 2 MILES.

CHART NOTE: FOR INOPERATIVE MALSF WHEN USING FAYETTEVILLE/DRAKE FIELD ALTIMETER SETTING, INCREASE LPV ALL CATS VISIBILITY TO 1 1/8 MILE, LNAV CAT C VISIBILITY TO 2 1/4 MILE.

CHART NOTE: VDP NA WHEN USING FAYETTEVILLE/DRAKE FIELD ALTIMETER SETTING.

CHART NOTE: CIRCLING TO RWY 36 NA AT NIGHT.

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.

CITY AND STATE SPRINGDALE, AR	ELEVATION: 1353 THRE: 1339	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 18, AMDT 1C 27 JUNE 2013	SUP:
	AIRPORT NAME: SPRINGDALE MUNI			AMDT: 1B
				DATED: 10/18/2012

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KASG
RUNWAY	RW18
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	0
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W18A
LTP/FTP LATITUDE	361057.4925N
LTP/FTP LONGITUDE	0940705.8505W
LTP/FTP ELLIPSOIDAL HEIGHT	+03802
FPAP LATITUDE	360928.9500N
FPAP LONGITUDE	0940719.4300W
THRESHOLD CROSSING HEIGHT (TCH)	00045.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1248
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER 5B5F3EAC

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+04082
FPAP ORTHOMETRIC HEIGHT	+04082



CITY AND STATE SPRINGDALE, AR	ELEVATION: 1353 THRE: 1339	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 18, AMDT 1C 27 JUNE 2013	SUP:
	AIRPORT NAME: SPRINGDALE MUNI			AMDT: 1B
				DATED: 10/18/2012

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	CITGA	CITGA	010	IAF	IF		FB					
	CITGA	FITAL	020		TF		FB	1.0	214.9(218.9T)	013.5	AA 03300	
	PINNE	PINNE	010		IF		FB					
	PINNE	JATUM	020	IAF	TF		FB	2.0	154.0(158.0T)	009.3	AA 03300	
	PINNE	FITAL	030		TF		FB	1.0	093.1(097.1T)	005.0	AA 03300	
	RZC	RZC	010		IF		FB					
	RZC	FITAL	020		TF		FO	2.0	008.0(012.0T)	007.3	AA 03300	
	RZC	FITAL	030	IAF	HF	R	FO		183.1(187.1T)	004.0	AA 03300	
	TEEUP	TEEUP	010		IF		FB					
	TEEUP	WARIT	020	IAF	TF		FB	2.0	245.6(249.6T)	003.7	AA 03300	
	TEEUP	FITAL	030		TF		FB	1.0	273.2(277.2T)	005.0	AA 03300	
		FITAL	010	FACF	IF		FB				AA 03300	
		BEDVE	020	FAF	TF		FB	0.5	183.1(187.1T)	006.0	AA 03000	
		RW18	030	MAP	TF		FO	0.3	183.1(187.1T)	005.0	AT 01384	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		183.1(187.1T)		AA 01630	
	ZAVOR	050		DF		FO				AA 03800	
	ZAVOR	060		HM	R	FO		003.1(007.1T)	004.0	AA 03800	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	RZC	N361447.14	W0940717.01	N3614.786	W09407.284
	BEDVE	N361555.60	W0940620.06	N3615.927	W09406.334
	CITGA	N363225.28	W0935455.27	N3632.421	W09354.921
	FITAL	N362153.93	W0940524.90	N3621.899	W09405.415
	JATUM	N362230.96	W0941133.54	N3622.516	W09411.559
	PINNE	N363106.60	W0941551.24	N3631.110	W09415.854
	TEEUP	N362232.89	W0935502.53	N3622.548	W09355.042
	WARIT	N362116.59	W0935916.36	N3621.277	W09359.273
	ZAVOR	N355914.91	W0940853.39	N3559.249	W09408.890
	RW18	N361057.49	W0940705.85	N3610.958	W09407.098

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW18	01339	43

CITY AND STATE SPRINGDALE, AR	ELEVATION: 1353	THRE: 1339	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 18, AMDT 1C 27 JUNE 2013	SUP:
	AIRPORT NAME: SPRINGDALE MUNI				AMDT: 1B
					DATED: 10/18/2012