

|                                                                                                                                                                                                                                                                                                        |        |                                                                             |         |                                                                                                                                                                                                                                                                                                                                                                      |       |                                 |        |                                                                                   |         |                                                                                                                                                                                                                                                |     |                             |        |     |         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------------------------------------------------------------------------|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|---------------------------------|--------|-----------------------------------------------------------------------------------|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------------------------|--------|-----|---------|
| US DEPARTMENT OF TRANSPORTATION<br>FEDERAL AVIATION ADMINISTRATION                                                                                                                                                                                                                                     |        | RNAV - STANDARD<br>INSTRUMENT APPROACH PROCEDURE<br>TITLE 14 CFR PART 97.33 |         | Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR. |       |                                 |        |                                                                                   |         |                                                                                                                                                                                                                                                |     |                             |        |     |         |
| TERMINAL ROUTES                                                                                                                                                                                                                                                                                        |        |                                                                             |         |                                                                                                                                                                                                                                                                                                                                                                      |       |                                 |        |                                                                                   |         | MISSED APPROACH                                                                                                                                                                                                                                |     |                             |        |     |         |
| FROM                                                                                                                                                                                                                                                                                                   |        | TO                                                                          |         | COURSE AND DISTANCE                                                                                                                                                                                                                                                                                                                                                  |       |                                 |        | ALTITUDE                                                                          |         | LPV: DA<br>LNAV/VNAV: DA<br>LNAV: RW14                                                                                                                                                                                                         |     |                             |        |     |         |
| HOGOD (IF/IAF)                                                                                                                                                                                                                                                                                         |        | WANPO (FB)                                                                  |         | 140.86 / 7.39                                                                                                                                                                                                                                                                                                                                                        |       |                                 |        | 2700                                                                              |         | CLIMB TO 3000 DIRECT OLTOE AND HOLD.                                                                                                                                                                                                           |     |                             |        |     |         |
| WANPO (FAF)                                                                                                                                                                                                                                                                                            |        | ZOKOV/1.60 NM TO RW14 (FB)                                                  |         | 140.93 / 3.28                                                                                                                                                                                                                                                                                                                                                        |       |                                 |        |                                                                                   |         |                                                                                                                                                                                                                                                |     |                             |        |     |         |
| ZOKOV/1.60 NM TO RW14                                                                                                                                                                                                                                                                                  |        | RW14 (MAP) (FO)                                                             |         | 140.93 / 1.60                                                                                                                                                                                                                                                                                                                                                        |       |                                 |        |                                                                                   |         | ADDITIONAL FLIGHT DATA:<br>HOLD SE, RT, 321.08 INBOUND.<br>CHART FAS OBST: 1290 TREE 422628N/0935324W<br>DISTANCE TO THLD FROM 250 HAT: 0.66 NM.<br>WAAS CHANNEL # 40237<br>REFERENCE PATH ID: W14A<br>CHART CIRCLING ICON<br>LTP HAE: 310.1 M |     |                             |        |     |         |
| RW14 (MAP)                                                                                                                                                                                                                                                                                             |        | 1367 MSL                                                                    |         | 140.93                                                                                                                                                                                                                                                                                                                                                               |       |                                 |        |                                                                                   |         |                                                                                                                                                                                                                                                |     |                             |        |     |         |
| 1367 MSL                                                                                                                                                                                                                                                                                               |        | OLTOE (FO)                                                                  |         |                                                                                                                                                                                                                                                                                                                                                                      |       |                                 |        | 3000                                                                              |         |                                                                                                                                                                                                                                                |     |                             |        |     |         |
| 1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)                                                                                                                                                                                                                   |        |                                                                             |         |                                                                                                                                                                                                                                                                                                                                                                      |       |                                 |        |                                                                                   |         |                                                                                                                                                                                                                                                |     |                             |        |     |         |
| 2. HOLD NW HOGOD, RT, 140.86 INBOUND, 3000 FT. IN LIEU OF PT (IAF)                                                                                                                                                                                                                                     |        |                                                                             |         |                                                                                                                                                                                                                                                                                                                                                                      |       |                                 |        |                                                                                   |         |                                                                                                                                                                                                                                                |     |                             |        |     |         |
| 3. FAC: 140.93 FAF: WANPO DIST FAF TO MAP: 4.88 THLD: 4.88                                                                                                                                                                                                                                             |        |                                                                             |         |                                                                                                                                                                                                                                                                                                                                                                      |       |                                 |        |                                                                                   |         |                                                                                                                                                                                                                                                |     |                             |        |     |         |
| 4. MIN. ALT: HOGOD 3000, WANPO 2700, ZOKOV/1.60 NM TO RW14 1640*                                                                                                                                                                                                                                       |        |                                                                             |         |                                                                                                                                                                                                                                                                                                                                                                      |       |                                 |        |                                                                                   |         |                                                                                                                                                                                                                                                |     |                             |        |     |         |
| 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____                                                                                                                                                                                                         |        |                                                                             |         |                                                                                                                                                                                                                                                                                                                                                                      |       |                                 |        |                                                                                   |         |                                                                                                                                                                                                                                                |     |                             |        |     |         |
| 6. MIN GS INCPT: 2700 GS ALT AT: WANPO 2700 OM: _____ MM: _____ IM: _____                                                                                                                                                                                                                              |        |                                                                             |         |                                                                                                                                                                                                                                                                                                                                                                      |       |                                 |        |                                                                                   |         |                                                                                                                                                                                                                                                |     |                             |        |     |         |
| 7. GS ANGLE: 3.00 TCH: 40.0 34:1 IS NOT CLEAR                                                                                                                                                                                                                                                          |        |                                                                             |         |                                                                                                                                                                                                                                                                                                                                                                      |       |                                 |        |                                                                                   |         |                                                                                                                                                                                                                                                |     |                             |        |     |         |
| 8. MSA FROM: _____                                                                                                                                                                                                                                                                                     |        |                                                                             |         |                                                                                                                                                                                                                                                                                                                                                                      |       |                                 |        |                                                                                   |         |                                                                                                                                                                                                                                                |     |                             |        |     |         |
| MAG VAR: 3E EPOCH YEAR: 1995                                                                                                                                                                                                                                                                           |        |                                                                             |         |                                                                                                                                                                                                                                                                                                                                                                      |       |                                 |        |                                                                                   |         |                                                                                                                                                                                                                                                |     |                             |        |     |         |
| MINIMUMS                                                                                                                                                                                                                                                                                               |        |                                                                             |         |                                                                                                                                                                                                                                                                                                                                                                      |       |                                 |        |                                                                                   |         |                                                                                                                                                                                                                                                |     |                             |        |     |         |
| TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT                                                                                                                                                                                                                                                        |        |                                                                             |         |                                                                                                                                                                                                                                                                                                                                                                      |       |                                 |        |                                                                                   |         | ALTERNATE: N A                                                                                                                                                                                                                                 |     | STANDARD @                  |        |     |         |
| CATEGORY =====>                                                                                                                                                                                                                                                                                        |        | A                                                                           |         | B                                                                                                                                                                                                                                                                                                                                                                    |       | C                               |        | D                                                                                 |         | E                                                                                                                                                                                                                                              |     |                             |        |     |         |
|                                                                                                                                                                                                                                                                                                        | DH/MDA | VIS                                                                         | HAT/HAA | DH/MDA                                                                                                                                                                                                                                                                                                                                                               | VIS   | HAT/HAA                         | DH/MDA | VIS                                                                               | HAT/HAA | DH/MDA                                                                                                                                                                                                                                         | VIS | HAT/HAA                     | DH/MDA | VIS | HAT/HAA |
| LPV DA                                                                                                                                                                                                                                                                                                 | 1367   | 1                                                                           | 250     | 1367                                                                                                                                                                                                                                                                                                                                                                 | 1     | 250                             |        | NA                                                                                |         |                                                                                                                                                                                                                                                | NA  |                             |        |     |         |
| LNAV/VNAV DA                                                                                                                                                                                                                                                                                           | 1463   | 1 1/4                                                                       | 346     | 1463                                                                                                                                                                                                                                                                                                                                                                 | 1 1/4 | 346                             |        | NA                                                                                |         |                                                                                                                                                                                                                                                | NA  |                             |        |     |         |
| LNAV MDA                                                                                                                                                                                                                                                                                               | 1540   | 1                                                                           | 423     | 1540                                                                                                                                                                                                                                                                                                                                                                 | 1     | 423                             |        | NA                                                                                |         |                                                                                                                                                                                                                                                | NA  |                             |        |     |         |
| CIRCLING                                                                                                                                                                                                                                                                                               |        |                                                                             |         |                                                                                                                                                                                                                                                                                                                                                                      |       |                                 |        |                                                                                   |         |                                                                                                                                                                                                                                                |     |                             |        |     |         |
|                                                                                                                                                                                                                                                                                                        | 1600   | 1                                                                           | 478     | 1600                                                                                                                                                                                                                                                                                                                                                                 | 1     | 478                             |        | NA                                                                                |         |                                                                                                                                                                                                                                                | NA  |                             |        |     |         |
| NOTES:<br>CHART NOTE: BARO-VNAV NA WHEN USING CLARION ALTIMETER SETTING.<br>CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -17C (2F) OR ABOVE 54C (130F).<br>CHART NOTE: DME/DME RNP-0.3 NA.<br>CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT.<br>(SEE FORM 8260-10) |        |                                                                             |         |                                                                                                                                                                                                                                                                                                                                                                      |       |                                 |        |                                                                                   |         |                                                                                                                                                                                                                                                |     |                             |        |     |         |
| CITY AND STATE<br>WEBSTER CITY, IA                                                                                                                                                                                                                                                                     |        | ELEVATION: 1122 TDZE: 1117<br>AIRPORT NAME:<br>WEBSTER CITY MUNI            |         |                                                                                                                                                                                                                                                                                                                                                                      |       | FACILITY<br>IDENTIFIER:<br>RNAV |        | PROCEDURE NO./AMDT NO./EFFECTIVE DATE:<br>RNAV (GPS) RWY 14, ORIG<br>5 MARCH 2015 |         |                                                                                                                                                                                                                                                |     | SUP:<br>AMDT: NONE<br>DATED |        |     |         |



US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**RNAV - STANDARD**  
**INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

\*LNAV ONLY

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CLARION ALTIMETER SETTING AND INCREASE ALL DAS 49 FEET, AND ALL MDA 60 FEET; INCREASE LNAV/VNAV ALL CATS VISIBILITY 1/8 MILE.

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.

| TAA | FROM                    | TO                  | ALT  |
|-----|-------------------------|---------------------|------|
| 1.  | 051/30 CW 231/30 (NOPT) | 051/15 CW 231/15    | 3400 |
|     | 051/15 CW 231/15        | HOGOD (IF/IAF) (FB) | 3000 |
| 2.  | 231/30 CW 051/30        | HOGOD (IF/IAF) (FO) | 3000 |

QUALITY  
5  
CHECKED

CITY AND STATE  
WEBSTER CITY, IA

ELEVATION: 1122 TDZE: 1117  
AIRPORT NAME:  
WEBSTER CITY MUNI

FACILITY  
IDENTIFIER:  
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:  
RNAV (GPS) RWY 14, ORIG  
5 MARCH 2015

SUP:  
AMDT: NONE  
DATED:

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**FAS DATA BLOCK INFORMATION****DATA FIELD****DATA**

|                                          |               |
|------------------------------------------|---------------|
| OPERATION TYPE                           | 0             |
| SBAS SERVICE PROVIDER IDENTIFIER         | 0             |
| AIRPORT IDENTIFIER                       | KEBS          |
| RUNWAY                                   | RW14          |
| APPROACH PERFORMANCE DESIGNATOR          | 0             |
| ROUTE INDICATOR                          |               |
| REFERENCE PATH DATA SELECTOR             | 0             |
| REFERENCE PATH IDENTIFIER (APPROACH ID)  | W14A          |
| LTP/FTP LATITUDE                         | 422624.5635N  |
| LTP/FTP LONGITUDE                        | 0935222.5615W |
| LTP/FTP ELLIPSOIDAL HEIGHT               | +03101        |
| FPAP LATITUDE                            | 422512.4770N  |
| FPAP LONGITUDE                           | 0935111.8025W |
| THRESHOLD CROSSING HEIGHT (TCH)          | 00040.0       |
| TCH UNITS SELECTOR (METERS OR FEET USED) | F             |
| GLIDEPATH ANGLE (GPA)                    | 03.00         |
| COURSE WIDTH AT THRESHOLD                | 106.75        |
| LENGTH OFFSET                            | 1576          |
| HORIZONTAL ALERT LIMIT (HAL)             | 40.0          |
| VERTICAL ALERT LIMIT (VAL)               | 50.0          |

**CRC REMAINDER**

13448311

**ADDITIONAL PATH POINT RECORD INFORMATION**

|                         |        |
|-------------------------|--------|
| ICAO CODE               | K3     |
| LTP ORTHOMETRIC HEIGHT  | +03370 |
| FPAP ORTHOMETRIC HEIGHT | +03370 |

QUALITY  
5  
CHECKED

CITY AND STATE

WEBSTER CITY, IA

ELEVATION: 1122

TDZE: 1117

AIRPORT NAME:

WEBSTER CITY MUNI

 FACILITY  
IDENTIFIER:  
  
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 14, ORIG

5 MARCH 2015

SUP:

AMDT: NONE

DATED:

|                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p align="center"><b>U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION</b></p> <p align="center"><b><u>RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE</u></b></p> <p align="center"><b>FLIGHT STANDARDS SERVICES - FAR PART 97.33</b></p> | <p>Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.</p> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p align="center"><b>U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION</b></p> <p align="center"><b><u>RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE</u></b></p> <p align="center"><b>FLIGHT STANDARDS SERVICES - FAR PART 97.33</b></p> | <p>Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.</p> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

[illegible]

|                                           |                                           |                   |                                            |                                                                                                         |                   |
|-------------------------------------------|-------------------------------------------|-------------------|--------------------------------------------|---------------------------------------------------------------------------------------------------------|-------------------|
| CITY AND STATE<br><b>WEBSTER CITY, IA</b> | ELEVATION: <b>1122</b>                    | TDZE: <b>1117</b> | FACILITY<br>IDENTIFIER:<br><br><b>RNAV</b> | PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:<br><b>RNAV (GPS) RWY 14, ORIG</b><br><br><b>5 MARCH 2015</b> | SUP:              |
|                                           | AIRPORT NAME:<br><b>WEBSTER CITY MUNI</b> |                   |                                            |                                                                                                         | AMDT: <b>NONE</b> |
|                                           |                                           |                   |                                            |                                                                                                         | DATED:            |



| U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION |            |                        |     |             |      |              |       | Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR. |                |              |          |          |
|---------------------------------------------------------------------|------------|------------------------|-----|-------------|------|--------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------|----------|----------|
| RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE                   |            |                        |     |             |      |              |       |                                                                                                                                                                                                                                                                                                                                                                      |                |              |          |          |
| FLIGHT STANDARDS SERVICES - FAR PART 97.33                          |            |                        |     |             |      |              |       |                                                                                                                                                                                                                                                                                                                                                                      |                |              |          |          |
| ARINC SUMMARY - 424-18 - RNAV (GPS)                                 |            |                        |     |             |      |              |       |                                                                                                                                                                                                                                                                                                                                                                      |                |              |          |          |
| ROUTES                                                              | TRANSITION | FIX                    | SEQ | USE         | PATH | TURN         | FO/FB | RNP                                                                                                                                                                                                                                                                                                                                                                  | MAG (TRUE)     | DISTANCE     | ALTITUDE | SPEED    |
|                                                                     | HOGOD      | HOGOD                  | 010 | IAF         | HF   | R            | FO    |                                                                                                                                                                                                                                                                                                                                                                      | 140.9 (143.9T) | 004.0        | AA 03000 |          |
|                                                                     |            | HOGOD                  | 010 | FACF        | IF   |              | FB    |                                                                                                                                                                                                                                                                                                                                                                      |                |              | AA 03000 |          |
|                                                                     |            | WANPO                  | 020 | FAF         | TF   |              | FB    | 0.5                                                                                                                                                                                                                                                                                                                                                                  | 140.9 (143.9T) | 007.4        | AA 02700 |          |
|                                                                     |            | ZOKOV                  | 021 | SDF         | TF   |              | FB    | 0.3                                                                                                                                                                                                                                                                                                                                                                  | 140.9 (143.9T) | 003.3        | AA 01640 | GS 01655 |
|                                                                     |            | RW14                   | 030 | MAP         | TF   |              | FO    | 0.3                                                                                                                                                                                                                                                                                                                                                                  | 140.9 (143.9T) | 001.6        | AT 01146 |          |
| MISSED APPROACH                                                     |            | FIX                    | SEQ | USE         | PATH | TURN         | FO/FB | RNP                                                                                                                                                                                                                                                                                                                                                                  | MAG (TRUE)     | DISTANCE     | ALTITUDE | SPEED    |
|                                                                     |            |                        | 040 |             | CA   |              | FB    |                                                                                                                                                                                                                                                                                                                                                                      | 140.9 (143.9T) |              | AA 01367 |          |
|                                                                     |            | OLTOE                  | 050 |             | DF   |              | FO    |                                                                                                                                                                                                                                                                                                                                                                      |                |              | AA 03000 |          |
|                                                                     |            | OLTOE                  | 060 |             | HM   | R            | FO    |                                                                                                                                                                                                                                                                                                                                                                      | 321.1 (324.1T) | 004.0        | AA 03000 |          |
| POINT DATA                                                          | WAYPOINT   |                        |     | LAT IN SECS |      | LONG IN SECS |       | LAT IN MINS                                                                                                                                                                                                                                                                                                                                                          |                | LONG IN MINS |          |          |
|                                                                     | HOGOD      |                        |     | N423619.71  |      | W0940208.95  |       | N4236.329                                                                                                                                                                                                                                                                                                                                                            |                | W09402.149   |          |          |
|                                                                     | OLTOE      |                        |     | N421705.79  |      | W0934315.66  |       | N4217.097                                                                                                                                                                                                                                                                                                                                                            |                | W09343.261   |          |          |
|                                                                     | WANPO      |                        |     | N423021.39  |      | W0935615.43  |       | N4230.357                                                                                                                                                                                                                                                                                                                                                            |                | W09356.257   |          |          |
|                                                                     | ZOKOV      |                        |     | N422742.22  |      | W0935338.85  |       | N4227.704                                                                                                                                                                                                                                                                                                                                                            |                | W09353.648   |          |          |
|                                                                     | RW14       |                        |     | N422624.56  |      | W0935222.56  |       | N4226.409                                                                                                                                                                                                                                                                                                                                                            |                | W09352.376   |          |          |
| RUNWAY DATA                                                         | RWY        | THRESHOLD<br>ELEVATION |     | TCH         |      |              |       |                                                                                                                                                                                                                                                                                                                                                                      |                |              |          |          |
|                                                                     | RW14       | 01106                  |     | 40          |      |              |       |                                                                                                                                                                                                                                                                                                                                                                      |                |              |          |          |



|                                           |                                           |                                         |                                                                                                         |                   |
|-------------------------------------------|-------------------------------------------|-----------------------------------------|---------------------------------------------------------------------------------------------------------|-------------------|
| CITY AND STATE<br><b>WEBSTER CITY, IA</b> | ELEVATION: <b>1122</b>                    | FACILITY IDENTIFIER:<br><br><b>RNAV</b> | PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:<br><b>RNAV (GPS) RWY 14, ORIG</b><br><br><b>5 MARCH 2015</b> | SUP:              |
|                                           | AIRPORT NAME:<br><b>WEBSTER CITY MUNI</b> |                                         |                                                                                                         | AMDT: <b>NONE</b> |
|                                           |                                           |                                         |                                                                                                         | DATED:            |