

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
**RNAV (RNP) - STANDARD,
 INSTRUMENT APPROACH PROCEDURE, - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
MOJUY (IF)	OTAVY (TF) (FB) (RNP 0.50)	328.63 / 11.48	3000
OTAVY	WIDAK (RF) (FB) (RNP 0.50)	(2.60 NM RADIUS CCW (CFFML))/1.48	3000
HUKAK (IF)	WIDAK (TF) (FB) (RNP 0.50)	295.95 / 2.01	3000
WIDAK	JUMAT (RF) (FB) (RNP 0.50)	(2.60 NM RADIUS CCW (CFFML))/3.49	3000
CULRI (IF)	JUMAT (TF) (FB) (RNP 1.00)	219.08 / 3.99	3000
JUMAT	WEDAV (RF) (FB) (RNP 0.50)	(2.60 NM RADIUS CCW (CFFML))/4.46	1900
YIZED (IF)	WEDAV (RF) (FB) (RNP 0.50)	(4.08 NM RADIUS CW (CFFMW))/3.25	1900
HILOB (IF)	WEDAV (TF) (FB) (RNP 1.00)	120.59 / 8.03	1900
WEDAV (FAF)	RW12 (MAP) (TF) (FO)	120.68 / 4.56	
RW12 (MAP)	JIGPI (TF) (FB) (RNP1.00)	120.74 / 5.77	
JIGPI	ZEGRU (RF) (FB) (RNP1.00)	(4.49 NM RADIUS CCW (CFFMX))/4.38	
ZEGRU	CITYS (TF) (FO) (RNP1.00)	065.01 / 5.86	3200

NOTES, (CONT.):

CHART PLANVIEW NOTE AT JUMAT : MAX 180 KIAS.
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT WATSY ON V357 NORTHWEST BOUND, AND ARRIVALS ON V204 NORTHBOUND.
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT PAIDS ON V204 WESTBOUND.
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT NIALS ON V187 NORTHWEST BOUND.
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT CITYS ON V520 EASTBOUND.
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT GINLE ON V298 SOUTHEAST BOUND.
 CHART PLANVIEW NOTE AT WATSY: (RNP 0.50).
 CHART PLANVIEW NOTE AT PAIDS: (RNP 0.50).
 CHART PLANVIEW NOTE AT CITYS: (RNP 0.50).



CITY AND STATE PASCO, WA	ELEVATION: 410 AIRPORT NAME: TRI-CITIES	TDZE: 402	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (RNP) Z RWY 12, AMDT 1, 11/13/2014	SUP:
					AMDT: ORIG-A
					DATED: 07/24/2014

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
**RNAV (RNP) - STANDARD,
 INSTRUMENT APPROACH PROCEDURE, - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

CHART PLANVIEW NOTE AT GINLE: (RNP 0.50).
 CHART PROFILE NOTE: SEE PLANVIEW FOR MULTIPLE IF LOCATIONS.
 CHART NOTE: RF REQUIRED.



CITY AND STATE PASCO, WA	ELEVATION: 410 AIRPORT NAME: TRI-CITIES	TDZE: 402	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (RNP) Z RWY 12, AMDT 1, 11/13/2014	SUP:
					AMDT: ORIG-A
					DATED: 07/24/2014

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (RNP) STANDARD INSTRUMENT APPROACH PROCEDURE
 FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (RNP)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	CITYS	CITYS	010	IAF	IF		FB					
	CITYS	HUKAK	020		TF		FB	1.0			AA 03200	
	CITYS	WIDAK	030		TF		FB	0.5			AA 03000	AB 180
	CITYS	JUMAT	040		RF	L	FB	0.5		003.5	AA 03000	AB 180
	CITYS	WEDAV	050		RF	L	FB	0.5		004.5	AA 01900	
	GINLE	GINLE	010	IAF	IF		FB					
	GINLE	MOJUY	020		TF		FB	1.0			AA 03200	
	GINLE	OTAVY	030		TF		FB	0.5			AA 03000	AB 180
	GINLE	WIDAK	040		RF	L	FB	0.5		001.5	AA 03000	AB 180
	GINLE	JUMAT	050		RF	L	FB	0.5		003.5	AA 03000	AB 180
	GINLE	WEDAV	060		RF	L	FB	0.5		004.5	AA 01900	
	NIALS	NIALS	010	IAF	IF		FB					
	NIALS	HIOB	020		TF		FB	1.0			AA 03100	
	NIALS	WEDAV	030		TF		FB	1.0			AA 01900	
	PAIDS	PAIDS	010	IAF	IF		FB					
	PAIDS	YIZED	020		TF		FB	1.0			AA 02800	
	PAIDS	WEDAV	030		RF	R	FB	0.5		003.3	AA 01900	
	WATSY	WATSY	010	IAF	IF		FB					
	WATSY	CULRI	020		TF		FB	1.0			AA 04000	
	WATSY	JUMAT	030		TF		FB	1.0			AA 03000	AB 180
	WATSY	WEDAV	040		RF	L	FB	0.5		004.5	AA 01900	
		WEDAV	020	FAF	IF		FB				AA 01900	
		RW12	030	MAP	TF		FO	0.3			AT 00449	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	JIGPI	040		TF		FB	1.0				
	ZEGRU	050		RF	L	FB	1.0		004.4		
	CITYS	060		TF		FO	1.0			AA 03200	
	CITYS	070		HM	R	FO		272.4 (287.4T)	004.0	AA 03200	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	CITYS	N461159.67	W1184748.53	N4611.995	W11847.809
	GINLE	N460126.43	W1190225.31	N4601.441	W11902.422
	NIALS	N463507.32	W1192929.09	N4635.122	W11929.485
	PAIDS	N462053.31	W1192735.92	N4620.889	W11927.599
	WATSY	N463643.35	W1184552.88	N4636.723	W11845.881
	CFFML	N462129.01	W1190934.80	N4621.484	W11909.580
	CFPMW	N461648.91	W1191628.71	N4616.815	W11916.479
	CFPMX	N461524.00	W1185714.67	N4615.400	W11857.245
	CULRI	N462555.89	W1190706.68	N4625.932	W11907.111

QUALITY
12

CITY AND STATE PASCO, WA	ELEVATION: 410	TDZE: 402	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP: CHECKED
	AIRPORT NAME: TRI-CITIES		RNAV	RNAV (RNP) Z RWY 12, AMDT 1, 11/13/2014	AMDT: ORIG-A
					DATED: 07/24/2014

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (RNP) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

HILOB	N462524.38	W1192022.44	N4625.406	W11920.374
HUKAK	N462208.00	W1190455.87	N4622.133	W11904.931
JIGPI	N461216.52	W1190152.87	N4612.275	W11901.881
JUMAT	N462335.24	W1191147.11	N4623.587	W11911.785
MOJUY	N461112.31	W1190118.35	N4611.205	W11901.306
OTAVY	N462213.16	W1190558.78	N4622.219	W11905.980
WEDAV	N461940.10	W1191215.96	N4619.668	W11912.266
WIDAK	N462326.88	W1190707.30	N4623.448	W11907.122
YIZED	N462053.84	W1191628.71	N4620.897	W11916.479
ZEGRU	N461058.97	W1185607.38	N4610.983	W11856.123
RW12	N461624.51	W1190740.68	N4616.409	W11907.678

RUNWAY DATA

RWY	THRESHOLD ELEVATION	TCH
RW12	00396	54

QUALITY
12

CITY AND STATE PASCO, WA	ELEVATION: 410	TDZE: 402	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (RNP) Z RWY 12, AMDT 1, 11/13/2014	SUP: CHECKED
	AIRPORT NAME: TRI-CITIES				AMDT: ORIG-A
					DATED: 07/24/2014