

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

**RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH	
FROM	TO	COURSE AND DISTANCE	ALTITUDE		
ATONE (IAF)	OGOYY (FB)	080.99 / 5.93	2000	LPV: DA LNAV/VNAV: DA LNAV: RW15	
OGOYY (IF)	JIMNY (FB)	149.58 / 6.00	2000	CLIMB TO 2100 DIRECT KUCEP AND HOLD, WHEN AUTHORIZED BY ATC, CLIMB-IN-HOLD TO 5000.	
JIMNY (FAF)	RW15 (MAP) (FO)	149.62 / 6.11			
RW15 (MAP)	2100 MSL	149.62			
2100 MSL	KUCEP (FO)		2100	ADDITIONAL FLIGHT DATA: HOLD S, RT, 021.23 INBOUND. FAS OBST: 219 AAO 261732N/0800937W DISTANCE TO THLD FROM 279 HATH: 0.75 NM. CHART VDP AT 1.33 MILES TO RW15* *LNAV ONLY. WAAS CHANNEL # 82500 REFERENCE PATH ID: W15A CHART CIRCLING ICON LTP HAE: -20.8 M	

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. PROFILE STARTS AT OGOYY
3. FAC: 149.62 FAF: JIMNY DIST FAF TO MAP: 6.11 THLD: 6.11
4. MIN. ALT: OGOYY 2000, JIMNY 2000
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
6. MIN GS INCPT: 2000 GS ALT AT: JIMNY OM: MM: IM:
7. GS ANGLE: 3.00 TCH: 38.9 34:1 IS CLEAR
8. MSA FROM: RW15 2600

MAG VAR: 7W EPOCH YEAR: 2015

MINIMUMS															
TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A			STANDARD @					
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	296	3/4	279	296	3/4	279									
LNAV/VNAV DA	399	1	382	399	1	382									
LNAV MDA	480	1	463	480	1	463									
CIRCLING	660	1	641	660	1	641			NA			NA			

NOTES:
 CHART NOTE: INOPERATIVE TABLE DOES NOT APPLY. @ NA WHEN LOCAL WEATHER NOT AVAILABLE.
 CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW 0C (32F) OR ABOVE 54C (130F).
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE FORT LAUDERDALE EXECUTIVE ALTIMETER (SEE FORM 8260-10)

CITY AND STATE POMPAÑO BEACH, FL	ELEVATION: 19 TDZE: 17 AIRPORT NAME: POMPAÑO BEACH AIRPARK	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 15, AMDT 1 18 SEPTEMBER 2014	SUP: AMDT: ORIG DATED 07/05/2007
-------------------------------------	--	------------------------------	--	--

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):
 SETTING.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT ATONE ON V159 NORTH BOUND.

CITY AND STATE POMPAÑO BEACH, FL	ELEVATION: 19	TDZE: 17	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 15, AMDT 1 18 SEPTEMBER 2014	SUP:
	AIRPORT NAME: POMPAÑO BEACH AIRPARK				AMDT: ORIG
					DATED: 07/05/2007

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KPMP
RUNWAY	RW15
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W15A
LTP/FTP LATITUDE	261511.7255N
LTP/FTP LONGITUDE	0800651.6830W
LTP/FTP ELLIPSOIDAL HEIGHT	-00208
FPAP LATITUDE	261400.6800N
FPAP LONGITUDE	0800551.5800W
THRESHOLD CROSSING HEIGHT (TCH)	00038.9
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1400
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0
 <u>CRC REMAINDER</u>	 CF56DF48

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K7
LTP ORTHOMETRIC HEIGHT	+00051
FPAP ORTHOMETRIC HEIGHT	+00051

CITY AND STATE POMPAÑO BEACH, FL	ELEVATION: 19 TDZE: 17 AIRPORT NAME: POMPAÑO BEACH AIRPARK	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 15, AMDT 1 18 SEPTEMBER 2014	SUP:
				AMDT: ORIG
				DATED: 07/05/2007

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	ATONE	ATONE	010	IAF	IF		FB					
	ATONE	OGOYY	020		TF		FB	1.0	081.0 (074.0T)	005.9	AA 02000	
		OGOYY	010	FACF	IF		FB				AA 02000	
		JIMNY	020	FAF	TF		FB	0.5	149.6 (142.6T)	006.0	AA 02000	
		RW15	030	MAP	TF		FO	0.3	149.6 (142.6T)	006.1	AT 00056	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		149.6 (142.6T)		AA 00279	
	KUCEP	050		DF		FO				AA 02100	
	KUCEP	060		HM	R	FO		021.2 (014.2T)	004.0	AA 02100	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	ATONE	N262312.14	W0802123.68	N2623.202	W08021.395
	JIMNY	N262003.77	W0801059.08	N2620.063	W08010.985
	KUCEP	N260949.51	W0800219.30	N2609.825	W08002.322
	OGOYY	N262450.47	W0801502.47	N2624.841	W08015.041
	RW15	N261511.73	W0800651.68	N2615.196	W08006.861

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW15	00017	39



CITY AND STATE POMPANO BEACH, FL	ELEVATION: 19 TDZE: 17 AIRPORT NAME: POMPANO BEACH AIRPARK	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 15, AMDT 1 18 SEPTEMBER 2014	SUP:
				AMDT: ORIG
				DATED: 07/05/2007