

TERMINAL ROUTES				MISSED APPROACH	
FROM	TO	COURSE AND DISTANCE	ALTITUDE		
HEATT (IAF)	TUYVO (FB)	179.86 / 7.15	2700	LPV: DA LNAV: RW24	
MRLIN (IAF)	TUYVO (FB)	235.91 / 11.70	2700	CLIMB TO 2000 DIRECT ECOYI AND ON TRACK 260.05 TO KICKZ AND HOLD.	
TUYVO (IF)	CIVOV (FB)	239.74 / 6.01	2000		
CIVOV (FAF)	RW24 (MAP) (FO)	239.70 / 6.00			
RW24 (MAP)	319 MSL	239.70			
319 MSL	ECOYI (FB)			ADDITIONAL FLIGHT DATA: HOLD N, RT, 171.08 INBOUND. CHART FAS OBST: 250 SHIP MAST 261733N/0800245W DISTANCE TO THLD FROM 301 HAT: 0.82 NM. CHART VDP AT 1.28 MILES TO RW24* *LNAV ONLY. REFERENCE PATH ID: W24A WAAS CHANNEL #70500 CHART FORT LAUDERDALE EXECUTIVE AIRPORT CHART CIRCLING ICON LTP HAE: -21.9 M	
ECOYI	KICKZ (FO)	260.05 / 8.62	2000		

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. PROFILE STARTS AT TUYVO
3. FAC: 239.70 FAF: CIVOV DIST FAF TO MAP: 6.00 THLD: 6.00
4. MIN. ALT: TUYVO 2700, CIVOV 2000
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
6. MIN GS INCPT: 2000 GS ALT AT: CIVOV 2000 OM: MM: IM:
7. GS ANGLE: 3.00 TCH: 44.0 34:1 IS NOT CLEAR
8. MSA FROM: RW24 2600

MAG VAR: 7W EPOCH YEAR: 2015

MINIMUMS															
TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A			STANDARD @					
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	319	1	301	319	1	301		NA			NA				
LNAV MDA	500	1	482	500	1	482		NA			NA				
CIRCLING	660	1	641	660	1	641		NA			NA				

NOTES:
 CHART NOTE: DME/DME RNP-0.3 NA. @ NA WHEN LOCAL WEATHER NOT AVAILABLE.
 CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT.
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE FORT LAUDERDALE EXECUTIVE ALTIMETER SETTING.
 (SEE FORM 8260-10)

CITY AND STATE POMPANO BEACH, FL	ELEVATION: 19 TDZE: 18 AIRPORT NAME: POMPANO BEACH AIRPARK	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 24, ORIG-A 18 SEPTEMBER 2014	SUP: AMDT: ORIG DATED 08/03/2006
-------------------------------------	---	------------------------------	--	--

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT HEATT ON V295/BR 64V NORTHBOUND.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT MRLIN ON BR 68V NORTHEAST BOUND.

CITY AND STATE
 POMPANO BEACH, FL

ELEVATION: 19 TDZE: 18
 AIRPORT NAME:
 POMPANO BEACH AIRPARK

FACILITY IDENTIFIER:
 RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
 RNAV (GPS) RWY 24, ORIG-A
 18 SEPTEMBER 2014

SUP:
 AMDT: ORIG
 DATED: 08/03/2006

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KPMP
RUNWAY	RW24
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W24A
LTP/FTP LATITUDE	261502.3230N
LTP/FTP LONGITUDE	0800624.6385W
LTP/FTP ELLIPSOIDAL HEIGHT	-00219
FPAP LATITUDE	261408.1140N
FPAP LONGITUDE	0800743.4200W
THRESHOLD CROSSING HEIGHT (TCH)	00044.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1528
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER 7EB96AA0

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K7
LTP ORTHOMETRIC HEIGHT	+00039
FPAP ORTHOMETRIC HEIGHT	+00039

CITY AND STATE POMPAÑO BEACH, FL	ELEVATION: 19 TDZE: 18	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 24, ORIG-A 18 SEPTEMBER 2014	SUP:
	AIRPORT NAME: POMPAÑO BEACH AIRPARK			AMDT: ORIG
				DATED: 08/03/2006

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
 FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

SUSAP KPMPK7SRW24 K7PG

0 18018002625

M

CITY AND STATE POMPANO BEACH, FL	ELEVATION: 19 AIRPORT NAME: POMPANO BEACH AIRPARK	TDZE: 18 FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 24, ORIG-A 18 SEPTEMBER 2014	SUP:
				AMDT: ORIG
				DATED: 08/03/2006

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	HEATT	HEATT	010	IAF	IF		FB					
	HEATT	TUYVO	020		TF		FB	1.0	179.9 (172.9T)	007.2	AA 02700	
	MRLIN	MRLIN	010	IAF	IF		FB					
	MRLIN	TUYVO	020		TF		FB	1.0	235.9 (228.9T)	011.7	AA 02700	
		TUYVO	010	FACF	IF		FB				AA 02700	
		CIVOV	020	FAF	TF		FB	0.5	239.7 (232.7T)	006.0	AA 02000	
		RW24	030	MAP	TF		FO	0.3	239.7 (232.7T)	006.0	AT 00057	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		239.7 (232.7T)		AA 00319	
	ECOYI	050		DF		FB					
	KICKZ	060		TF		FO	1.0	260.1 (253.1T)		AA 02000	
	KICKZ	070		HM	R	FO		171.1 (164.1T)	004.0	AA 02000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	CIVOV	N261841.11	W0800106.28	N2618.685	W08001.105
	ECOYI	N261343.53	W0800819.14	N2613.726	W08008.319
	HEATT	N262927.39	W0795646.13	N2629.457	W07956.769
	KICKZ	N261112.05	W0801729.04	N2611.201	W08017.484
	MRLIN	N263003.36	W0794557.64	N2630.056	W07945.961
	TUYVO	N262220.29	W0795546.74	N2622.338	W07955.779
	RW24	N261502.32	W0800624.64	N2615.039	W08006.411

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW24	00013	44

CITY AND STATE POMPANO BEACH, FL	ELEVATION: 19	TDZE: 18	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: POMPANO BEACH AIRPARK		RNAV	RNAV (GPS) RWY 24, ORIG-A 18 SEPTEMBER 2014	AMDT: ORIG
					DATED: 08/03/2006