



## FLIGHT STANDARDS SERVICES - FAR PART 97.25

Page 7 of 4 Pages

## FLIGHT STANDARDS SERVICES - FAR PART 97.25

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

|        |            |
|--------|------------|
| SUP:   |            |
| AMDT:  | 1B         |
| DATED: | 01/12/2012 |

## U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

**LOC STANDARD INSTRUMENT APPROACH PROCEDURE**

FLIGHT STANDARDS SERVICES - FAR PART 97.25

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - LOC

| ROUTES | TRANSITION | FIX   | SEQ | USE  | PATH | TURN | FO/FB | RNP | MAG (TRUE) | DISTANCE | ALTITUDE | SPEED |
|--------|------------|-------|-----|------|------|------|-------|-----|------------|----------|----------|-------|
| BUM    |            | BUM   | 010 |      | IF   |      | FB    |     |            |          |          |       |
| BUM    |            | HERBB | 020 |      | TF   |      | FB    |     |            |          | AA 02700 |       |
| BUM    |            | HERBB | 030 | IAF  | PI   | R    | FB    |     | 131.1 ( )  | 010.0    | AA 02700 |       |
| MCI    |            | MCI   | 010 |      | IF   |      | FB    |     |            |          |          |       |
| MCI    |            | HERBB | 020 |      | TF   |      | FB    |     |            |          | AA 03000 |       |
| MCI    |            | HERBB | 030 | IAF  | PI   | R    | FB    |     | 131.1 ( )  | 010.0    | AA 02700 |       |
|        |            | CFBXV | 010 | FACF | IF   |      | FB    |     |            |          | AA 02700 |       |
|        |            | HERBB | 020 | FAF  | CF   |      | FB    |     | 356.0 ( )  | 006.0    | AA 02700 |       |
|        |            | RW36  | 030 | MAP  | CF   |      | FO    |     | 356.0 ( )  | 005.3    | AT 01090 |       |

| MISSED APPROACH | FIX | SEQ | USE | PATH | TURN | FO/FB | RNP | MAG (TRUE) | DISTANCE | ALTITUDE | SPEED |
|-----------------|-----|-----|-----|------|------|-------|-----|------------|----------|----------|-------|
|                 |     | 040 |     | CA   |      | FB    |     | 356.1 ( )  |          | AA 01700 |       |
|                 | PK  | 050 |     | DF   | R    | FO    |     |            |          | AA 02700 |       |
|                 | PK  | 060 |     | HM   | R    | FO    |     | 356.1 ( )  | T01.0    | AA 02700 |       |

| POINT DATA | WAYPOINT   | LAT IN SECS | LONG IN SECS | LAT IN MINS | LONG IN MINS |
|------------|------------|-------------|--------------|-------------|--------------|
|            | BUM        | N381619.49  | W0942917.74  | N3816.325   | W09429.296   |
|            | MCI        | N391707.02  | W0944413.42  | N3917.117   | W09444.224   |
|            | CFBXV      | N383911.23  | W0944417.33  | N3839.187   | W09444.289   |
|            | HERBB      | N384511.35  | W0944416.29  | N3845.189   | W09444.272   |
|            | RW36       | N385031.10  | W0944415.36  | N3850.518   | W09444.256   |
|            | IPKX (LOC) | N385114.93  | W0944415.23  | N3851.249   | W09444.254   |
|            | PK         | N384511.34  | W0944412.66  | N3845.189   | W09444.211   |

| RUNWAY DATA | RWY  | THRESHOLD<br>ELEVATION | TCH |
|-------------|------|------------------------|-----|
|             | RW36 | 01050                  | 40  |

CITY AND STATE  
OLATHE, KSELEVATION: 1096 TDZE: 1086  
AIRPORT NAME:  
JOHNSON COUNTY EXECUTIVEFACILITY  
IDENTIFIER:  
I-PKXPROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:  
LOC RWY 36, AMDT 2  
18 SEPTEMBER 2014

SUP:

AMDT: 1B

DATED: 01/12/2012