

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.															
TERMINAL ROUTES										MISSED APPROACH									
FROM		TO		COURSE AND DISTANCE				ALTITUDE		LNAV: RW16 CLIMB TO 1900 THEN CLIMBING RIGHT TURN TO 3600 DIRECT CAREW AND HOLD. ADDITIONAL FLIGHT DATA: HOLD W, RT, 090.11 INBOUND. CHART FAS OBST: 1603 TREE 483121N/0991500W CHART VDP AT 1.11 MILES TO RW16. CHART CIRCLING ICON KNOUT TO RW16: 3.00/35 CHART 1613 TREE 483145N/0991518W									
CAREW		FANOB (FO)		013.08 / 29.49				3300											
NERDE		FANOB (FO)		311.54 / 44.03				3300											
FANOB (IF/IAF)		KNOUT (FB)		160.08 / 3.50				3100											
KNOUT (FAF)		WODOT/2.50 NM TO RW16 (FB)		160.10 / 2.48															
WODOT/2.50 NM TO RW16		RW16 (MAP) (FO)		160.10 / 2.50															
RW16 (MAP)		1900 MSL		160.10				1900											
1900 MSL		CAREW (FO)						3600											
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD N FANOB, RT, 160.08 INBOUND, 3300 FT. IN LIEU OF PT (IAF) 3. FAC: 160.10 FAF: KNOUT DIST FAF TO MAP: 4.98 THLD: 4.98 4. MIN. ALT: FANOB 3300, KNOUT 3100, WODOT/2.50 NM TO RW16 2300 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____ 7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR 8. MSA FROM: RW16 3400																MAG VAR: 6E		EPOCH YEAR: 2010	
MINIMUMS																			
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		☒							
CATEGORY =====>		A		B		C		D		E									
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA				
LNAV MDA	1860	1	379	1860	1	379		NA			NA								
CIRCLING	1900	1	418	1940	1	458		NA			NA								
NOTES: CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE DEVILS LAKE ALTIMETER SETTING AND INCREASE ALL MDAS 80 FEET. CHART NOTE: DME/DME RNP-0.3 NA. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT CAREW ON V430 WEST BOUND. (SEE FORM 8260-10)																			
CITY AND STATE		ELEVATION: 1482 TDZE: 1481				FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP:							
CANDO, ND		AIRPORT NAME: CANDO MUNI						RNAV (GPS) RWY 16, ORIG				AMDT: NONE							
								20 AUGUST 2015				DATED							



US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT NERDE ON V430 EAST BOUND.

CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE {ANGLE} TCH {FEET}).

CHART NOTE: VDP NA WITH DEVILS LAKE ALTIMETER SETTING.

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.

QUALITY
22
CHECKED

CITY AND STATE

CANDO, ND

ELEVATION: 1482
AIRPORT NAME:

TDZE: 1481

CANDO MUNI

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 16, ORIG
20 AUGUST 2015

SUP:

AMDT: **NONE**

DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

QUALITY
22
CHECKED

CITY AND STATE CANDO, ND	ELEVATION: 1482 TDZE: 1481	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: CANDO MUNI		RNAV (GPS) RWY 16, ORIG	AMDT: NONE
			20 AUGUST 2015	DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICES - FAR PART 97.33								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.				
ARINC SUMMARY - 424-18 - RNAV (GPS)												
ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	CAREW	CAREW	010		IF		FB					
	CAREW	FANOB	020		TF		FO	2.0	013.1 (019.1T)	029.5	AA 03300	
	CAREW	FANOB	030	IAF	HF	R	FO		160.1 (166.1T)	004.0	AA 03300	
	NERDE	NERDE	010		IF		FB					
	NERDE	FANOB	020		TF		FO	2.0	311.5 (317.5T)	044.0	AA 03300	
	NERDE	FANOB	030	IAF	HF	R	FO		160.1 (166.1T)	004.0	AA 03300	
		FANOB	010	FACF	IF		FB				AA 03300	
		KNOUT	020	FAF	TF		FB	0.5	160.1 (166.1T)	003.5	AA 03100	
		WODOT	021	SDF	TF		FB	0.3	160.1 (166.1T)	002.5	AA 02300	GS 02311
		RW16	030	MAP	TF		FO	0.3	160.1 (166.1T)	002.5	AT 01515	
MISSED APPROACH		FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
			040		CA		FB		160.1 (166.1T)		AA 01900	
		CAREW	050		DF	R	FO				AA 03600	
		CAREW	060		HM	R	FO		090.1 (096.1T)	004.0	AA 03600	
POINT DATA		WAYPOINT	LAT IN SECS		LONG IN SECS		LAT IN MINS		LONG IN MINS			
		CAREW	N480928.37		W0993152.77		N4809.473		W09931.880			
		FANOB	N483718.21		W0991721.07		N4837.304		W09917.351			
		KNOUT	N483354.52		W0991605.02		N4833.909		W09916.084			
		NERDE	N480459.31		W0983233.47		N4804.989		W09832.558			
		WODOT	N483130.26		W0991511.27		N4831.504		W09915.188			
		RW16	N482904.90		W0991417.19		N4829.082		W09914.287			
RUNWAY DATA			THRESHOLD									
		RWY	ELEVATION		TCH							
		RW16	01480		35							



CITY AND STATE CANDO, ND	ELEVATION: 1482 AIRPORT NAME: CANDO MUNI	TDZE: 1481	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 16, ORIG 20 AUGUST 2015	SUP: AMDT: NONE DATED:
------------------------------------	---	-------------------	-------------------------------------	---	-------------------------------------