

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
ROKXX (IAF)	PLAAY (FB)	128.17 / 7.29	7000	LPV: DA LNAV/VNAV: DA LNAV: RW30R CLIMB TO 6300 THEN CLIMBING RIGHT TURN TO 10300 DIRECT HYGEN AND HOLD, CONTINUE CLIMB-IN-HOLD TO 10300.
PLAAY	LAWNG (FB)	189.98 / 3.51	7000	
LAWNG	BAAWL (FB)	244.50 / 2.92	7000	
NSPYR (IAF)	BAAWL (FB)	351.35 / 3.63	7000	
BAAWL (IF)	ALIKE (FB)	295.41 / 4.00	7000	
ALIKE (FAF)	VOGFA/1.90 NM TO RW30R (FB)	295.36 / 2.44		
(SEE FORM 8260-10)				ADDITIONAL FLIGHT DATA: HOLD SE, RT, 308.00 INBOUND. CHART FAS OBST: 5616 BLDG 395444N/1050556W CHART: 5824 TOWER 395047N/1050159W DISTANCE TO THLD FROM 200 HAT: 0.57 NM. CHART VDP AT 1.01 MILES TO RW30R* *LNAV ONLY. WAAS CHANNEL # 82707 REFERENCE PATH ID: W30B CHART MANDATORY 7000 AT LAWNG CHART MANDATORY 7000 AT BAAWL CHART CIRCLING ICON LTP HAE: 1679.8 M

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. PROFILE STARTS AT BAAWL
3. FAC: 295.36 FAF: ALIKE DIST FAF TO MAP: 4.34 THLD: 4.34
4. MIN. ALT: BAAWL 7000, ALIKE 7000, VOGFA/1.90 NM TO RW30R 6220*
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
6. MIN GS INCPT: 7000 GS ALT AT: ALIKE 7000 OM: MM: IM:
7. GS ANGLE: 3.00 TCH: 51.8 34:1 IS CLEAR
8. MSA FROM: RW30R 14800

MAG VAR: 9E EPOCH YEAR: 2015

MINIMUMS																
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A						
CATEGORY =====>	A			B			C			D			E			
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LPV DA	5799	1/2	200	5799	1/2	200	5799	1/2	200	5799	1/2	200				
LNAV/VNAV DA	5900	5/8	301	5900	5/8	301	5900	5/8	301	5900	5/8	301				
LNAV MDA	5940	1/2	341	5940	1/2	341	5940	5/8	341	5940	5/8	341				
CIRCLING	6180	1	507	6240	1	567	6360	2	687	6860	3	1187				

NOTES:
 CHART NOTE: BARO-VNAV AND VDP NA WHEN USING DENVER INTL ALTIMETER SETTING.
 CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -26C (-14F) OR ABOVE 47C (116F)
 CHART PLANVIEW NOTE: RADAR REQUIRED.
 CHART NOTE: DME/DME RNP-0.3 NA.
 (SEE FORM 8260-10)



CITY AND STATE DENVER, CO	ELEVATION: 5673 TDZE: 5599 AIRPORT NAME: ROCKY MOUNTAIN METROPOLITAN	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 30R, AMDT 2 13 NOVEMBER 2014	SUP: RNAV (GPS) RWY 29R AMDT: 1B DATED 9/18/2014
------------------------------	---	------------------------------	--	--

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
VOGFA/1.90 NM TO RW30R	RW30R (MAP) (FO)	295.36 / 1.90	
RW30R (MAP)	6300 MSL	295.36	6300
6300 MSL	HYGEN (FO)		10300

NOTES, (CONT.):

CHART PLANVIEW NOTE AT ROKXX: MAX 210 KIAS
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE DENVER INTL ALTIMETER SETTING AND INCREASE ALL DA 82 FEET AND ALL MDA 100 FEET INCREASE LNAV/VNAV ALL CATS, LNAV CAT C/D AND CIRCLING CAT C VISIBILITY 1/4 MILE.
 CHART NOTE: FOR INOPERATIVE MALSR, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 1 1/8 MILE AND LNAV CAT C/D VISIBILITY TO 1 MILE.
 CHART NOTE: FOR INOPERATIVE MALSR, WHEN USING DENVER INTL ALTIMETER SETTING, INCREASE LPV ALL CATS VISIBILITY TO 1 MILE, LNAV/VNAV ALL CATS VISIBILITY TO 1 3/8 MILE AND LNAV CAT A/B VISIBILITY TO 1 MILE AND CAT C/D VISIBILITY TO 1 3/8 MILE.



CITY AND STATE DENVER, CO	ELEVATION: 5673	TDZE: 5599	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 30R, AMDT 2 13 NOVEMBER 2014	SUP: RNAV (GPS) RWY 29R
	AIRPORT NAME: ROCKY MOUNTAIN METROPOLITAN				AMDT: 1B
					DATED: 9/18/2014

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KBJC
RUNWAY	RW30R
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W30B
LTP/FTP LATITUDE	395404.9460N
LTP/FTP LONGITUDE	1050606.9050W
LTP/FTP ELLIPSOIDAL HEIGHT	+16798
FPAP LATITUDE	395455.1975N
FPAP LONGITUDE	1050742.5550W
THRESHOLD CROSSING HEIGHT (TCH)	00051.8
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0008
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	35.0

CRC REMAINDER 605CF265

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K2
LTP ORTHOMETRIC HEIGHT	+16965
FPAP ORTHOMETRIC HEIGHT	+16965



CITY AND STATE DENVER, CO	ELEVATION: 5673 TDZE: 5599	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 30R, AMDT 2 13 NOVEMBER 2014	SUP: RNAV (GPS) RWY 29R
	AIRPORT NAME: ROCKY MOUNTAIN METROPOLITAN			AMDT: 1B
				DATED: 9/18/2014

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	NSPYR	NSPYR	010	IAF	IF		FB					
	NSPYR	BAAWL	020		TF		FB	1.0	351.4 (000.4T)	003.6	AT 07000	
	ROKXX	ROKXX	010	IAF	IF		FB					AB 210
	ROKXX	PLAAY	020		TF		FB	1.0	128.2 (137.2T)	007.3	AA 07000	
	ROKXX	LAWNG	030		TF		FB	1.0	190.0 (199.0T)	003.5	AT 07000	
	ROKXX	BAAWL	040		TF		FB	1.0	244.5 (253.5T)	002.9	AT 07000	
		BAAWL	010	FACF	IF		FB				AT 07000	
		ALIKE	020	FAF	TF		FB	0.5	295.4 (304.4T)	004.0	AA 07000	
		VOGFA	021	SDF	TF		FB	0.3	295.4 (304.4T)	002.4	AA 06220	GS 06223
		RW30R	030	MAP	TF		FO	0.3	295.4 (304.4T)	001.9	AT 05618	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		295.4 (304.4T)		AA 06300	
	HYGEN	050		DF	R	FO				AA 10300	
	HYGEN	060		HM	R	FO		308.0 (317.0T)	007.0	AA 10300	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	ALIKE	N395137.97	W1050127.61	N3951.633	W10501.460
	BAAWL	N394922.32	W1045710.44	N3949.372	W10457.174
	HYGEN	N400903.89	W1051057.91	N4009.065	W10510.965
	LAWNG	N395012.12	W1045332.61	N3950.202	W10453.544
	NSPYR	N394544.07	W1045712.18	N3945.735	W10457.203
	PLAAY	N395331.56	W1045203.66	N3953.526	W10452.061
	ROKXX	N395852.71	W1045829.92	N3958.879	W10458.499
	VOGFA	N395300.62	W1050404.59	N3953.010	W10504.077
	RW30R	N395404.95	W1050606.91	N3954.083	W10506.115

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW30R	05566	52



CITY AND STATE DENVER, CO	ELEVATION: 5673	TDZE: 5599	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP: RNAV (GPS) RWY 29R
	AIRPORT NAME: ROCKY MOUNTAIN METROPOLITAN		RNAV	RNAV (GPS) RWY 30R, AMDT 2	AMDT: 1B
				13 NOVEMBER 2014	DATED: 9/18/2014