

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23							Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.									
TERMINAL ROUTES										MISSED APPROACH						
FROM		TO			COURSE AND DISTANCE			ALTITUDE		MAP: 5.24 NM AFTER HUT VOR/DME OR AT HUT VOR/DME 5.24 DME						
HESUL/HUT 7.00 DME CW (IAF)		WOLOK/HUT 7.00 DME (NOPT)			7.00 DME ARC			3300		CLIMB TO 4000 ON HUT VOR/DME R-038 THEN LEFT TURN DIRECT HUT VOR/DME AND HOLD.						
JASIG/HUT 7.00 DME CCW (IAF)		WOLOK/HUT 7.00 DME (NOPT)			7.00 DME ARC			3300								
WOLOK/HUT 7.00 DME (IF)		HUT VOR/DME			038.00 / 7.00			3300								
										ADDITIONAL FLIGHT DATA: CHART FAS OBST: 1772 ELEVATOR 380343N/0975250W. CHART VDP AT 3.80 DME DISTANCE VDP TO THLD 1.44 NM. CHART HUT R-128 AT HESUL. CHART HUT R-292 AT JASIG. CHART CIRCLING ICON. HUT VOR/DME TO RW04: 3.13/45.						
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)																
2. HOLD SW HUT VOR/DME, LT, 038.00 INBOUND, 3300 FT. IN LIEU OF PT (IAF)																
3. FAC 038.15 FAF HUT VOR/DME _____ DIST FAF TO MAP 5.24 THLD 5.24																
4. MIN. ALT HUT VOR/DME 3300																
8. MSA FROM: HUT VOR/DME 4000										MAG VAR: 4E			EPOCH YEAR: 2020			
MINIMUMS																
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A		STANDARD							
CATEGORY =====>		A			B			C			D			E		
		MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S-04		2040	1	518	2040	1	518	2040	1 3/8	518		NA				
CIRCLING		2080	1	537	2080	1	537	2200	1 3/4	657		NA				
NOTES:																
CHART NOTE: CIRCLING TO RWY 22 NA AT NIGHT.																
CHART PLANVIEW NOTE: NOPT FOR ARRIVAL ON HUT VOR/DME AIRWAY RADIAL R-230.																
CITY AND STATE HUTCHINSON, KS		ELEVATION: 1543 TDZE: 1522 AIRPORT NAME: HUTCHINSON RGNL			FACILITY IDENTIFIER: HUT		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR RWY 4, AMDT 20, 12/07/2017					SUP AMDT 19C DATE 06/26/2014				

**VOR STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - - TITLE 14 CFR PART 97.23**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

QUALITY
25
CHECKED

CITY AND STATE

HUTCHINSON, KS

ELEVATION: 1543

TDZE: 1522

AIRPORT NAME:

HUTCHINSON RGNL

FACILITY
IDENTIFIER:

HUT

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

VOR RWY 4, AMDT 20, 12/07/2017

SUP:

AMDT: 19C

DATED: 06/26/2014