

PAGE 1 OF 5 PAGES

RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

DA 39 FEET AND ALL MDA 40 FEET; INCREASE LPV CAT A/B VISIBILITY TO 1 MILE AND LNAV/VNAV CAT A/B VISIBILITY TO 1 3/4.

CHART PROFILE NOTE: VGSi AND RNAV GLIDEPATH NOT COINCIDENT.

CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -17C (2F) OR ABOVE 54C (130F).

CHART NOTE: VDP AND BARO-VNAV NA WHEN USING BRANSON ALTIMETER SETTING.



CITY AND STATE

BRANSON WEST, MO

ELEVATION: 1348

THRE: 1348

AIRPORT NAME:

BRANSON WEST MUNI - EMERSON FIELD

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 21, AMDT 1

15 NOVEMBER 2012

SUP:

AMDT: ORIG

DATED: 02/09/2012

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATIONDATA FIELDDATA

OPERATION TYPE 0
SBAS SERVICE PROVIDER IDENTIFIER 0
AIRPORT IDENTIFIER KFWB
RUNWAY RW21
APPROACH PERFORMANCE DESIGNATOR 0
ROUTE INDICATOR
REFERENCE PATH DATA SELECTOR 0
REFERENCE PATH IDENTIFIER (APPROACH ID) W21A
LTP/FTP LATITUDE 364214.5385N
LTP/FTP LONGITUDE 0932349.9550W
LTP/FTP ELLIPSOIDAL HEIGHT +03822
FPAP LATITUDE 364102.5700N
FPAP LONGITUDE 0932455.4300W
THRESHOLD CROSSING HEIGHT (TCH) 00040.0
TCH UNITS SELECTOR (METERS OR FEET USED) F
GLIDEPATH ANGLE (GPA) 03.00
COURSE WIDTH AT THRESHOLD 106.75
LENGTH OFFSET 1224
HORIZONTAL ALERT LIMIT (HAL) 40.0
VERTICAL ALERT LIMIT (VAL) 50.0

CRC REMAINDER

C5A3EAC7

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE K3
LTP ORTHOMETRIC HEIGHT +04109
FPAP ORTHOMETRIC HEIGHT +04109

QUALITY
CHECKED

CITY AND STATE BRANSON WEST, MO	ELEVATION: 1348 THRE: 1348 AIRPORT NAME: BRANSON WEST MUNI - EMERSON FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 21, AMDT 1 15 NOVEMBER 2012	SUP: AMDT: ORIG DATED: 02/09/2012
------------------------------------	---	---------------------------------	--	---

RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC PACKET - 424-8 - RNAV (GPS)

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KFWBK3FR21	AENDRS	010ENDRSK3EA0EE	AR	HF		21430040	+	03000	18000		A	JS
SUSAP	KFWBK3FR21	R	010ENDRSK3EA0E	I	IF			+	03000	18000		A	JS
SUSAP	KFWBK3FR21	R	020BRNTTK3EA1E	F	051TF		21430050	+	03000		RW21	K3PGA	JS
SUSAP	KFWBK3FR21	R	020BRNTTK3EA2WALPV		ALNAV/VNAV	ALNAV							JS
SUSAP	KFWBK3FR21	R	021HIVGAK3EA0E	S	031TF		21430029	V	0208002088		-300	A	JS
SUSAP	KFWBK3FR21	R	030RW21	K3PGOGY	M	031TF	21430022		01388		-300	A	JS
SUSAP	KFWBK3FR21	R	040		0	M	CA	2143	+	01598		A	JS
SUSAP	KFWBK3FR21	R	050EDJONK3EA0EY		DF			+	03400			A	JS
SUSAP	KFWBK3FR21	R	060EDJONK3EA0EE	R	HM		03420040	+	03400			A	JS

[illegible][illegible][illegible]

CITY AND STATE BRANSON WEST, MO	ELEVATION: 1348	THRE: 1348	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 21, AMDT 1 15 NOVEMBER 2012	SUP:	
	AIRPORT NAME: BRANSON WEST MUNI - EMERSON FIELD				AMDT:	ORIG
					DATED:	02/09/2012

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-B - RNAV (GPS)

RCUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	ENDRS	ENDRS	010	IAP	HF	R	FO		214.3 (216.3T)	004.0	AA 03000	
		ENDRS	010	PACF	IF		FB				AA 03000	
		BRNTT	020	FAF	TF		FB	0.5	214.3 (216.3T)	005.0	AA 03000	
		HIVGA	021	SDF	TF		FB	0.3	214.3 (216.3T)	002.9	AA 02080	GS 02088
		RW21	030	MAP	TF		FO	0.3	214.3 (216.3T)	002.2	AT 01388	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		214.3 (216.3T)		AA 01598	
	EDJON	050		DF		FO				AA 03400	
	EDJON	060		HM	R	FO		034.2 (036.2T)	004.0	AA 03400	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	BRNTT	N364619.78	W0932006.56	N3646.330	W09320.109
	EDJON	N363229.49	W0933240.82	N3632.492	W09332.680
	ENDRS	N365022.77	W0931624.76	N3650.380	W09316.413
	HIVGA	N364401.15	W0932212.90	N3644.019	W09322.215
	RW21	N364214.54	W0932349.96	N3642.242	W09323.833

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW21	01348	40

CITY AND STATE
BRANSON WEST, MO

ELEVATION: **1348** THRE: **1348**
 AIRPORT NAME:
BRANSON WEST MUNI - EMERSON FIELD

FACILITY
 IDENTIFIER:
RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
RNAV (GPS) RWY 21, AMDT 1
 15 NOVEMBER 2012

SUP:	
AMDT:	ORIG
DATED:	02/09/2012