

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

DIVERSE VECTOR AREA (DVA)

Bearings, headings, courses, tracks, and radials are magnetic. Elevations and altitudes are in feet, MSL. Distances are in nautical miles.

City, State	Airport	Effective Date	Amdt. No.
VAN NUYS, CA	VAN NUYS	21 JUL 2016	ORIG

CHART - DIVERSE VECTOR AREA (Radar Vectors)

RWY 16L: HEADING AS ASSIGNED BY ATC; REQUIRES MINIMUM CLIMB OF 380 FT PER NM TO 2600.

RWY 16R: HEADING AS ASSIGNED BY ATC; REQUIRES MINIMUM CLIMB OF 450 FT PER NM TO 2600.

FOR ATC USE ONLY:

RWY 16L: AUTHORIZED HEADINGS 110 CLOCKWISE TO 210 WITHIN 13 NM OF 341248.67N/1182922.15W (DEPARTURE REFERENCE POINT) INCLUDES ALL AREA WITHIN 341248.67N/1182922.15W TO 340553.89N/1181605.61W, THEN VIA 13 NM CLOCKWISE ARC CENTERED ON 341248.67N/1182922.15W TO 340307.55N/1183950.30W, TO 341248.67N/1182922.15W.

RWY 16R: AUTHORIZED HEADINGS 110 CLOCKWISE TO 210 WITHIN 13 NM OF 341248.36N/1182926.60W (DEPARTURE REFERENCE POINT) INCLUDES ALL AREA WITHIN 341248.36N/1182926.60W TO 340553.58N/1181610.06W, THEN VIA 13 NM CLOCKWISE ARC CENTERED ON 341248.36N/1182926.60W TO 340307.24N/1183954.75W, TO 341248.36N/1182926.60W.

OBSTACLE EVALUATION AREA (not for video mapping use):

RWY 16L: FROM 341248.67N/1182922.15W TO 340946.24N/1181216.40W, THEN VIA 5 NM CLOCKWISE ARC CENTERED ON 340553.89N/1181605.61W TO 340313.97N/1181059.82W, THEN VIA 18 NM CLOCKWISE ARC CENTERED ON 341248.67N/1182922.15W TO 335923.80N/1184351.26W, THEN VIA 5 NM CLOCKWISE ARC CENTERED ON 340307.55N/1183950.30W TO 340558.45N/1184447.38W, TO 341248.67N/1182922.15W. CONTROL OBSTACLE: 2159 MSL AAO ON TERRAIN AT 340743.75N/1183045.87W (CG AND CTA).

RWY 16L: FROM 341248.36N/1182926.60W TO 340945.93N/1181220.85W, THEN VIA 5 NM CLOCKWISE ARC CENTERED ON 340553.58N/1181610.06W TO 340313.66N/1181104.27W, THEN VIA 18 NM CLOCKWISE ARC CENTERED ON 341248.36N/1182926.60W TO 335923.49N/1184355.71W, THEN VIA 5 NM CLOCKWISE ARC CENTERED ON 340307.24N/1183954.75W TO 340558.14N/1184451.83W, TO 341248.36N/1182926.60W. CONTROL OBSTACLE: 2159 MSL AAO ON TERRAIN AT 340743.75N/1183045.87W (CG AND CTA).

AUTHORIZED FACILITY:

SOUTHERN CALIFORNIA TRACON (SCT) PHONE: (858) 537-5808 Facility Manager, (858) 537-5830 Operations Support Manager.

FAA FORM 7210-9 DATE::**REASONS:**


GRAPHIC REVISION: DALLAS EXECUTIVE, TX (RBD)
UPDATE TWY A3
DELETE TWY A2

16203

AIRPORT DIAGRAM

AL-742 (FAA)

DALLAS EXECUTIVE (RBD)
DALLAS, TEXAS



AIRPORT DIAGRAM

16203

DALLAS, TEXAS
DALLAS EXECUTIVE (RBD)

GRAPHIC REVISION: ERNEST A LOVE FIELD, AZ (PRC)

DELETE TWY "B1" LABEL

MODIFY FOREST SERVICE RAMP


16203

AIRPORT DIAGRAM

AL-546 (FAA)

ERNEST A LOVE FIELD (PRC)

PRESCOTT, ARIZONA



AIRPORT DIAGRAM

16203

PRESCOTT, ARIZONA

ERNEST A LOVE FIELD (PRC)