

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ONTARIO	SIX	ONT6.POM	FIVE	8/20/2015	26 MAY 2016

TYPE: SID

DP ROUTE DESCRIPTION:

TAKE-OFF RUNWAYS 8L/R: TURN RIGHT HEADING 257.00 TO INTERCEPT AND PROCEED ON POM R-143 TO POM VORTAC. THEN ON DEPICTED ROUTE. CROSS GASKI AT OR ABOVE 7400 AND AT OR BELOW 9000, CROSS KELSE AT OR ABOVE 13000, CROSS TIMME AT 14000. THENCE ...

... ON (TRANSITION) OR (ASSIGNED ROUTE). EXPECT CLEARANCE TO FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes
DAGGETT (DAG)	ONT6.DAG	TIMME	DAG VORTAC	046.81(DAG R-227)	75.94	14000	11600	
GORMAN (GMN)	ONT6.GMN	TIMME	GMN VORTAC	283.80 (GMN R-104)	53.57	12000	10500	
AVENAL (AVE)	ONT6.AVE	TIMME	GMN VORTAC	283.80 (GMN R-104)	53.57	12000	10500	
			COREZ	310.00 (GMN R-310)	54.50	11000	10800	
			AVE VOR/DME	266.45 (AVE R-086)	24.80	4000	3700	
SHAFTER (EHF)	ONT6.EHF	TIMME	SUGZI	283.80 (GMN R-104)	30.57	12000	10500	
			EHF VORTAC	314.74 (EHF R-135)	60.99	12000	8900	

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

NOTE: RADAR REQUIRED

NOTE: DME REQUIRED

TAKE-OFF MINIMUMS: RWY 26L/R NA, ATC. RWY 8L/R STANDARD WITH MINIMUM CLIMB OF 425 FT PER NM TO 14000.

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 8L, GRD 81 FT FROM DER, 443 FT LEFT OF CENTERLINE, 936 MSL. BLDG 1605 FT FROM DER, 846 FT LEFT OF CENTERLINE, 975 MSL. LT POLES BEGINNING 2042 FT FROM DER, 684 FT LEFT OF CENTERLINE, UP TO 990 MSL.

NOTE: RWY 26L, POLE 754 FT FROM DER, 670 FT LEFT OF CENTERLINE, 964 MSL. TREES BEGINNING 1050 FT FROM DER, 708 FT LEFT OF CENTERLINE, UP TO 985 MSL. TREE 1987 FT FROM DER, 329 FT LEFT OF CENTERLINE, 986 MSL. OL ON GS, 125 FT FROM DER, 339 FT RIGHT OF CENTERLINE, 982 MSL.

NOTE: RWY 26R, GRD, ANT ON BLDG, BEGINNING 30 FT FROM DER, 396 FT LEFT OF CENTERLINE, UP TO 951 FT MSL. LT POLE 483 FT FROM DER, 263 FT LEFT OF CENTERLINE, 973 FT MSL. POLE, RR, LT POLE BEGINNING 580 FT FROM DER, 371 FT LEFT OF CENTERLINE, UP TO 978 FT MSL. OL ON DME, OL ON LOC, BEGINNING 369 FT FROM DER, 1 FT RIGHT OF CENTERLINE, UP TO 962 FT MSL. LT POLES BEGINNING 1144 FT FROM DER, 211 FT RIGHT OF CENTERLINE, UP TO 981 FT MSL. POLE, LT POLE BEGINNING 1244 FT FROM DER, 543 FT RIGHT OF CENTERLINE, UP TO 986 FT MSL. TREE 1672 FT FROM DER, 696 FT RIGHT OF CENTERLINE, 996 FT MSL. TREES, BEGINNING

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ONTARIO	SIX	ONT6.POM	FIVE	8/20/2015	26 MAY 2016

2882 FT FROM DER, 673 FT RIGHT OF CENTERLINE, UP TO 1030 FT MSL.

CONTROLLING OBSTACLES:

R8L, 8R: 9599 FT MSL AAO 342130.66N/1174552.59W

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

CHART APPROXIMATE DISTANCE FROM TAKEOFF AREA RWY 8 TO POM VORTAC 16NM
CHART: TOP ALTITUDE: ASSIGNED BY ATC

AIRPORTS SERVED:

ONTARIO INTL

ONTARIO, CA

COMMUNICATIONS:

CLNC DEL, DEP CON, ATIS

FIXES AND/OR NAVAIDS:

PDM VORTAC



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ONTARIO	SIX	ONT6.POM	FIVE	8/20/2015	26 MAY 2016

REMARKS:

REFERENCE MAG VAR: KONT 12E EPOCH YEAR: 2020; AVE VOR/DME 16E EPOCH YEAR 1965; DAG VORTAC 15E EPOCH YEAR: 1975; EHF VORTAC 14E EPOCH YEAR: 1985;
GMN VORTAC 16E EPOCH YEAR: 1965.

COORDINATED WITH: Mar 29, 2016

ATA, ALPA, APA, AOPA, NBAA, ZLA, SOCAL TRACON, ZLA

CHANGES:

1. CHANGED KONT MAGVAR FROM 14E TO 12E AND UPDATED ALL CORRESPONDING COURSES.
2. UPDATED TAKEOFF OBSTACLE NOTES.

REASONS:

1. MAGVAR OUT OF TOLERANCE.
2. NEW OBSTACLE DATA.



DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ONTARIO	SIX	ONT6 . POM	FIVE	8/20/2015	26 MAY 2016

ARINC SUMMARY - KONT

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
RW08B	010		CA	FB		078.0						AA 01344		
RW08B	020		VI	FB		257.0			R					
RW08B	030	POM	CF	FB		323.0	POM							V
RW08B	040	GASKI	TF	FB								BT 0900007400		E
RW08B	050	KELSE	TF	FB								AA 13000		E
RW08B	060	TIMME	TF	FB								AT 14000		EE
AVE	010	TIMME	IF	FB								AT 14000		E
AVE	020	GMN	TF	FB										V
AVE	030	COREZ	TF	FB										E
AVE	040	AVE	TF	FB										VE
DAG	010	TIMME	IF	FB								AT 14000		E
DAG	020	DAG	TF	FB										VE
EHF	010	TIMME	IF	FB								AT 14000		E
EHF	020	SUGZI	TF	FB										E
EHF	030	EHF	TF	FB										VE
GMN	010	TIMME	IF	FB								AT 14000		E
GMN	020	GMN	TF	FB										VE

POINTS

POINT NAME	LATITUDE	LONGITUDE
AVE	N353849.11	W1195842.98
DAG	N345744.85	W1163441.40
EHF	N352904.40	W1190550.27
GMN	N344814.50	W1185140.90
POM	N340442.20	W1174713.47
COREZ	N353324.00	W1192901.98
GASKI	N340633.24	W1174808.68
KELSE	N341644.10	W1175313.07
SUGZI	N343645.15	W1182729.98
TIMME	N342121.66	W1175531.82

RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION
--------	-----------------------	------------------------	------------------------

QUALITY
28
CHECKED

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ONTARIO	SIX	ONT6 . POM	FIVE	8/20/2015	26 MAY 2016
RW08L	N340324 . 76	W1173710 . 30	00944		
RW08R	N340317 . 85	W1173658 . 41	00936		

