

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
CAPEG (IAF)	HISEM (FB)	087.53 / 10.00	2100	LPV: DA LNAV/VNAV: DA LNAV: RW36 CLIMB TO 2600 DIRECT JUPAX AND HOLD.
TERHI (IAF)	HISEM (FB)	267.73 / 10.00	2100	
HISEM (IF)	DOBEY (FB)	357.63 / 7.10	1800	ADDITIONAL FLIGHT DATA: HOLD N, RT, 177.63 INBOUND. CHART FAS OBST: 319 TREE 305118N/0963653W DISTANCE TO THLD FROM 200 HATH: 0.50 NM. CHART VDP AT 0.82 MILES TO RW36* *LNAV ONLY. WAAS CHANNEL # 87122 REFERENCE PATH ID: W36A LTP HAE: 59.3 M
DOBEY (FAF)	NOTOE/1.70 NM TO RW36 (FB)	357.63 / 2.95		
NOTOE/1.70 NM TO RW36	RW36 (MAP) (FO)	357.63 / 1.70		
RW36 (MAP)	480 MSL	357.63	2600	
480 MSL	JUPAX (FO)			

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)

2. PROFILE STARTS AT HISEM

3. FAC: 357.63 FAF: DOBEY DIST FAF TO MAP: 4.65 THLD: 4.65

4. MIN. ALT: HISEM 2100, DOBEY 1800, NOTOE/1.70 NM TO RW36 860*

5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:

6. MIN GS INCPT: 1800 GS ALT AT: DOBEY 1800 OM: MM: IM:

7. GS ANGLE: 3.00 TCH: 40.0 34:1 IS CLEAR

8. MSA FROM: RW36 2300

MAG VAR: 4E EPOCH YEAR: 2010

MINIMUMS															
TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A			STANDARD @					
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	480	3/4	200	480	3/4	200	480	3/4	200			NA			
LNAV/VNAV DA	530	7/8	250	530	7/8	250	530	7/8	250			NA			
LNAV MDA	580	1	300	580	1	300	580	7/8	300			NA			
CIRCLING	800	1	515	880	1	595	920	1 3/4	635			NA			

NOTES:
 CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C (5F) OR ABOVE 54C (130F). @ NA WHEN LOCAL WEATHER NOT AVAILABLE.
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART PLANVIEW NOTE: RADAR REQUIRED.
 (SEE FORM 8260-10)

CITY AND STATE	ELEVATION: 285 THRE: 280	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 36, ORIG 20 OCT 2011	SUP: AMDT: NONE DATED
HEARNE, TX	AIRPORT NAME: HEARNE MUNI			QUALITY CHECKED

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE COLLEGE STATION ALTIMETER SETTING AND INCREASE ALL DA 55 FEET AND ALL MOA 60 FEET. INCREASE LPV, LNAV/VNAV ALL CATS AND LNAV CAT C VISIBILITY 1/8 MILE. INCREASE CIRCLING CAT C VISIBILITY 1/4 MILE.
CHART NOTE: BARO-VNAV AND VDP NA WHEN USING COLLEGE STATION ALTIMETER SETTING.



CITY AND STATE HEARNE, TX	ELEVATION: 285 THRE: 280 AIRPORT NAME: HEARNE MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 36, ORIG 20 OCT 2011	SUP:
				AMDT: NONE
				DATED:

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KLHB
RUNWAY	RW36
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W36A
LTP/FTP LATITUDE	305159.6600N
LTP/FTP LONGITUDE	0963720.5200W
LTP/FTP ELLIPSOIDAL HEIGHT	+00593
FPAP LATITUDE	305328.9300N
FPAP LONGITUDE	0963717.5700W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1528
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	35.0

CRC REMAINDER 0D00DE30

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+00854
FPAP ORTHOMETRIC HEIGHT	+00854



CITY AND STATE HEARNE, TX	ELEVATION: 285 THRE: 280	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 36, ORIG 20 OCT 2011	SUP:
	AIRPORT NAME: HEARNE MUNI			AMDT: NONE
				DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

	1	2	3	4	5	6	7	8	9	0	1	2	3
PP	12345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012												

	SUSAP KLHBK4PR36	RW36 001	0000W36A0N3051596600W09637205200+005930300N3053289300W09637175700106751528000400F4003500D00DE30										
	SUSAP KLHBK4PR36	RW36 002E	+00854+00854LPV 87122										

	1	2	3	4	5	6	7	8	9	0	1	2	3
MSA	123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012												

	SUSAP KLHBK4SRW36	K4PG	0 18018002325	M									



CITY AND STATE HEARNE, TX	ELEVATION: 285 AIRPORT NAME: HEARNE MUNI	THRE: 280	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 36, ORIG 20 OCT 2011	SUP:
					AMDT: NONE
					DATED: