

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
JETOK	THREE	JETOK3.JETOK	TWO	29 MAY 14	25 JUN 2015

TYPE: RNAV SID

DP ROUTE DESCRIPTION:

TAKEOFF RWY 3: CLIMB HEADING 033.79 TO 6360, THEN LEFT TURN DIRECT DSPOT, CROSS DSPOT AT OR ABOVE 9000, THEN ON TRACK 181.84 TO JETOK, CROSS JETOK AT OR ABOVE 10000, THENCE...

...(TRANSITION). MAINTAIN FL200. EXPECT FILED ALTITUDE TEN MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes
CHISUM	JETOK3.CME	JETOK	DADDY	TRACK 107.48	30.84	16200	11900	
		DADDY	LARLE	TRACK 103.97	30.24	FL 180	9100	
		LARLE	TAC0Z	TRACK 134.68	34.67	FL 180	9300	
		TAC0Z	CME VORTAC	TRACK 130.16	49.99	FL 180	8200	
SOCORRO	JETOK3.ONM	JETOK	DUMMM	TRACK 172.36	26.75	15400	8200	
		DUMMM	ONM VORTAC	TRACK 185.58	9.02	17200	7600	
ST JOHNS	JETOK3.SJN	JETOK	WUTUP	TRACK 207.75	25.18	15100	8200	
		WUTUP	LAMSE	TRACK 242.36	34.72	FL 180	10800	
		LAMSE	SJN VORTAC	TRACK 258.97	70.38	FL 180	10900	
TEXICO	JETOK3.TXO	JETOK	FATTT	TRACK 097.45	32.26	16500	11800	
		FATTT	MOLVE	TRACK 081.11	73.82	FL 180	9100	
		MOLVE	TXO VORTAC	TRACK 086.49	89.39	FL 180	7400	

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

NOTE: DO NOT EXCEED 210 KIAS UNTIL PASSING DSPOT.

NOTE: RADAR REQUIRED.

NOTE: DME/DME/IRU OR GPS REQUIRED.

NOTE: RNAV-1.

NOTE: FOR TURBOJET AIRCRAFT ONLY.

NOTE: ATC ASSIGNED ONLY FOR WEATHER.

NOTE: FOR NON-GPS EQUIPPED AIRCRAFT ON:

CME TRANSITION: ABQ AND ONM DME'S MUST BE OPERATIONAL.

ONM TRANSITION: ABQ, CNX, AND ONM DME'S MUST BE OPERATIONAL.

SJN TRANSITION: ABQ AND ONM DME'S MUST BE OPERATIONAL.



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
JETOK	THREE	JETOK3.JETOK	TWO	29 MAY 14	25 JUN 2015

TXO TRANSITION: ABQ AND ONM DME'S MUST BE OPERATIONAL.

TAKEOFF MINIMUMS: RWY 3, STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 8700.

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 3, TANK 4961 FT FROM DER, 1708 FT LEFT OF CENTERLINE, 150 FT AGL/5466 FT MSL. WATER TOWER 4984 FT FROM DER, 1713 FT LEFT OF CENTERLINE, 156 FT AGL/5468 FT MSL.

CONTROLLING OBSTACLES:

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 3 – 10897 FT MSL TOWER 351249.89N/1062703.38W.

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

REFERENCE MAG VAR: KABQ 11E EPOCH YR: 1995.
DME/DME ASSESSMENT: SAT (RNP 1.0)
CHART: TOP ALTITUDE: FL200

AIRPORTS SERVED:

ALBUQUERQUE INTL SUNPORT

ALBUQUERQUE, NM

COMMUNICATIONS:

ATIS, CLNC DEL, GND CON, TWR, DEP CON

FIXES AND/OR NAVAIDS:



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
JETOK	THREE	JETOK3.JETOK	TWO	29 MAY 14	25 JUN 2015

CHANGES:

ADDED: CHART: TOP ALTITUDE: FL200.

REASONS:

ATC REQUEST.



DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code		Superseded Number		Dated	Effective Date		
JETOK	THREE	JETOK3.JETOK		TWO		29 MAY 14	25 JUN 2015		
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RW03 (AER)	350120.09N/1063750.17W	N	-	-	-	-			
6360 MSL		-	-	VA	044.79	-			CG 500 FT/NM TO 8700
DSPOT	350256.43N/1064214.11W	Y	FB	DF	-	-	AT/ABOVE 9000	AT/BELOW 210K	LEFT TURN
JETOK	345544.71N/1064413.56W	Y	FB	TF	192.84	7.37	AT/ABOVE 10000		
JETOK	345544.71N/1064413.56W	Y	-	IF	-	-			JETOK3.CME
DADDY	344056.40N/1061121.62W	Y	FB	TF	118.48	30.84			
LARLE	342804.77N/1053812.27W	Y	FB	TF	114.97	30.24			
TAC0Z	335921.25N/1051441.68W	Y	FB	TF	145.68	34.67			
CME VORTAC	332014.92N/1043716.48W	Y	FB	TF	141.16	49.99			
JETOK	345544.71N/1064413.56W	Y	-	IF	-	-			JETOK3.ONM
DUMMM	342859.54N/1064607.23W	Y	FB	TF	183.36	26.75			
ONM VORTAC	342020.04N/1064913.69W	Y	FB	TF	196.58	9.02			
JETOK	345544.71N/1064413.56W	Y	-	IF	-	-			JETOK3.SJN
WUTUP	343602.80N/1070319.35W	Y	FB	TF	218.75	25.18			
LAMSE	342558.53N/1074332.11W	Y	FB	TF	253.36	34.72			
SJN VORTAC	342526.55N/1090836.71W	Y	FB	TF	269.97	70.38			
JETOK	345544.71N/1064413.56W	Y	-	IF	-	-			JETOK3.TXO
FATTT	344525.58N/1060705.31W	Y	FB	TF	108.45	32.26			
MOLVE	344209.66N/1043736.74W	Y	FB	TF	092.11	73.82			
TXO VORTAC	342942.46N/1025022.79W	Y	FB	TF	097.49	89.39			

