

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
TERMINAL ROUTES										MISSED APPROACH					
FROM		TO		COURSE AND DISTANCE				ALTITUDE		LPV: DA LNAV/VNAV: DA LNAV: RW08R CLIMB TO 3300 DIRECT HOYQU AND RIGHT TURN ON TRACK 172.28 TO PDZ VORTAC AND HOLD. ADDITIONAL FLIGHT DATA: HOLD E, RT, 260.00 INBOUND. CHART FAS OBST: 1188 ANT 340401N/1173912W DISTANCE TO THLD FROM 284 HAT: 0.72 NM. CHART VDP AT 1.42 MILES TO RW08R* *LNAV ONLY. WAAS CHANNEL # 70329 REFERENCE PATH ID: W08A DISTANCE FROM 284 HAT: 0.72 NM CHART CIRCLING ICON. LTP HAE: 252 M					
PDZ VORTAC		SEYKO (FB)		285.25 / 17.88				3800							
AMTRA (IAF)		SEYKO (NOPT) (FB)		082.43 / 13.96				3300							
LAHAB (IAF)		SEYKO (NOPT) (FB)		014.41 / 8.63				3300							
SEYKO (IF/IAF)		DEMPE (FB)		077.84 / 6.01				2800							
DEMPE (FAF)		RW08R (MAP) (FO)		077.91 / 5.59											
RW08R (MAP)		1220 MSL		077.91											
1220 MSL		HOYQU (FB)													
HOYQU		PDZ VORTAC (FO)		172.28 / 8.21				3300							
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD W SEYKO, RT, 077.84 INBOUND, 3300 FT. IN LIEU OF PT (IAF) 3. FAC: 077.91 FAF: DEMPE DIST FAF TO MAP: 5.59 THLD: 5.59 4. MIN. ALT: SEYKO 3300, DEMPE 2800 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: 2800 GS ALT AT: DEMPE 2800 OM: _____ MM: _____ IM: _____ 7. GS ANGLE: 3.00 TCH: 53.2 34:1 IS CLEAR 8. MSA FROM: RW08R 11300										MAG VAR: 12E		EPOCH YEAR: 2020			
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT								ALTERNATE: N A		STANDARD					
CATEGORY =====>		A		B		C		D		E					
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	1220	4500	284	1220	4500	284	1220	4500	284	1220	4500	284			
LNAV/VNAV DA	1494	1 7/8	558	1494	1 7/8	558	1494	1 7/8	558	1494	1 7/8	558			
LNAV MDA	1440	5500	504	1440	5500	504	1440	1 3/8	504	1440	1 3/8	504			
CIRCLING	1440	1	496	1440	1	496	1540	1 1/2	596	1600	2	656			
NOTES: CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, PROCEDURE NA BELOW -1C (31F) OR ABOVE 54C (130F). CHART NOTE: DME/DME RNP-0.3 NA. CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE {ANGLE}/TCH {FEET}). CHART NOTE: CIRCLING NA NORTH OF RWY 8L-26R. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON PDZ VORTAC AIRWAY RADIALS 238 CW 012.															
CITY AND STATE		ELEVATION: 944 TDZE: 936				FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP:			
ONTARIO, CA		AIRPORT NAME: ONTARIO INTL						RNAV (GPS) RWY 8R, AMDT 1C 26 MAY 2016				AMDT: 1B			
												DATED 11/20/2008			

QUALITY
 22
 CHECKED

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KONT
RUNWAY	RW08R
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W08A
LTP/FTP LATITUDE	340317.8465N
LTP/FTP LONGITUDE	1173658.4095W
LTP/FTP ELLIPSOIDAL HEIGHT	+02520
FPAP LATITUDE	340317.8900N
FPAP LONGITUDE	1173457.1900W
THRESHOLD CROSSING HEIGHT (TCH)	00053.2
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0000
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0
 <u>CRC REMAINDER</u>	 665A1C34

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K2
LTP ORTHOMETRIC HEIGHT	+02853
FPAP ORTHOMETRIC HEIGHT	+02853

CITY AND STATE

ONTARIO, CA

ELEVATION: 944

TDZE: 936

AIRPORT NAME:

ONTARIO INTL

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 8R, AMDT 1C

26 MAY 2016

SUP:

AMDT:

DATED: 11/20/2008

 QUALITY
22
CHECKED

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33												Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.																																																																																																																																																																																																																																																																		
ARINC SUMMARY - KONT ROUTES <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">TRANSITION</th> <th style="text-align: left;">WPT SEQ</th> <th style="text-align: left;">WPT NAME</th> <th style="text-align: left;">LEG TYPE</th> <th style="text-align: left;">FB/FO</th> <th style="text-align: left;">RNP</th> <th style="text-align: left;">MAG CRS</th> <th style="text-align: left;">REC NAV</th> <th style="text-align: left;">ANGLE</th> <th style="text-align: left;">TURN DIR</th> <th style="text-align: left;">CENTER FIX</th> <th style="text-align: left;">TURN RADIUS</th> <th style="text-align: left;">ALTITUDE DESCRIPTION & VALUE</th> <th style="text-align: left;">SPEED LIMIT DESCRIPTION & VALUE</th> <th style="text-align: left;">WPT DESCRIPTION CODE</th> </tr> </thead> <tbody> <tr><td>AMTRA</td><td>010</td><td>AMTRA</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E A</td></tr> <tr><td>AMTRA</td><td>020</td><td>SEYKO</td><td>TF</td><td>FB</td><td>1.0</td><td>082.4</td><td></td><td></td><td></td><td></td><td></td><td>AA 03300</td><td></td><td>EE B</td></tr> <tr><td>LAHAB</td><td>010</td><td>LAHAB</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E A</td></tr> <tr><td>LAHAB</td><td>020</td><td>SEYKO</td><td>TF</td><td>FB</td><td>1.0</td><td>014.4</td><td></td><td></td><td></td><td></td><td></td><td>AA 03300</td><td></td><td>EE B</td></tr> <tr><td>PDZ</td><td>010</td><td>PDZ</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>V</td></tr> <tr><td>PDZ</td><td>020</td><td>SEYKO</td><td>TF</td><td>FO</td><td>2.0</td><td>285.3</td><td></td><td></td><td></td><td></td><td></td><td>AA 03800</td><td></td><td>EY</td></tr> <tr><td>PDZ</td><td>030</td><td>SEYKO</td><td>HF</td><td>FO</td><td></td><td>077.8</td><td></td><td></td><td>R</td><td></td><td></td><td>AA 03300</td><td></td><td>EE A</td></tr> <tr><td></td><td>010</td><td>SEYKO</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AA 03300</td><td></td><td>E I</td></tr> <tr><td></td><td>020</td><td>DEMPE</td><td>TF</td><td>FB</td><td>1.0</td><td>077.8</td><td></td><td></td><td></td><td>RW08R</td><td></td><td>AA 02800</td><td></td><td>E F</td></tr> <tr><td></td><td>030</td><td>RW08R</td><td>TF</td><td>FO</td><td>0.3</td><td>077.9</td><td></td><td>3.00</td><td></td><td></td><td></td><td>AT 00989</td><td></td><td>GY M</td></tr> <tr><td></td><td>040</td><td></td><td>CA</td><td>FB</td><td></td><td>077.9</td><td></td><td></td><td></td><td></td><td></td><td>AA 01220</td><td></td><td>M</td></tr> <tr><td></td><td>050</td><td>HOYQU</td><td>DF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E</td></tr> <tr><td></td><td>060</td><td>PDZ</td><td>TF</td><td>FO</td><td>1.0</td><td>172.3</td><td></td><td></td><td>R</td><td></td><td></td><td>AA 03300</td><td></td><td>VY</td></tr> <tr><td></td><td>070</td><td>PDZ</td><td>HM</td><td>FO</td><td></td><td>260.0</td><td></td><td></td><td>R</td><td></td><td></td><td>AA 03300</td><td></td><td>VE</td></tr> </tbody> </table> POINTS <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">POINT NAME</th> <th style="text-align: left;">LATITUDE</th> <th style="text-align: left;">LONGITUDE</th> </tr> </thead> <tbody> <tr><td>PDZ</td><td>N335506.01</td><td>W1173147.99</td></tr> <tr><td>AMTRA</td><td>N340422.64</td><td>W1180741.35</td></tr> <tr><td>DEMPE</td><td>N340317.49</td><td>W1174342.33</td></tr> <tr><td>HOYQU</td><td>N340317.86</td><td>W1173103.84</td></tr> <tr><td>LAHAB</td><td>N335532.35</td><td>W1175533.22</td></tr> <tr><td>SEYKO</td><td>N340316.69</td><td>W1175056.13</td></tr> </tbody> </table> RUNWAYS <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">RUNWAY</th> <th style="text-align: left;">THRESHOLD LATITUDE</th> <th style="text-align: left;">THRESHOLD LONGITUDE</th> <th style="text-align: left;">THRESHOLD ELEVATION</th> <th style="text-align: left;">PROCEDURE TCH</th> </tr> </thead> <tbody> <tr> <td>RW08R</td> <td>N340317.85</td> <td>W1173658.41</td> <td>00936</td> <td>53.2</td> </tr> </tbody> </table>															TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE	AMTRA	010	AMTRA	IF	FB										E A	AMTRA	020	SEYKO	TF	FB	1.0	082.4						AA 03300		EE B	LAHAB	010	LAHAB	IF	FB										E A	LAHAB	020	SEYKO	TF	FB	1.0	014.4						AA 03300		EE B	PDZ	010	PDZ	IF	FB										V	PDZ	020	SEYKO	TF	FO	2.0	285.3						AA 03800		EY	PDZ	030	SEYKO	HF	FO		077.8			R			AA 03300		EE A		010	SEYKO	IF	FB								AA 03300		E I		020	DEMPE	TF	FB	1.0	077.8				RW08R		AA 02800		E F		030	RW08R	TF	FO	0.3	077.9		3.00				AT 00989		GY M		040		CA	FB		077.9						AA 01220		M		050	HOYQU	DF	FB										E		060	PDZ	TF	FO	1.0	172.3			R			AA 03300		VY		070	PDZ	HM	FO		260.0			R			AA 03300		VE	POINT NAME	LATITUDE	LONGITUDE	PDZ	N335506.01	W1173147.99	AMTRA	N340422.64	W1180741.35	DEMPE	N340317.49	W1174342.33	HOYQU	N340317.86	W1173103.84	LAHAB	N335532.35	W1175533.22	SEYKO	N340316.69	W1175056.13	RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH	RW08R	N340317.85	W1173658.41	00936	53.2
TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE																																																																																																																																																																																																																																																																
AMTRA	010	AMTRA	IF	FB										E A																																																																																																																																																																																																																																																																
AMTRA	020	SEYKO	TF	FB	1.0	082.4						AA 03300		EE B																																																																																																																																																																																																																																																																
LAHAB	010	LAHAB	IF	FB										E A																																																																																																																																																																																																																																																																
LAHAB	020	SEYKO	TF	FB	1.0	014.4						AA 03300		EE B																																																																																																																																																																																																																																																																
PDZ	010	PDZ	IF	FB										V																																																																																																																																																																																																																																																																
PDZ	020	SEYKO	TF	FO	2.0	285.3						AA 03800		EY																																																																																																																																																																																																																																																																
PDZ	030	SEYKO	HF	FO		077.8			R			AA 03300		EE A																																																																																																																																																																																																																																																																
	010	SEYKO	IF	FB								AA 03300		E I																																																																																																																																																																																																																																																																
	020	DEMPE	TF	FB	1.0	077.8				RW08R		AA 02800		E F																																																																																																																																																																																																																																																																
	030	RW08R	TF	FO	0.3	077.9		3.00				AT 00989		GY M																																																																																																																																																																																																																																																																
	040		CA	FB		077.9						AA 01220		M																																																																																																																																																																																																																																																																
	050	HOYQU	DF	FB										E																																																																																																																																																																																																																																																																
	060	PDZ	TF	FO	1.0	172.3			R			AA 03300		VY																																																																																																																																																																																																																																																																
	070	PDZ	HM	FO		260.0			R			AA 03300		VE																																																																																																																																																																																																																																																																
POINT NAME	LATITUDE	LONGITUDE																																																																																																																																																																																																																																																																												
PDZ	N335506.01	W1173147.99																																																																																																																																																																																																																																																																												
AMTRA	N340422.64	W1180741.35																																																																																																																																																																																																																																																																												
DEMPE	N340317.49	W1174342.33																																																																																																																																																																																																																																																																												
HOYQU	N340317.86	W1173103.84																																																																																																																																																																																																																																																																												
LAHAB	N335532.35	W1175533.22																																																																																																																																																																																																																																																																												
SEYKO	N340316.69	W1175056.13																																																																																																																																																																																																																																																																												
RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH																																																																																																																																																																																																																																																																										
RW08R	N340317.85	W1173658.41	00936	53.2																																																																																																																																																																																																																																																																										
CITY AND STATE ONTARIO, CA		ELEVATION: 944 TDZE: 936 AIRPORT NAME: ONTARIO INTL		FACILITY IDENTIFIER: RNAV		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 8R, AMDT 1C 26 MAY 2016		SUP: AMDT: 1B DATED: 11/20/2008																																																																																																																																																																																																																																																																						

QUALITY
 22
 CHECKED