

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION															
TERMINAL ROUTES				MISSED APPROACH											
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LPV: DA LNAV/VNAV: DA LNAV: RW03 CLIMB TO 3000 DIRECT ENDRS AND HOLD. ADDITIONAL FLIGHT DATA: HOLD NE, RT, 214.30 INBOUND. CHART FAS OBST: 1479 TREE 364020N/0932449W DISTANCE TO THLD FROM 200 HATH: 0.50 NM. WAAS CHANNEL # 72726 REFERENCE PATH ID: W03A LTP HAE: 364.7 M											
HARKS (IAF)	EDJON (NOPT) (FB)	078.45 / 6.85	3400												
PPAMM (IAF)	EDJON (NOPT) (FB)	325.48 / 8.56	3400												
EDJON (IF/IAF)	CONIE (FB)	034.14 / 6.00	3000												
CONIE (FAF)	WOREP/1.60 NM TO RW03 (FB)	034.18 / 3.64													
WOREP/1.60 NM TO RW03	RW03 (MAP) (FO)	034.21 / 1.60													
RW03 (MAP)	1491 MSL	034.21	3000												
1491 MSL	ENDRS (FO)														
1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF) 2. HOLD SW EDJON, RT, 034.16 INBOUND, 3400 FT. IN LIEU OF PT (IAF) 3. FAC: 034.18 FAF: CONIE DIST FAF TO MAP: 5.24 THLD: 5.24 4. MIN. ALT: EDJON 3400, CONIE 3000, WOREP/1.60 NM TO RW03 1840* 5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT: 6. MIN GS INCPT: 3000 GS ALT AT: CONIE 3000 OM: MM: IM: 7. GS ANGLE: 3.00 TCH: 40.0 34:1 IS CLEAR 8. MSA FROM: RW03 3500				MAG VAR: 2E EPOCH YEAR: 2008											
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE: N A X											
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	1491	1	200	1491	1	200		NA			NA				
LNAV/VNAV DA	1796	1 3/4	505	1796	1 3/4	505		NA			NA				
LNAV MDA	1740	1	449	1740	1	449		NA			NA				
CIRCLING	1900	1	552	1900	1	552		NA			NA				
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. *LNAV ONLY CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE BRANSON ALTIMETER SETTING; INCREASE ALL DA 39 FEET AND ALL MDA 40 FEET; INCREASE LNAV/VNAV CAT A/B VISIBILITY TO 1 7/8 MILE. (SEE FORM 8260-10)															
CITY AND STATE BRANSON WEST, MO				ELEVATION: 1348 THRE: 1291 AIRPORT NAME: BRANSON WEST MUNI - EMERSON FIELD		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 3, AMDT 1 15 NOVEMBER 2012				SUP: AMDT: ORIG DATED 02/09/2012			

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL AT HARKS ON V72 SOUTHWEST BOUND.

CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -17C (2F) OR ABOVE 54C(130F).

CHART NOTE: BARO-VNAV NA WHEN USING BRANSON ALTIMETER SETTING.



CITY AND STATE BRANSON WEST, MO	ELEVATION: 1348	THRE: 1291	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 3, AMDT 1 15 NOVEMBER 2012	SUP:
	AIRPORT NAME: BRANSON WEST MUNI - EMERSON FIELD	AMDT: ORIG			
	DATED: 02/09/2012				

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KFWB
RUNWAY	RW03
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W03A
LTP/FTP LATITUDE	364134.6460N
LTP/FTP LONGITUDE	0932426.2495W
LTP/FTP ELLIPSOIDAL HEIGHT	+03647
FPAP LATITUDE	364246.6200N
FPAP LONGITUDE	0932320.7700W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1224
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	35.0

CRC REMAINDER

B299E8B1

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K3
LTP ORTHOMETRIC HEIGHT	+03934
FPAP ORTHOMETRIC HEIGHT	+03934

QUALITY
CHECKED

CITY AND STATE BRANSON WEST, MO	ELEVATION: 1348 THRE: 1291	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 3, AMDT 1 15 NOVEMBER 2012	SUP:
	AIRPORT NAME: BRANSON WEST MUNI - EMERSON FIELD			AMDT: ORIG
				DATED: 02/09/2012

RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC PACKET - 424-18 - RNAV (GPS)

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KFWBK3FR03	AEDJON	010EDJONK3EA0EE	AR	HF		03420040	+	03400	18000		A	JS
SUSAP	KFWBK3FR03	AHARKS	010HARKSK3EA0E	A	IF					18000		A	JS
SUSAP	KFWBK3FR03	AHARKS	020EDJONK3EA0EE	B	010TF		07850069	+	03400			A	JS
SUSAP	KFWBK3FR03	APPAMM	010PPAMMK4EA0E	A	IF					18000		A	JS
SUSAP	KFWBK3FR03	APPAMM	020EDJONK3EA0EE	B	010TF		32550086	+	03400			A	JS
SUSAP	KFWBK3FR03	R	010EDJONK3EA0E	I	IF			+	03400	18000		A	JS
SUSAP	KFWBK3FR03	R	020CONIEK3EA1E	F	051TF		03410060	+	03000		RW03	K3PGA	JS
SUSAP	KFWBK3FR03	R	020CONIEK3EA2WALPV			ALNAV/VNAV	ALNAV						JS
SUSAP	KFWBK3FR03	R	021WOREPK3EA0E	S	031TF		03420036	V	0184001840		-300		A JS
SUSAP	KFWBK3FR03	R	030RW03 K3PG0GY	M	031TF		03420016		01331		-300		A JS
SUSAP	KFWBK3FR03	R	040	0	M	CA	0342	+	01491				A JS
SUSAP	KFWBK3FR03	R	050ENDRSK3EA0EY		DF			+	03000				A JS
SUSAP	KFWBK3FR03	R	060ENDRSK3EA0EE	R	HM		21430040	+	03000				A JS

[illegible][illegible]

CITY AND STATE
BRANSON WEST, MO

ELEVATION: 1348 THRE: 1291
AIRPORT NAME:
BRANSON WEST MUNI - EMERSON FIELD

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
RNAV (GPS) RWY 3, AMDT 1
 15 NOVEMBER 2012

SUP:	
AMDT:	ORIG
DATED:	02/09/2012

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

MSA 1234567890123456789012345678901234567890123456789012345678901234567890123456789012

SUSAP KFWBK3SRW03 K3PG 0 18018003525 M

CITY AND STATE BRANSON WEST, MO	ELEVATION: 1348	THRE: 1291	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 3, AMDT 1 15 NOVEMBER 2012	SUP:
	AIRPORT NAME: BRANSON WEST MUNI - EMERSON FIELD	AMDT: ORIG			
	DATED: 02/09/2012				

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	EDJON	EDJON	010	IAF	HF	R	FO		034.2 (036.2T)	004.0	AA 03400	
	HARKS	HARKS	010	IAF	IF		FB					
	HARKS	EDJON	020		TF		FB	1.0	078.5 (080.5T)	006.9	AA 03400	
	PPAMM	PPAMM	010	IAF	IF		FB					
	PPAMM	EDJON	020		TF		FB	1.0	325.5 (327.5T)	008.6	AA 03400	
		EDJON	010	FACF	IF		FB				AA 03400	
		CONIE	020	PAF	TF		FB	0.5	034.1 (036.1T)	006.0	AA 03000	
		WOREP	021	SDF	TF		FB	0.3	034.2 (036.2T)	003.6	AA 01840	GS 01840
		RW03	030	MAP	TF		FO	0.3	034.2 (036.2T)	001.6	AT 01331	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		034.2 (036.2T)		AA 01491	
	ENDRS	050		DF		FO				AA 03000	
	ENDRS	060		HM	R	FO		214.3 (216.3T)	004.0	AA 03000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	CONIE	N363720.54	W0932817.09	N3637.342	W09328.285
	EDJON	N363229.49	W0933240.82	N3632.492	W09332.680
	ENDRS	N365022.77	W0931624.76	N3650.380	W09316.413
	HARKS	N363121.48	W0934103.70	N3631.358	W09341.062
	PPAMM	N362516.09	W0932658.24	N3625.268	W09326.971
	WOREP	N364017.09	W0932536.76	N3640.285	W09325.613
	RW03	N364134.65	W0932426.25	N3641.578	W09324.438

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW03	01291	40

CITY AND STATE BRANSON WEST, MO	ELEVATION: 1348	THRE: 1291	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME:			RNAV (GPS) RWY 3, AMDT 1	AMDT: ORIG
	BRANSON WEST MUNI - EMERSON FIELD	RNAV	15 NOVEMBER 2012	DATED: 02/09/2012	