

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>						<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
FOBRO						ONE	FOBRO1.FOBRO	NONE		22 JUNE 2017
<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>					
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>					

DP ROUTE DESCRIPTION:

RWY 32: CLIMB HEADING 323.93 TO 3443, THEN RIGHT TURN DIRECT DIMGE, THEN ON TRACK 329.22 TO CROSS FOBRO AT OR ABOVE 12000 OR AS ASSIGNED BY ATC.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>

PROCEDURAL DATA NOTES:

NOTE: RNAV 1

NOTE: GPS REQUIRED

TAKEOFF MINIMUMS:

RWY 14: NA - OBSTACLES

RWY 32: STANDARD WITH MINIMUM CLIMB OF 325 FT PER NM TO 12000

TAKEOFF OBSTACLES NOTES:

CONTROLLING OBSTACLES:

RWY 32: 6808 FT MSL AAO 415316.66N/1223842.29W.

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 32 - 14249 FT MSL AAO 412436.00N/1221151.00W.

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

REFERENCE MAG VAR: KO46 14E EPOCH YR: 2020

DME/DME ASSESSMENT: NOT CONDUCTED

AIRPORTS SERVED:

<u>AIRPORT NAME</u>	<u>CITY</u>	<u>STATE</u>
WEED	WEED	CA

COMMUNICATIONS:

UNICOM, ZSE

FIXES AND/OR NAVAIDS:



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
FOBRO	ONE	FOBRO1.FOBRO	NONE		22 JUNE 2017

REMARKS:

6808 FT MSL AAO OBSTACLE PENETRATES THE 40:1 SURFACE AND IS NOT RESPONSIBLE FOR THE CG OF 325 FPNM. THE CG IS TO ENSURE AIRCRAFT MEET THE MEA ALTITUDE AT FOBRO FOR V287.

FLIGHT INSPECTED BY:

SCOTT A THOMPSON

Digitally signed by

DANIEL D OLSON

Jan 05, 2017

OFFICE SYMBOL:

FICO

DATE:

12/27/2016

DEVELOPED BY:

GEORGETTE P. BARNETT

Digitally signed by

DANIEL D OLSON

Jan 05, 2017

OFFICE SYMBOL:

AJV-5412

DATE:

8/23/2016

APPROVED BY:

MARLON J. ROBINSON

Digitally signed by

DANIEL D OLSON

Jan 05, 2017

OFFICE SYMBOL:

AJV-5410

DATE:

REQUIRED EFFECTIVE DATE:

CONCURRENT WITH AIRSPACE DOCKET # 15-AWP-2

COORDINATED WITH:

A4A	ALPA	AOPA	APA	HAI	NBAA
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

OTHER:

AMGR, ZSE

CHANGES - REASONS:



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>		<u>NUMBER</u>		<u>DP COMPUTER CODE</u>		<u>SUPERSEDED NUMBER</u>		<u>DATED</u>	<u>EFFECTIVE DATE</u>
FOBRO		ONE		FOBRO1.FOBRO		NONE			22 JUNE 2017
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
RWY 32 (AER)	412827.98N/1222703.98W	N							
3443 MSL				VA	337.93				CG 325 FT/NM TO 12000
DIMGE	413646.75N/1222837.05W	Y	FB	DF					
FOBRO	415724.93N/1223657.35W	Y	FB	TF	343.22	21.55	AT/ABOVE 12000		

