

RNAV - STANDARD  
INSTRUMENT APPROACH PROCEDURE  
TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH	
FROM	TO	COURSE AND DISTANCE	ALTITUDE		
TERES	CADIV (FO)	251.71 / 49.51	2300	LNAV: RW06	
CADIV (IF/IAF)	DONEY (FB)	063.20 / 6.03	1600	CLIMB TO 3000 DIRECT ONBOE AND HOLD.	
DONEY (FAF)	RW06 (MAP) (FO)	063.25 / 4.84			
RW06 (MAP)	420 MSL	063.25			
420 MSL	ONBOE (FO)		3000	<b>ADDITIONAL FLIGHT DATA:</b> HOLD NE, RT, 243.38 INBOUND. FAS OBST: 210 AAO 294105N/0850541W CHART TYNDALL E, F, G MOA, W-151B, W-470A. CHART R-2905 A/B. DONEY TO RW6: 3.00/40	

- PT        SIDE OF COURSE        OUTBOUND        FT WITHIN        MILES OF        (IAF)
- HOLD SW CADIV, RT, 063.20 INBOUND, 2300 FT. IN LIEU OF PT (IAF)
- FAC: 063.25 FAF: DONEY DIST FAF TO MAP: 4.84 THLD: 4.84
- MIN. ALT: CADIV 2300, DONEY 1600
- DIST TO THLD FROM OM:        MM:        IM:        150 HAT:        100 HAT:        GS ANT:
- MIN GS INCPT:        GS ALT AT:        OM:        MM:        IM:
- GS ANGLE:        TCH: 34:1 IS NOT CLEAR
- MSA FROM:

MAG VAR: 3W EPOCH YEAR: 2010

MINIMUMS

TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A			STANDARD @					
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	460	1	441	460	1	441	460	1 3/8	441	460	1 3/8	441			
CIRCLING	520	1	500	520	1	500	520	1 1/2	500	580	2	560			

NOTES:  
 CHART NOTE: DME/DME RNP-0.3 NA.  
 CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.  
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT TERES ON V521 SOUTHEAST BOUND.  
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED; USE NORTHWEST FLORIDA BEACHES INTL  
 (SEE FORM 8260-10)

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.

QUALITY  
2  
CHECKED

CITY AND STATE APALACHICOLA, FL	ELEVATION: 20 THRE: 19 AIRPORT NAME: APALACHICOLA REGIONAL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 6, AMDT 1 31 MAY 2012	SUP: AMDT: ORIG-A DATED 04/07/2011
------------------------------------	--	------------------------------	---	--

**RNAV - STANDARD  
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and tracks are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):  
 ALTIMETER SETTING AND INCREASE ALL MDA 140 FEET, INCREASE CAT C/D VISIBILITY 3/8 MILE AND CIRCLING CAT C AND D VISIBILITY 1/4 MILE.  
 CHART NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 6 PROCEDURE NA AT NIGHT.  
 CHART NOTE: CIRCLING TO RWY 18/36 NA AT NIGHT.  
 CHART NOTE: WHEN VGSI INOP, CIRCLING RWY 14 NA AT NIGHT.

TAA

	FROM	TO	ALT
1.	333/30 CW 153/30 (NOPT)	CADIV (IF/IAF) (FB)	2300
2.	153/30 CW 333/30	CADIV (IF/IAF) (FO)	2300



CITY AND STATE APALACHICOLA, FL	ELEVATION: 20	THRE: 19	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 6, AMDT 1 31 MAY 2012	SUP:
	AIRPORT NAME: APALACHICOLA REGIONAL				AMDT: ORIG-A
					DATED: 04/07/2011

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated,  
except visibilities which are in statute miles or in feet RVR.

**ARINC PACKET - 424-18 - RNAV (GPS)**

WP	1	2	3	4	5	6	7	8	9	0	1	2	3
	12345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012												
SUSAEAENRT	CADIV K70	W	N29375599W085130473					W0034	NAR	CADIV			
SUSAEAENRT	DONEY K70	W	N29405617W085070416					W0034	NAR	DONEY			
SUSAEAENRT	ONBOE K70	W	N29490885W084503375					W0036	NAR	ONBOE			
SUSAEAENRT	TERES K70	R	L N29560776W084200851					W0040	NAR	TERES			

AIRPORT	1	2	3	4	5	6	7	8	9	0	1	2	3
	12345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012												
SUSAP	KAAPK7AAAF	0	054YHN29433938W085013879W003000020					1800018000C	MNAR	APALACHICOLA REGIONAL			

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
	12345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012												
SUSAP	KAAPK7FR06	ATERES	010TERESK7EA0E	IF						18000		B JS	
SUSAP	KAAPK7FR06	ATERES	020CADIVK7EA0EY	020TF			25170495	+ 02300				B JS	
SUSAP	KAAPK7FR06	ATERES	030CADIVK7EA0EE	AR HF			06320040	+ 02300				B JS	
SUSAP	KAAPK7FR06	R	010CADIVK7EA0E	I IF				+ 02300		18000		B JS	
SUSAP	KAAPK7FR06	R	020DONEYK7EA1E	F 051TF			06320060	+ 01600				B JS	
SUSAP	KAAPK7FR06	R	020DONEYK7EA2WN		N	ALNAV						JS	
SUSAP	KAAPK7FR06	R	030RW06 K7PGOGY	M 031TF			06330048	00059		-300		B JS	
SUSAP	KAAPK7FR06	R	040	0 M CA			0633	+ 00420				B JS	
SUSAP	KAAPK7FR06	R	050ONBOEK7EA0EY	DF				+ 03000				B JS	
SUSAP	KAAPK7FR06	R	060ONBOEK7EA0EE	R HM			24340040	+ 03000				B JS	

RUNWAY	1	2	3	4	5	6	7	8	9	0	1	2	3
	12345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012												
SUSAP	KAAPK7GRW06	0052710633	N29432047W085021473+0000					-0021000019000040150R					



<b>CITY AND STATE</b> APALACHICOLA, FL	<b>ELEVATION: 20</b> <b>THRE: 19</b> <b>AIRPORT NAME:</b> APALACHICOLA REGIONAL	<b>FACILITY IDENTIFIER:</b> RNAV	<b>PROCEDURE NO./AMDT NO./EFFECTIVE DATE:</b> RNAV (GPS) RWY 6, AMDT 1 31 MAY 2012	<b>SUP:</b> AMDT: ORIG-A DATED: 04/07/2011
---	--	-------------------------------------	--	--