

**FLIGHT STANDARDS SERVICE
COPTER VOR STANDARD INSTRUMENT APPROACH PROCEDURE**

TITLE 14 CFR PART 97.35

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

If an instrument approach procedure of the above type is conducted at the below named airport, it shall be conducted in accordance with a charted instrument approach procedure predicted on the specifications contained herein, unless an approach is conducted in accordance with a different procedure for such airport authorized by the Administrator. Minimum altitudes shall correspond with those established for enroute operations in the particular area or as set forth below.

HELIPORT ASTORIA RGNL	HELIPORT ID KAST	PROCEDURE NAME COPTER VOR RWY 8	ORIGINAL/AMENDMENT ORIG	CITY ASTORIA	STATE OR
SURFACE ELEVATION 14	TDZE 14	SUPERSEDED	ORIGINAL/AMENDMENT	DATED	MAG VAR 15E EPOCH YEAR 2020
FACILITY AST	COORDINATES OF FACILITIES 460942.11N / 1235249.36W	ACTUAL EFFECTIVE DATE 19 JULY 2018	REQUIRED EFFECTIVE DATE 07/19/2018	CANCEL SUSPEND	

TERMINAL ROUTES

FROM	FIX TYPE	TO	FIX TYPE	LEG TYPE	FO/FB	RNP	COURSE	DISTANCE	ALTITUDE
ILWAC/AST 16.05 DME	IAF	JINOD/AST 7.00 DME					114.00	9.05 (AST R-294)	2000
JINOD/AST 7.00 DME CCW		FISKK/AST 7.00 DME					7.00 DME ARC		1600
FLAVL/AST 12.57 DME	IAF	AYBIN/AST 7.00 DME					049.00	5.57 (AST R-229)	2000
AYBIN/AST 7.00 DME CW		FISKK/AST 7.00 DME					7.00 DME ARC		1600
FISKK/AST 7.00 DME	IF	REKFI/AST 3.00 DME					069.98	4.00 (AST R-250)	900

MISSED APPROACH

MAP:

AST VOR/DME

MISSED APPROACH INSTRUCTIONS:

CLIMBING RIGHT TURN TO 2000 IN AST VOR/DME HOLDING PATTERN.

ALTERNATE MISSED APPROACH INSTRUCTIONS:

PROFILE:

1. PT **SIDE OF COURSE** **OUTBOUND** **FT WITHIN** **MILES OF (IAF)**
2. PROFILE STARTS AT FISKK
3. **FAC:** 069.98 **FAF:** REKFI/AST 3.00 DME **DIST FAF TO MAP:** **DIST FAF TO THLD:** 2.60
4. **MIN ALT:** FISKK/AST 7.00 DME 1600, REKFI/AST 3.00 DME 900
8. **MSA FROM:** AST VOR/DME 004-184 4500, 184-004 3400

EQUIPMENT REQUIREMENTS NOTES:

DME REQUIRED.

NOTES:



ADDITIONAL FLIGHT DATA:

REKFI TO RW8: 3.02/38.
CHART AST R-294 AT JINOD.
CHART AST R-229 AT AYBIN.
CHART VDP AT 2.00 DME
DISTANCE VDP TO THLD 1.66 NM
FAS OBST: 275 AAO 461032N/1235756W.
FAC CROSSES RWY C/L EXTENDED 2575 FT FROM THLD.
HOLD W, RT, 069.98 INBOUND

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA

CATEGORY:	COPTER															
	FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
H-08	580	3/4	566													

CHANGES - REASONS

NEW PROCEDURE.

PDF EDITS:
1. CHANGE MAP TO ARP IN AIRSPACE.

COORDINATED WITH:

A4A ALPA AOPA APA HAI NBAA OTHER: ZSE, AMGR

FLIGHT CHECKED BY

PENDING

Digitally signed by
DONALD H LANIER
Jun 07, 2018

OFFICE

FIOG

DATE

DEVELOPED BY

LIAM DONAHUE

Digitally signed by
DONALD H LANIER
Jun 07, 2018

OFFICE

AJV-5431

DATE

05/01/2018

APPROVED BY

PATRICK MULQUEEN

Digitally signed by
DONALD H LANIER
Jun 07, 2018

OFFICE

AJV-5430

DATE

TITLE

MANAGER

