

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.
 Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name SLANT RNAV	Number THREE	STAR Computer Code FINGR.SLANT3	Superseded Number TWO	Dated 25 JUN 2015	Effective Date 31 MAR 2016
-----------------------------------	------------------------	-------------------------------------------	---------------------------------	-----------------------------	--------------------------------------

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Mag Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
AIRRE	AIRRE.SLANT3	AIRRE	AIRRE						
			FOORS	195.89	20.01	10000	2100		
			SEEV	192.37	08.40	5000	2100		
			FINGR	194.20	11.60	5000	2300		
AXXEE	AXXEE.SLANT3	AXXEE	AXXEE						
			AIRRE	194.66	27.27	10000	2200		
			FOORS	195.89	20.01	10000	2100		
			SEEV	192.37	08.40	5000	2100		
			FINGR	194.20	11.60	5000	2300		
CAMAL	CAMAL.SLANT3	CAMAL	CAMAL						
			RUBBR	214.00	31.31	10000	3700		
			CHCKN	214.26	23.40	10000	2500		
			VENUE	213.58	07.04	10000	2000		
			REPAY	213.75	33.37	10000	2200		
			CUBAN	213.60	10.63	5000	2100		
			FINGR	242.08	10.00	5000	2300		
DIRRK	DIRRK.SLANT3	DIRRK	DIRRK						
			JETT	243.53	59.20	10000	2200		
			TRRRY	242.67	26.12	10000	1900		
			RRONY	242.40	03.54	10000	1900		
			KIDDD	242.72	14.46	10000	1900		
			CUBAN	242.33	25.00	5000	2100		
			FINGR	242.08	10.00	5000	2300		
HITUG	HITUG.SLANT3	HITUG	HITUG						
			SSLID	166.05	56.01	10000	3700		
			RUBBR	168.56	41.69	10000	3200		
			CHCKN	214.26	23.40	10000	2500		
			VENUE	213.58	07.04	10000	2000		

QUALITY
2
CHECKED

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.
 Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number			STAR Computer Code	Superseded Number			Dated	Effective Date
SLANT RNAV	THREE			FINGR.SLANT3	TWO			25 JUN 2015	31 MAR 2016
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Mag Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
			REPAY	213.75	33.37	10000	2200		
			CUBAN	213.60	10.63	5000	2100		
			FINGR	242.08	10.00	5000	2300		
JRHED	JRHED.SLANT3	JRHED	JRHED						
			JETTT	260.21	23.54	10000	1800		
			TRRRY	242.67	26.12	10000	1900		
			RRONY	242.40	03.54	10000	1900		
			KIDDD	242.72	14.46	10000	1900		
			CUBAN	242.33	25.00	5000	2100		
			FINGR	242.08	10.00	5000	2300		
KLAWW	KLAWW.SLANT3	KLAWW	KLAWW						
			SSLID	140.44	62.51	10000	2800		
			RUBBR	168.56	41.69	10000	3200		
			CHCKN	214.26	23.40	10000	2500		
			VENUE	213.58	07.04	10000	2000		
			REPAY	213.75	33.37	10000	2200		
			CUBAN	213.60	10.63	5000	2100		
			FINGR	242.08	10.00	5000	2300		
RRONY	RRONY.SLANT3	RRONY	RRONY						
			KIDDD	242.72	14.46	10000	1900		
			CUBAN	242.33	25.00	5000	2100		
			FINGR	242.08	10.00	5000	2300		

ARRIVAL ROUTE DESCRIPTION:

FROM FINGR ON TRACK 227.31/8.40 TO SLANT (MEA 4000/MOCA 2300), THEN ON TRACK 230.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PROCEDURAL DATA NOTES:

NOTE: RADAR REQUIRED.

NOTE: RNAV 1.

NOTE: DME/DME/IRU OR GPS REQUIRED.

NOTE: AXXEE AND RRONY TRANSITIONS: FOR AIRCRAFT FILING FL230 AND BELOW.

NOTE: AIRRE TRANSITION: FOR TRAFFIC FILING FL190 AND BELOW.



US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.
 Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
SLANT RNAV	THREE	FINGR.SLANT3	TWO	25 JUN 2015	31 MAR 2016

NOTE: AIRCRAFT DEPARTING THE OKLAHOMA CITY TERMINAL AREA FILE AND EXPECT THE AIRRE ENROUTE TRANSITION.

NOTE: JRHED TRANSITION: ATC ASSIGNED ONLY.

NOTE: VERTICAL NAVIGATION PLANNING INFORMATION: TURBOJETS EXPECT TO CROSS FINGR AT 8000, PROPS EXPECT TO CROSS FINGR AT 6000 OR 7000.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT JETTT: HOLD NE, RT, 243.55 INBOUND, 10 NM LEGS. CHART HOLDING AT KIDDD: HOLD NE, RT, 242.72 INBOUND, 10 NM LEGS. CHART HOLDING AT SEEVR: HOLD NE, RT, 224.00 INBOUND, 10 NM LEGS. CHART HOLDING AT CUBAN: HOLD NE, RT, 242.08 INBOUND, 10 NM LEGS.

COMMUNICATIONS:

ADS ATIS, RBD ATIS, REGIONAL APP CON.

AIRPORTS SERVED:

- ADDISON, DALLAS, TX
- COLLIN COUNTY RGNL AT MC KINNEY, DALLAS, TX
- DALLAS EXECUTIVE, DALLAS, TX
- ENNIS MUNI, ENNIS, TX
- LANCASTER RGNL, LANCASTER, TX
- MESQUITE METRO, MESQUITE, TX
- MID-WAY RGNL, MIDLOTHIAN/WAXAHACHIE, TX
- RALPH M HALL/ROCKWALL MUNI, ROCKWALL, TX

LOST COMMUNICATIONS PROCEDURE:

REMARKS:

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0).
 REFERENCE MAGNETIC VARIATION = KADS 05E/2000



US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.

Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
SLANT RNAV	THREE	FINGR.SLANT3	TWO	25 JUN 2015	31 MAR 2016

Digitally signed by

CHANGES:

1. MOVED HITUG 2.9NM S INTO ZFW AIRSPACE
2. MOVED KLAWW 2.8NM SE INTO ZFW AIRSPACE

REASONS:

- 1, 2. FOR COORDINATION AND AUTOMATION REQUIREMENTS



US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
STAR (DATA RECORD)

Arrival Name SLANT RNAV	Number THREE	STAR Computer Code FINGR.SLANT3	Superseded Number TWO	Dated 25 JUN 2015	Effective Date 31 MAR 2016
-----------------------------------	------------------------	-------------------------------------------	---------------------------------	-----------------------------	--------------------------------------

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
AIRRE	335332.32N / 0960356.65W	Y		IF					AIRRE.SLANT3
FOORS	333448.38N / 0961229.04W	Y	FB	TF	200.89	20.01			
SEEVN	332646.50N / 0961528.78W	Y	FB	TF	197.37	08.40			
FINGR	331547.65N / 0962001.79W	Y	FB	TF	199.20	11.60			
En Route Transition									
AXXEE	341916.58N / 0955255.12W	Y		IF					AXXEE.SLANT3
AIRRE	335332.32N / 0960356.65W	Y	FB	TF	199.66	27.27			
FOORS	333448.38N / 0961229.04W	Y	FB	TF	200.89	20.01			
SEEVN	332646.50N / 0961528.78W	Y	FB	TF	197.37	08.40			
FINGR	331547.65N / 0962001.79W	Y	FB	TF	199.20	11.60			
En Route Transition									
CAMAL	344214.36N / 0944917.66W	Y		IF					CAMAL.SLANT3
RUBBR	341749.92N / 0951304.53W	Y	FB	TF	219.00	31.31			
CHCKN	335939.74N / 0953052.99W	Y	FB	TF	219.26	23.40			
VENUE	335408.88N / 0953609.42W	Y	FB	TF	218.58	07.04			
REPAY	332801.92N / 0960107.74W	Y	FB	TF	218.75	33.37			
CUBAN	331942.24N / 0960902.72W	Y	FB	TF	218.60	10.63			
FINGR	331547.65N / 0962001.79W	Y	FB	TF	247.08	10.00			
En Route Transition									
DIRRK	340816.84N / 0934635.15W	Y		IF					DIRRK.SLANT3
JETTT	334616.90N / 0945240.41W	Y	FB	TF	248.53	59.20			
TRRRY	333616.90N / 0952136.12W	Y	FB	TF	247.67	26.12			
RRONY	333455.16N / 0952530.56W	Y	FB	TF	247.40	03.54			
KIDDD	332924.45N / 0954130.77W	Y	FB	TF	247.72	14.46			



US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
STAR (DATA RECORD)

Arrival Name SLANT RNAV	Number THREE	STAR Computer Code FINGR.SLANT3	Superseded Number TWO	Dated 25 JUN 2015	Effective Date 31 MAR 2016
-----------------------------------	------------------------	-------------------------------------------	---------------------------------	-----------------------------	--------------------------------------

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
CUBAN	331942.24N / 0960902.72W	Y	FB	TF	247.33	25.00			
FINGR	331547.65N / 0962001.79W	Y	FB	TF	247.08	10.00			

En Route Transition

HITUG	355445.26N / 0952919.73W	Y		IF					HITUG.SLANT3
SSLID	345919.73N / 0951843.33W	Y	FB	TF	171.05	56.01			
RUBBR	341749.92N / 0951304.53W	Y	FB	TF	173.56	41.69			
CHCKN	335939.74N / 0953052.99W	Y	FB	TF	219.26	23.40			
VENUE	335408.88N / 0953609.42W	Y	FB	TF	218.58	07.04			
REPAY	332801.92N / 0960107.74W	Y	FB	TF	218.75	33.37			
CUBAN	331942.24N / 0960902.72W	Y	FB	TF	218.60	10.63			
FINGR	331547.65N / 0962001.79W	Y	FB	TF	247.08	10.00			

En Route Transition

JRHED	334818.19N / 0942431.90W	Y		IF					JRHED.SLANT3
JETTT	334616.90N / 0945240.41W	Y	FB	TF	265.21	23.54			
TRRRY	333616.90N / 0952136.12W	Y	FB	TF	247.67	26.12			
RRONY	333455.16N / 0952530.56W	Y	FB	TF	247.40	03.54			
KIDDD	332924.45N / 0954130.77W	Y	FB	TF	247.72	14.46			
CUBAN	331942.24N / 0960902.72W	Y	FB	TF	247.33	25.00			
FINGR	331547.65N / 0962001.79W	Y	FB	TF	247.08	10.00			

En Route Transition

KLAWW	355101.07N / 0960152.28W	Y		IF					KLAWW.SLANT3
SSLID	345919.73N / 0951843.33W	Y	FB	TF	145.44	62.51			
RUBBR	341749.92N / 0951304.53W	Y	FB	TF	173.56	41.69			
CHCKN	335939.74N / 0953052.99W	Y	FB	TF	219.26	23.40			
VENUE	335408.88N / 0953609.42W	Y	FB	TF	218.58	07.04			
REPAY	332801.92N / 0960107.74W	Y	FB	TF	218.75	33.37			

QUALITY
2
CHECKED

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
STAR (DATA RECORD)

Arrival Name SLANT RNAV	Number THREE	STAR Computer Code FINGR.SLANT3	Superseded Number TWO	Dated 25 JUN 2015	Effective Date 31 MAR 2016
-----------------------------------	------------------------	-------------------------------------------	---------------------------------	-----------------------------	--------------------------------------

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
CUBAN	331942.24N / 0960902.72W	Y	FB	TF	218.60	10.63			
FINGR	331547.65N / 0962001.79W	Y	FB	TF	247.08	10.00			

En Route Transition

RRONY	333455.16N / 0952530.56W	Y		IF					RRONY.SLANT3
KIDDD	332924.45N / 0954130.77W	Y	FB	TF	247.72	14.46			
CUBAN	331942.24N / 0960902.72W	Y	FB	TF	247.33	25.00			
FINGR	331547.65N / 0962001.79W	Y	FB	TF	247.08	10.00			

Common Route

FINGR	331547.65N / 0962001.79W	Y		IF					FINGR.SLANT3
SLANT	331038.65N / 0962757.01W	Y	FO	TF	232.31	08.40			
KADS,KF41,KF46, KHQZ,KJWY,KLNC, KRBD,KTKI				FM	235.00				RECOMMENDED NAVAID: GNL VOR/DME

