

**RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

LPV ALL CATS TO 1 1/8 MILE, LNAV/VNAV ALL CATS TO 1 3/8 MILE, LNAV CAT C TO 1 3/4 MILE AND CIRCLING CAT C TO 2 1/2 MILE.

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.

CHART NOTE: NIGHT LANDING: RWY 13 NA.

CHART NOTE: BARO-VNAV AND VDP NA WHEN USING GREATER ROCHESTER ALTIMETER SETTING.

TAA

	<u>FROM</u>	<u>TO</u>	<u>ALT</u>
1.	225/30 CW 045/30 (NOPT)	225/7 CW 045/7	3900
2.	225/7 CW 045/7	SSTAN (IF/IAF) (FB)	3200
3.	045/30 CW 135/30	BUCHH (IAF) (FB)	4000
4.	135/30 CW 225/30	EEETE (IAF) (FB)	3200



CITY AND STATE CANANDAIGUA, NY	ELEVATION: 814 TDZE: 814 AIRPORT NAME: CANANDAIGUA	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 31, AMDT 1 30 APRIL 2015	SUP:
				AMDT: ORIG-A
				DATED: 08/21/2014

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	D38
RUNWAY	RW31
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W31A
LTP/FTP LATITUDE	425417.2340N
LTP/FTP LONGITUDE	0771859.8440W
LTP/FTP ELLIPSOIDAL HEIGHT	+02128
FPAP LATITUDE	425505.8415N
FPAP LONGITUDE	0772041.4710W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1080
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER BCE5AC96

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K6
LTP ORTHOMETRIC HEIGHT	+02475
FPAP ORTHOMETRIC HEIGHT	+02475



CITY AND STATE CANANDAIGUA, NY	ELEVATION: 814 TDZE: 814	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 31, AMDT 1 30 APRIL 2015	SUP:
	AIRPORT NAME: CANANDAIGUA			AMDT: ORIG-A
				DATED: 08/21/2014

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	BUCHH	BUCHH	010	IAF	IF		FB					
	BUCHH	SSTAN	020		TF		FB	1.0	045.1(033.1T)	010.0	AA 03200	
	EEETE	EEETE	010	IAF	IF		FB					
	EEETE	SSTAN	020		TF		FB	1.0	225.3(213.3T)	010.0	AA 03200	
	SSTAN	SSTAN	010	IAF	HF	L	FO		315.2(303.2T)	004.0	AA 03200	
		SSTAN	010	FACF	IF		FB				AA 03200	
		SHUBE	020	FAF	TF		FB	0.5	315.2(303.2T)	006.8	AA 02400	
		RW31	030	MAP	TF		FO	0.3	315.1(303.1T)	004.9	AT 00852	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		315.1(303.1T)		AA 01400	
	BUCHH	050		DF	L	FO				AA 03700	
	BUCHH	060		HM	L	FO		067.0(055.0T)	004.0	AA 03700	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	BUCHH	N423931.01	W0771306.06	N4239.517	W07713.101
	EEETE	N425615.29	W0765813.30	N4256.255	W07658.222
	SHUBE	N425137.93	W0771327.45	N4251.632	W07713.458
	SSTAN	N424753.40	W0770540.68	N4247.890	W07705.678
	RW31	N425417.23	W0771859.84	N4254.287	W07718.997

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW31	00812	40



CITY AND STATE CANANDAIGUA, NY	ELEVATION: 814	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 31, AMDT 1 30 APRIL 2015	SUP:
	AIRPORT NAME: CANANDAIGUA			AMDT: ORIG-A
				DATED: 08/21/2014