

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.

Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
LOADS RNAV	THREE	YEAGR.LOADS3	TWO	25 JUN 2015	26 MAY 2016

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Mag Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
CHEVE	CHEVE.LOADS3	CHEVE	CHEVE						
			FIATT	023.93	56.30	10000	2100		
			KLLEY	019.13	23.79	5000	1800		
			YEAGR	310.43	12.46	5000	1900		
JROAM	JROAM.LOADS3	JROAM	JROAM						
			KOBIE	310.15	37.28	10000	2300		
			KLLEY	310.65	29.66	5000	2000		
			YEAGR	310.43	12.46	5000	1900		
NAVYS	NAVYS.LOADS3	NAVYS	NAVYS						
			FIATT	352.27	39.76	10000	2100		
			KLLEY	019.13	23.79	5000	1800		
			YEAGR	310.43	12.46	5000	1900		
PNUTS	PNUTS.LOADS3	PNUTS	PNUTS						
			HINZE	287.69	119.57	10000	2200		
			YEAGR	286.28	33.86	5000	2100		
PUDJE	PUDJE.LOADS3	PUDJE	PUDJE						
			MRPHI	262.63	85.30	10000	2100		
			ZEKKE	271.17	54.88	10000	2200		
			YEAGR	270.59	33.31	5000	2100		

ARRIVAL ROUTE DESCRIPTION:

FROM YEAGR ON TRACK 316.71/35.86 TO LOADS (MEA 4000/MOCA 2300), THEN ON TRACK 329.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PROCEDURAL DATA NOTES:

NOTE: RADAR REQUIRED.

NOTE: RNAV 1.

NOTE: DME/DME/IRU OR GPS REQUIRED.

NOTE: FOR USE WHEN DAL IS IN SOUTH FLOW. WHEN DAL IS IN NORTH FLOW, FILE AND EXPECT THE EESAT RNAV STAR.

NOTE: NAVYS TRANSITION: FOR KCLL DEPARTURES ONLY.

NOTE: VERTICAL NAVIGATION PLANNING INFORMATION: TURBOJETS EXPECT TO CROSS YEAGR AT 9000, PROPS EXPECT TO CROSS YEAGR AT 6000 OR 7000



US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.

Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
LOADS RNAV	THREE	YEAGR.LOADS3	TWO	25 JUN 2015	26 MAY 2016

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT ZEKKE: HOLD E, LT, 271.17 INBOUND, 10 NM LEGS. CHART HOLDING AT HINZE: HOLD E, LT, 287.48 INBOUND, 10 NM LEGS. CHART HOLDING AT KOBIE: HOLD SE, RT, 310.15 INBOUND, 10 NM LEGS.

COMMUNICATIONS:

ADS ATIS, RBD ATIS, REGIONAL APP CON.

AIRPORTS SERVED:

ADDISON, DALLAS, TX

COLLIN COUNTY RGNL AT MC KINNEY, DALLAS, TX

MESQUITE METRO, MESQUITE, TX

RALPH M HALL/ROCKWALL MUNI, ROCKWALL, TX

LOST COMMUNICATIONS PROCEDURE:REMARKS:ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0).

REFERENCE MAGNETIC VARIATION = KADS 05E/2000

CHANGES:

1. MOVED CHEVE 2.8NM NNE INTO ZFW AIRSPACE.
2. MOVED PNUTS 5.2NM WNW INTO ZFW AIRSPACE.
3. ADDED "AND EXPECT" TO NOTE: FOR USE WHEN DAL IS IN SOUTH FLOW. WHEN DAL IS IN NORTH FLOW, FILE THE EESAT RNAV STAR.

REASONS:

- 1, 2. FOR COORDINATION AND AUTOMATION REQUIREMENTS.
3. ATC REQUEST.

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
LOADS RNAV	THREE	YEAGR.LOADS3	TWO	25 JUN 2015	26 MAY 2016

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
CHEVE	311346.60N / 0965305.92W	Y		IF					CHEVE.LOADS3
FIATT	320305.56N / 0962103.12W	Y	FB	TF	028.93	56.30			
KLLEY	322450.66N / 0960933.66W	Y	FB	TF	024.13	23.79			
YEAGR	323343.76N / 0961954.28W	Y	FB	TF	315.43	12.46			
En Route Transition									
JROAM	313712.48N / 0951407.80W	Y		IF					JROAM.LOADS3
KOBIE	320337.89N / 0954504.06W	Y	FB	TF	315.15	37.28			
KLLEY	322450.66N / 0960933.66W	Y	FB	TF	315.65	29.66			
YEAGR	323343.76N / 0961954.28W	Y	FB	TF	315.43	12.46			
En Route Transition									
NAVYS	312317.45N / 0961849.26W	Y		IF					NAVYS.LOADS3
FIATT	320305.56N / 0962103.12W	Y	FB	TF	357.27	39.76			
KLLEY	322450.66N / 0960933.66W	Y	FB	TF	024.13	23.79			
YEAGR	323343.76N / 0961954.28W	Y	FB	TF	315.43	12.46			
En Route Transition									
PNUTS	313623.54N / 0933219.90W	Y		IF					PNUTS.LOADS3
HINZE	322130.43N / 0954234.04W	Y	FB	TF	292.69	119.57			
YEAGR	323343.76N / 0961954.28W	Y	FB	TF	291.28	33.86			
En Route Transition									
PUDJE	322908.96N / 0925528.57W	Y		IF					PUDJE.LOADS3
MRPHI	322456.52N / 0943609.47W	Y	FB	TF	267.63	85.30			
ZEKKE	323034.68N / 0954040.79W	Y	FB	TF	276.17	54.88			
YEAGR	323343.76N / 0961954.28W	Y	FB	TF	275.59	33.31			

QUALITY
17
CHECKED

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

STAR (DATA RECORD)

Arrival Name	Number			STAR Computer Code		Superseded Number		Dated	Effective Date
LOADS RNAV	THREE			YEAGR.LOADS3		TWO		25 JUN 2015	26 MAY 2016
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
Common Route									
YEAGR	323343.76N / 0961954.28W	Y		IF					YEAGR.LOADS3
LOADS	330152.92N / 0964620.10W	Y	FO	TF	321.71	35.86			
KADS,KF46,KHQZ, KTKI				FM	334.00				RECOMMENDED NAVAID: GNL VOR/DME

