

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION							RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33							Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.						
TERMINAL ROUTES														MISSED APPROACH						
FROM				TO			COURSE AND DISTANCE				ALTITUDE		LNAV: RW21							
RADIO (IAF)				TUNEE (FB)			143.04 / 10.26				7500		CLIMB TO 6200 THEN CLIMBING RIGHT TURN TO 10000 DIRECT JOGEL AND ON TRACK 346.05 TO RADIO AND HOLD.							
TUNEE				GOERS (FB)			143.10 / 10.26				7400									
BLOOM (IAF)				GOERS (FB)			186.60 / 25.80				7400									
GOERS (IF)				PREYS (FB)			215.00 / 5.00				7400									
PREYS (FAF)				GAUGE/2.40 NM TO RW21 (FB)			214.95 / 2.70													
GAUGE/2.40 NM TO RW21				RW21 (MAP) (FO)			214.95 / 2.40						ADDITIONAL FLIGHT DATA: HOLD N, RT, 166.03 INBOUND. FAS OBST: 5754 TREE 371559N/1041955W CHART VDP AT 0.75 NM TO RW21. CHART CIRCLING ICON. PREYS TO RW21: 3.00/40							
(SEE FORM 8260-10)																				
THIS IS A CORRECTED COPY OF A PROCEDURE ORIGINALLY PUBLISHED IN TL 16-19.																				
1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)																				
2. PROFILE STARTS AT GOERS																				
3. FAC: 214.95 FAF: PREYS DIST FAF TO MAP: 5.10 THLD: 5.10																				
4. MIN. ALT: GOERS 7400, PREYS 7400, GAUGE/2.40 NM TO RW21 6540																				
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:																				
6. MIN GS INCPT: GS ALT AT: OM: MM: IM:																				
7. GS ANGLE: TCH: 34:1 IS CLEAR																				
8. MSA FROM: RW21 13400														MAG VAR: 10E				EPOCH YEAR: 1995		
MINIMUMS																				
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		STANDARD @								
CATEGORY ==>		A			B			C			D			E						
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA					
LNAV MDA	6020	1	263	6020	1	263	6020	1	263	6020	1	263								
CIRCLING	6180	1	418	6300	1	538	6340	1 1/2	578	6580	2 3/4	818								
NOTES: CHART NOTE: CIRCLING NA TO RWYS 9 AND 27. CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE PUEBLO ALTIMETER SETTING AND INCREASE ALL MDA 300 FT: INCREASE LNAV CAT C/D VISIBILITY 5/8 SM, CIRCLING CAT B/D VISIBILITY 1/4 SM AND (CONTINUED ON PAGE 2)																				
CITY AND STATE TRINIDAD, CO				ELEVATION: 5762 TDZE: 5757 AIRPORT NAME: PERRY STOKES				FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 21, ORIG 15 SEPTEMBER 2016				SUP: AMDT: DATED:		QUALITY 4 NONE CHECKED				

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
RW21 (MAP)	6200 MSL	214.95	6200
6200 MSL	JOGEL (FB)		
JOGEL	RADIO (FO)	346.05 / 13.04	10000

NOTES, (CONT.):
CIRCLING CAT C VISIBILITY 1 SM.

CHART NOTE: VDP NA WHEN USING PUEBLO ALTIMETER SETTING.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL AT BLOOM ON V210 NORTHEAST BOUND AND ON V81 NORTH BOUND.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL AT RADIO ON V389 NORTH BOUND AND ON V210 WEST BOUND.

CITY AND STATE
TRINIDAD, CO

ELEVATION: 5762 TDZE: 5757
AIRPORT NAME:
PERRY STOKES

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 21, ORIG
15 SEPTEMBER 2016

SUP: ^{QUALITY} 4
AMDT: ^{CHECKED} NONE
DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33												Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.																																																																																																																																																																																																																																																						
ARINC SUMMARY - KTAD ROUTES <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">TRANSITION</th> <th style="text-align: left;">WPT SEQ</th> <th style="text-align: left;">WPT NAME</th> <th style="text-align: left;">LEG TYPE</th> <th style="text-align: left;">FB/FO</th> <th style="text-align: left;">RNP</th> <th style="text-align: left;">MAG CRS</th> <th style="text-align: left;">REC NAV</th> <th style="text-align: left;">ANGLE</th> <th style="text-align: left;">TURN DIR</th> <th style="text-align: left;">CENTER FIX</th> <th style="text-align: left;">TURN RADIUS</th> <th style="text-align: left;">ALTITUDE DESCRIPTION & VALUE</th> <th style="text-align: left;">SPEED LIMIT DESCRIPTION & VALUE</th> <th style="text-align: left;">WPT DESCRIPTION CODE</th> </tr> </thead> <tbody> <tr><td>BLOOM</td><td>010</td><td>BLOOM</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E A</td></tr> <tr><td>BLOOM</td><td>020</td><td>GOERS</td><td>TF</td><td>FB</td><td>1.0</td><td>186.6</td><td></td><td></td><td></td><td></td><td></td><td>AA 07400</td><td></td><td>EE B</td></tr> <tr><td>RADIO</td><td>010</td><td>RADIO</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E A</td></tr> <tr><td>RADIO</td><td>011</td><td>TUNEE</td><td>TF</td><td>FB</td><td>1.0</td><td>143.0</td><td></td><td></td><td></td><td></td><td></td><td>AA 07500</td><td></td><td>E</td></tr> <tr><td>RADIO</td><td>020</td><td>GOERS</td><td>TF</td><td>FB</td><td>1.0</td><td>143.1</td><td></td><td></td><td></td><td></td><td></td><td>AA 07400</td><td></td><td>EE B</td></tr> <tr><td></td><td>010</td><td>GOERS</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AA 07400</td><td></td><td>E I</td></tr> <tr><td></td><td>020</td><td>PREYS</td><td>TF</td><td>FB</td><td>1.0</td><td>215.0</td><td></td><td></td><td></td><td>RW21</td><td></td><td>AA 07400</td><td></td><td>E F</td></tr> <tr><td></td><td>021</td><td>GAUGE</td><td>TF</td><td>FB</td><td>0.3</td><td>215.0</td><td></td><td>3.00</td><td></td><td></td><td></td><td>AA 06540 GS 06544</td><td></td><td>E S</td></tr> <tr><td></td><td>030</td><td>RW21</td><td>TF</td><td>FO</td><td>0.3</td><td>215.0</td><td></td><td>3.00</td><td></td><td></td><td></td><td>AT 05780</td><td></td><td>GY M</td></tr> <tr><td></td><td>040</td><td></td><td>CA</td><td>FB</td><td></td><td>215.0</td><td></td><td></td><td></td><td></td><td></td><td>AA 06200</td><td></td><td>M</td></tr> <tr><td></td><td>050</td><td>JOGEI</td><td>DF</td><td>FB</td><td></td><td></td><td></td><td></td><td>R</td><td></td><td></td><td></td><td></td><td>E</td></tr> <tr><td></td><td>060</td><td>RADIO</td><td>TF</td><td>FO</td><td>1.0</td><td>346.1</td><td></td><td></td><td></td><td></td><td></td><td>AA 10000</td><td></td><td>EY</td></tr> <tr><td></td><td>070</td><td>RADIO</td><td>HM</td><td>FO</td><td></td><td>166.0</td><td></td><td></td><td>R</td><td></td><td></td><td>AA 10000</td><td></td><td>EE</td></tr> </tbody> </table> POINTS <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">POINT NAME</th> <th style="text-align: left;">LATITUDE</th> <th style="text-align: left;">LONGITUDE</th> </tr> </thead> <tbody> <tr><td>BLOOM</td><td>N374748.97</td><td>W1040139.58</td></tr> <tr><td>JOGEI</td><td>N372759.32</td><td>W1042124.77</td></tr> <tr><td>RADIO</td><td>N374122.36</td><td>W1042234.49</td></tr> <tr><td>GAUGE</td><td>N371736.15</td><td>W1041743.87</td></tr> <tr><td>GOERS</td><td>N372303.43</td><td>W1041054.49</td></tr> <tr><td>PREYS</td><td>N371930.36</td><td>W1041521.18</td></tr> <tr><td>TUNEE</td><td>N373213.05</td><td>W1041643.77</td></tr> </tbody> </table> RUNWAYS <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">RUNWAY</th> <th style="text-align: left;">THRESHOLD LATITUDE</th> <th style="text-align: left;">THRESHOLD LONGITUDE</th> <th style="text-align: left;">THRESHOLD ELEVATION</th> <th style="text-align: left;">PROCEDURE TCH</th> </tr> </thead> <tbody> <tr> <td>RW21</td> <td>N371554.10</td> <td>W1041951.21</td> <td>05740</td> <td>40</td> </tr> </tbody> </table>															TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE	BLOOM	010	BLOOM	IF	FB										E A	BLOOM	020	GOERS	TF	FB	1.0	186.6						AA 07400		EE B	RADIO	010	RADIO	IF	FB										E A	RADIO	011	TUNEE	TF	FB	1.0	143.0						AA 07500		E	RADIO	020	GOERS	TF	FB	1.0	143.1						AA 07400		EE B		010	GOERS	IF	FB								AA 07400		E I		020	PREYS	TF	FB	1.0	215.0				RW21		AA 07400		E F		021	GAUGE	TF	FB	0.3	215.0		3.00				AA 06540 GS 06544		E S		030	RW21	TF	FO	0.3	215.0		3.00				AT 05780		GY M		040		CA	FB		215.0						AA 06200		M		050	JOGEI	DF	FB					R					E		060	RADIO	TF	FO	1.0	346.1						AA 10000		EY		070	RADIO	HM	FO		166.0			R			AA 10000		EE	POINT NAME	LATITUDE	LONGITUDE	BLOOM	N374748.97	W1040139.58	JOGEI	N372759.32	W1042124.77	RADIO	N374122.36	W1042234.49	GAUGE	N371736.15	W1041743.87	GOERS	N372303.43	W1041054.49	PREYS	N371930.36	W1041521.18	TUNEE	N373213.05	W1041643.77	RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH	RW21	N371554.10	W1041951.21	05740	40
TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE																																																																																																																																																																																																																																																				
BLOOM	010	BLOOM	IF	FB										E A																																																																																																																																																																																																																																																				
BLOOM	020	GOERS	TF	FB	1.0	186.6						AA 07400		EE B																																																																																																																																																																																																																																																				
RADIO	010	RADIO	IF	FB										E A																																																																																																																																																																																																																																																				
RADIO	011	TUNEE	TF	FB	1.0	143.0						AA 07500		E																																																																																																																																																																																																																																																				
RADIO	020	GOERS	TF	FB	1.0	143.1						AA 07400		EE B																																																																																																																																																																																																																																																				
	010	GOERS	IF	FB								AA 07400		E I																																																																																																																																																																																																																																																				
	020	PREYS	TF	FB	1.0	215.0				RW21		AA 07400		E F																																																																																																																																																																																																																																																				
	021	GAUGE	TF	FB	0.3	215.0		3.00				AA 06540 GS 06544		E S																																																																																																																																																																																																																																																				
	030	RW21	TF	FO	0.3	215.0		3.00				AT 05780		GY M																																																																																																																																																																																																																																																				
	040		CA	FB		215.0						AA 06200		M																																																																																																																																																																																																																																																				
	050	JOGEI	DF	FB					R					E																																																																																																																																																																																																																																																				
	060	RADIO	TF	FO	1.0	346.1						AA 10000		EY																																																																																																																																																																																																																																																				
	070	RADIO	HM	FO		166.0			R			AA 10000		EE																																																																																																																																																																																																																																																				
POINT NAME	LATITUDE	LONGITUDE																																																																																																																																																																																																																																																																
BLOOM	N374748.97	W1040139.58																																																																																																																																																																																																																																																																
JOGEI	N372759.32	W1042124.77																																																																																																																																																																																																																																																																
RADIO	N374122.36	W1042234.49																																																																																																																																																																																																																																																																
GAUGE	N371736.15	W1041743.87																																																																																																																																																																																																																																																																
GOERS	N372303.43	W1041054.49																																																																																																																																																																																																																																																																
PREYS	N371930.36	W1041521.18																																																																																																																																																																																																																																																																
TUNEE	N373213.05	W1041643.77																																																																																																																																																																																																																																																																
RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH																																																																																																																																																																																																																																																														
RW21	N371554.10	W1041951.21	05740	40																																																																																																																																																																																																																																																														
CITY AND STATE TRINIDAD, CO		ELEVATION: 5762 TDZE: 5757 AIRPORT NAME: PERRY STOKES		FACILITY IDENTIFIER: RNAV		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 21, ORIG 15 SEPTEMBER 2016			SUP: QUALITY AMDT: 4 NONE DATED: CHECKED																																																																																																																																																																																																																																																									