

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TRINIDAD	ONE	TAD1.TAD	NONE		15 SEPTEMBER 2016

TYPE: RNAV OBSTACLE

DP ROUTE DESCRIPTION:

RWY 3: CLIMB HEADING 034.90 TO 6200, THEN CLIMBING LEFT TURN TO 10000 DIRECT JOGEL AND ON TRACK 346.05 TO RADIO.

RWY 21: CLIMB HEADING 214.91 TO 6200, THEN CLIMBING RIGHT TURN TO 10000 DIRECT JOGEL AND ON TRACK 346.05 TO RADIO.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

RWY 9, 27: NA-ATC. RWY 3, 21 – STANDARD.

NOTE: GPS REQUIRED.

NOTE: RNAV-1.

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 3, MULTIPLE TREES BEGINNING 46 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 15 FT AGL/5744 FT MSL.

CONTROLLING OBSTACLES:

OBSTACLES MANDATING ROUTE DEVELOPMENT: RWY 3/21 – 13826 FT MSL AAO 372233.00N/1045936.00

LOST COMMUNICATIONS PROCEDURES:

IF NOT IN CONTACT WITH DENVER ARTCC AT 10000 OR ASSIGNED ALTITUDE IF LOWER, CONTINUE CLIMB TO ASSIGNED ALTITUDE AND THENCE ON ASSIGNED ROUTE.



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TRINIDAD	ONE	TAD1.TAD	NONE		15 SEPTEMBER 2016

ADDITIONAL FLIGHT DATA:

CHART: TOP ALTITUDE: ASSIGNED BY ATC
CHART PINION CANON MOA
REFERENCE MAG VAR: KTAD 10E / EPOCH YR 1995
DME/DME ASSESSMENT: NOT CONDUCTED - GPS REQUIRED

AIRPORTS SERVED:

PERRY STOKES	TRINIDAD, CO
--------------	--------------

COMMUNICATIONS:

DEN ARTCC 128.375

FIXES AND/OR NAVAIDS:

REMARKS:



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TRINIDAD	ONE	TAD1.TAD	NONE		15 SEPTEMBER 2016

FLIGHT INSPECTED BY: *Digitally signed by*
BEV L BORDY

ANTHONY D VALLERA Jul 13, 2016 FICO

07/06/2016

REQUIRED EFFECTIVE DATE:
ROUTINE

DEVELOPED BY: *Digitally signed by*

SYLVAN N. DRAKES **SYLVAN DRAKES** AJV – 5432

01/16/16

APPROVED BY: Apr 12, 2016

LONNIE EVERHART *Digitally signed by*
BEV L BORDY AJV - 5430

COORDINATED WITH: Jul 13, 2016

AOPA, NBAA, ZDV, ARPT AMGR

CHANGES:

ORIGINAL PROCEDURE.

REASONS:

FPT REQUEST TO CHANGE "TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)" INTO A GRAPHIC (RNAV) ODP.

CONCURRENT WITH KTAD RNAV (GPS) RWY 21 ORIG.

QUALITY
3
CHECKED

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
TRINIDAD	ONE	TAD1.TAD	NONE		15 SEPTEMBER 2016

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RWY 3 (AER)	371515.59N / 1042039.24W	N	-	-	-	-			
6200 MSL		-	-	VA	044.90				
JOGL	372759.32N / 1042124.77W	Y	FB	DF	-	-			
RADIO	374122.36N / 1042234.49W	Y	FB	TF	356.05	13.40			
RWY 21 (AER)	371554.10N / 1041951.21W	N	-	-	-	-			
6200 MSL		-	-	VA	224.91	-			
JOGL	372759.32N / 1042124.77W	Y	FB	DF	-	-			
RADIO	374122.36N / 1042234.49W	Y	FB	TF	356.05	13.40			

