

**RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

MISSED APPROACH

FROM	TO	COURSE AND DISTANCE	ALTITUDE	
GOKDE (IF/IAF)	HEVBU (TF) (FB) (RNP 1.00)	002.84 / 6.00	2000	LPV: DA LNAV/VNAV: DA LNAV: RW36
HEVBU (FAF)	OKVOE/2.40 NM TO RW36 (TF) (FB) (RNP 0.30)	002.84 / 2.71		
OKVOE/2.40 NM TO RW36	RW36 (MAP) (TF) (FO) (RNP 0.30)	002.84 / 2.40		CLIMB TO 2600 DIRECT FEVIB AND HOLD.
RW36 (MAP)	613 MSL (CA)	002.84		
613 MSL	FEVIB (DF) (FO) (RNP 1.00)		2600	

ADDITIONAL FLIGHT DATA:
HOLD N, RT, 182.84 INBOUND.
CHART FAS OBST: 409 TREE 305906N/0872621W.
CHART 587 TOWER 305526N/0872718W.
CHART BREWTON AWOS-3
DISTANCE TO THLD FROM 327 HAT: 0.87 NM.
WAAS CHANNEL # 61141
REFERENCE PATH ID: W36A
CHART CIRCLING ICON.
LTP HAE: 57.3 M

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. HOLD **S** GOKDE, RT, 002.84 INBOUND, 2600 FT. IN LIEU OF PT (IAF)
3. FAC: 002.84 FAF: HEVBU DIST FAF TO MAP: 5.11 THLD: 5.11
4. MIN. ALT: **GOKDE 2600, HEVBU 2000, OKVOE/2.40 NM TO RW36 1100***
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
6. MIN GS INCPT: 2000 GS ALT AT: HEVBU 2000 OM: MM: IM:
7. GS ANGLE: 3.10 TCH: 40.0 34:1 IS NOT CLEAR
8. MSA FROM:

MAG VAR: **3W** EPOCH YEAR: **2020**

MINIMUMS

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A <input checked="" type="checkbox"/>								
CATEGORY >>>>>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	641	1	355	641	1	355	641	1	355	641	1	355			
LNAV/VNAV DA	613	1	327	613	1	327	613	1	327	613	1	327			
LNAV MDA	740	1	454	740	1	454	740	1 3/8	454	740	1 3/8	454			
CIRCLING	880	1	594	880	1	594	980	2	694	1000	2 1/4	714			

NOTES:
CHART NOTE: BARO-VNAV NA.
CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.
CHART NOTE: DME/DME RNP-0.3 NA.
CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE {ANGLE}/TCH {FEET}).
(CONTINUED ON PAGE 2)



CITY AND STATE ATMORE, AL	ELEVATION: 286 TDZE: 286 AIRPORT NAME: ATMORE MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 36, AMDT 2 1 FEBRUARY 2018	SUP: AMDT: 1B DATED 09/17/2015
-------------------------------------	---	-------------------------------------	---	--

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

*LNAV ONLY

CHART NOTE: USE BREWTON ALTIMETER SETTING.

TAA

	<u>FROM</u>	<u>TO</u>	<u>ALT</u>
1.	273/30 CW 093/30 (NOPT)	273/10 CW 093/10	3100
2.	273/10 CW 093/10	GOKDE (IF/IAF) (FB)	2600
3.	093/30 CW 273/30	GOKDE (IF/IAF) (FO)	2600



CITY AND STATE ATMORE, AL	ELEVATION: 286	TDZE: 286	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 36, AMDT 2 1 FEBRUARY 2018	SUP:
	AIRPORT NAME: ATMORE MUNI				AMDT: 1B
					DATED: 09/17/2015

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	0R1
RUNWAY	RW36
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W36A
LTP/FTP LATITUDE	310033.3885N
LTP/FTP LONGITUDE	0872648.2375W
LTP/FTP ELLIPSOIDAL HEIGHT	+00573
FPAP LATITUDE	310202.6890N
FPAP LONGITUDE	0872648.5235W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.10
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1232
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER 6C696663

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K7
LTP ORTHOMETRIC HEIGHT	+00853
FPAP ORTHOMETRIC HEIGHT	+00853



CITY AND STATE ATMORE, AL	ELEVATION: 286 TDZE: 286 AIRPORT NAME: ATMORE MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 36, AMDT 2 1 FEBRUARY 2018	SUP:
				AMDT: 1B
				DATED: 09/17/2015