

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ALPIN	TWO	ALPIN2.KICNE	ONE	12/15/2011	15 SEP 2016

TYPE: SID

DP ROUTE DESCRIPTION:

TAKE-OFF RUNWAY 19: CLIMB VIA JAC R-192 TO CROSS KICNE INT/JAC 26.61 DME AT OR ABOVE 15000. THENCE...
 THENCE... VIA (TRANSITION) OR (ASSIGNED ROUTE). EXPECT FURTHER CLEARANCE TO FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes
SWEAT	ALPIN2.SWEAT	KICNE	BPI VOR/DME	119.00 (BPI R-299)	54.52	15000		
		BPI VOR/DME	SWEAT	079.79 (BPI R-080)	73.96	15000		
IDAHO FALLS	ALPIN2.IDA	KICNE	IDA VOR/DME	275.56 (IDA R-096)	50.41	15000	12200	

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

TAKEOFF MINIMUMS: RWY 1: NA – ATC REQUEST. RWY 19: STANDARD WITH MINIMUM CLIMB OF 341 FT PER NM TO 15000.

TAKEOFF OBSTACLES NOTES:

NOTE RWY 19, BUSH 485 FT FROM DER, 513 FEET RIGHT OF CENTERLINE, 15 FT AGL/6428 FT MSL.

CONTROLLING OBSTACLES:

RWY 19: 7539 FT MSL AAO 433213.20N/1104758.20W, 10180 FT MSL AAO 431702.30N/1105651.60W.

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

CHART: TOP ALTITUDE: ASSIGNED BY ATC

AIRPORTS SERVED:

JACKSON HOLE

JACKSON, WY

COMMUNICATIONS:

JACKSON CTAF/UNICOM, SALT LAKE CENTER APP/DEP CON.



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ALPIN	TWO	ALPIN2.KICNE	ONE	12/15/2011	15 SEP 2016

FIXES AND/OR NAVAIDS:

REMARKS:

CHANGES:

ADDED CHART: TOP ALTITUDE: ASSIGNED BY ATC

REASONS:

ATC REQUEST



DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ALPIN	TWO	ALPIN2 . KICNE	ONE	12/15/2011	15 SEP 2016

ARINC SUMMARY - KJAC

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
RW19	010	KICNE	CF	FB		192.0	JAC					AA 15000		EE
IDA	010	KICNE	IF	FB										E
IDA	020	IDA	TF	FB		275.6								VE
SWEAT	010	KICNE	IF	FB										E
SWEAT	020	BPI	TF	FB		119.0								V
SWEAT	030	SWEAT	TF	FB		079.8								EE

POINTS

POINT NAME	LATITUDE	LONGITUDE
BPI	N423446.00	W1100633.20
IDA	N433108.42	W1120350.10
JAC	N433715.74	W1104354.07
KICNE	N431307.69	W1105916.71
SWEAT	N422635.02	W1082710.31

RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION
RW19	N433655.73	W1104401.60	06451

QUALITY
15
CHECKED