

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
EAGLE	SIX		FIVE	07 MAR 2013	21 JUL 2016

TYPE: SID

DP ROUTE DESCRIPTION:

TAKEOFF RWY 32: CLIMB TO 1700 ON HEADING 322.77 THEN CLIMBING RIGHT TURN HEADING 015.00, MAINTAIN 11000 OR ASSIGNED ALTITUDE, EXPECT RADAR VECTORS TO ASSIGNED ROUTE; EXPECT FILED ALTITUDE/FLIGHT LEVEL FIVE MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes
-----------------	---------------------------	--------------------	---------------	--------	----------	-----	------	--------------------------

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

TAKEOFF MINIMUMS: RWY 14, NA - ATC. RWY 32, STANDARD WITH MIN CLIMB OF 410 FT PER NM TO 6300.

TAKEOFF OBSTACLES NOTES:

CONTROLLING OBSTACLES:

LOST COMMUNICATIONS PROCEDURES:

IF NO CONTACT WITH ATC CROSSING THE OED R-070, TURN LEFT, PROCEED DIRECT OED VORTAC, CONTINUE CLIMB IN HOLDING PATTERN (NW, RT, 153.26 INBOUND) TO MINIMUM CROSSING ALTITUDE / MINIMUM ENROUTE ALTITUDE BEFORE PROCEEDING ON COURSE.

ADDITIONAL FLIGHT DATA:

CHART HOLDING AT OED VORTAC, NW, RT, 153.26 INBOUND. CHART OED R-070.
CHART: TOP ALTITUDE: 11000

AIRPORTS SERVED:

ROGUE VALLEY INTL – MEDFORD

MEDFORD, OR

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
EAGLE	SIX		FIVE	07 MAR 2013	21 JUL 2016

COMMUNICATIONS:

ATIS, GND CON, MFR TWR, CASCADE APP / DEP CON, SEATTLE CENTER, CTAF

FIXES AND/OR NAVAIDS:**REMARKS:****REQUIRED EFFECTIVE DATE:**

ROUTINE

COORDINATED WITH:

ALPA, AOPA, APA, NBAA, ATA, ZSE, CASCADE APP/DEP CON, MFR TWR, ARPT MGR, OR AERO DIV

CHANGES:

ADDED CHART: TOP ALTITUDE: 11000

REASONS:

ATC REQUEST



DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
EAGLE	SIX		FIVE	07 MAR 2013	21 JUL 2016

ARINC SUMMARY - KMFR

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
RW32	010		VA	FB		322.8						AA 01700		
RW32	020		VM	FB		015.0								E

RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION
RW32	N422149.36	W1225202.61	01335

