U.S. Department of Transportation Federal Aviation Administration	RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE FAR PART 97.33	Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

FROM	TO	COURSE AND DISTANCE	ALTITUDE
PUNGO WP	FILVO WP (TF) (FB)	172.59/31.26	6000
FILVO WP (IAF)	DEPNE WP (TF) (FB)	149.27/10.00	3000
DEPNE WP	CAXIT WP (TF) (FB)	059.34/5.00	2000
RW06 (MAP)	PUNGO WP (DF) (FO)		6000

MISSED APPROACH

LNAV: RW06

CLIMBING LEFT TURN TO 6000 DIRECT PUNGO WP AND HOLD.

ADDITIONAL FLIGHT DATA:
HOLD NW, RT, 129.82 INBOUND.

FAS OBST: 200' SHIP 350525/755944.

CHART R-5314J.

CHART R-5306A.

CAXIT WP TO RW06: 3.07/40.

FINAL SEGMENT: (TF).

MAG VAR: 9 W   EPOCH YEAR: 85

1. PT NA SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN ____ MILES OF _____ (IAF)
2. PROFILE STARTS DEPNE WP
3. FAC: 059.39 FAF: CAXIT WP _____ DIST FAF TO MAP: - THLD: 6.00
4. MIN. ALT: DEPNE WP 3000, CAXIT WP 2000
5. DIST TO THLD FROM OM: - MM: - IM: - 150 HAT: - 100 HAT: - GS ANT: -
6. MIN GS INCPT: - GS ALT AT: - _____ OM: - MM: - IM: -
7. GS ANGLE: - TCH: _____
8. MSA FROM: RW06 2100

MINIMUMS

TAKEOFF:	X	STANDARD		SEE FAA FORM	8260-15	FOR THIS AIRPORT	ALTERNATE: N A	X

CATEGORY	A			B			C			D			E		
	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA
LNAV MDA	500	1	495	500	1	495	NA			NA					
CIRCLING	560	1	555	560	1	555	NA			NA					

NOTES:
PROCEDURE NA AT NIGHT.
USE HATTERAS ALTIMETER SETTING, WHEN NOT RECEIVED PROCEDURE NA.
GPS OR RNP-0.3 REQUIRED. DME/DME RNP-0.3 NA.

CITY AND STATE OCRACOKE, NC	ELEVATION: 5 TDZE: 5 AIRPORT NAME: OCRACOKE ISLAND	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: 18 APR 2002 RNAV (GPS) RWY 6, ORIG	SUP: AMDT: NONE DATED