

**U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
FANCI	TWO	FANCI2.FANCI	ONE	22 OCT 2009	21 JUL 2016

TYPE: SID RNAV

DP ROUTE DESCRIPTION:

TAKEOFF RWY 2: CLIMB HEADING 020.02 TO 500 THEN RIGHT TURN TO 2000 OR ATC ASSIGNED HIGHER ALTITUDE, DIRECT FANCI.

TAKEOFF RWY 20: CLIMB HEADING 200.03 TO 500 THEN LEFT TURN TO 2000 OR ATC ASSIGNED HIGHER ALTITUDE, DIRECT FANCI.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes
-----------------	---------------------------	--------------------	---------------	--------	----------	-----	------	--------------------------

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

TAKEOFF MINIMUMS: RWYS 2, 20 STANDARD.

NOTE: GPS REQUIRED.

NOTE: RNAV 1

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 2, VEGETATION BEGINNING 76' FROM DER, 210' LEFT OF CENTERLINE, UP TO 15' AGL/89' MSL.

NOTE: RWY 20, VEGETATION BEGINNING 71' FROM DER, 231' LEFT OF CENTERLINE, UP TO 15' AGL/89' MSL.

CONTROLLING OBSTACLES:

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

REFERENCE MAG VAR 13E, EPOCH YEAR 2005.

DME/DME ASSESMENT NOT CONDUCTED

CHART: TOP ALTITUDE: ASSIGNED BY ATC

AIRPORTS SERVED:

CHEVAK

CHEVAK, AK



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
FANCI	TWO	FANCI2.FANCI	ONE	22 OCT 2009	21 JUL 2016

COMMUNICATIONS:

ZAN, CTAF

FIXES AND/OR NAVAIDS:**REMARKS:**

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
FANCI	TWO	FANCI2.FANCI	ONE	22 OCT 2009	21 JUL 2016

REQUIRED EFFECTIVE DATE:

ROUTINE

COORDINATED WITH:

ALPA, AOPA, NBAA, ZAN, APT MANGR

CHANGES:

ADDED: CHART: TOP ALTITUDE: ASSIGNED BY ATC

REASONS:

ATC REQUEST



DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code					Superseded Number	Dated	Effective Date
FANCI	TWO	FANI2.FANCI					ONE	22 OCT 2009	21 JUL 2016
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RW02 (AER)	613213.83N/1653621.20W	N	-	-	-	-			
500 MSL		-	-	VA	033.02	-			
FANCI	611832.74N/1644854.47W	Y	FB	DF	-	-			RIGHT TURN
RW20 (AER)	613240.25N/1653545.22W	N	-	-	-	-			
500 MSL		-	-	VA	213.03	-			
FANCI	611832.74N/1644854.47W	Y	FB	DF	-	-			LEFT TURN