

**U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ANIAK	TWO	ANIAK2.ANIAK	ONE	27 AUG 2009	21 JUL 2016

TYPE: SID RNAV

DP ROUTE DESCRIPTION:

TAKEOFF RWY 1: CLIMB HEADING 013.08 TO 1000', THEN RIGHT TURN DIRECT CUNAN, THEN VIA DEPICTED ROUTE, THENCE ...
TAKEOFF RWY 19: CLIMB HEADING 193.09 TO 1000', THEN DIRECT CUNAN, THEN VIA DEPICTED ROUTE, THENCE ...

... MAINTAIN 3700 OR AS ASSIGNED BY ATC.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

NOTE: RNAV 1
NOTE: GPS REQUIRED.

TAKEOFF MINIMUMS: RWY 1, 19 STANDARD.

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 1, MULTIPLE TREES BEGINNING 11 FEET FROM DER, 163 FEET RIGHT OF CENTERLINE, UP TO 60 FEET AGL/159 FEET MSL. MULTIPLE TREES BEGINNING 14 FEET FROM DER, 140 FEET LEFT OF CENTERLINE, UP TO 60 FEET AGL/159 FEET MSL.
NOTE: RWY 19, MULTIPLE TREES BEGINNING 21 FEET FROM DER, 98 FEET RIGHT OF CENTERLINE, UP TO 60 FEET AGL/159 FEET MSL. MULTIPLE TREES BEGINNING 47 FEET FROM DER, 117 FEET LEFT OF CENTERLINE, UP TO 60 FEET AGL/159 FEET MSL.

CONTROLLING OBSTACLES:

RWY 1: 706 MSL TOWER 621204.69N/1594654.30W.
RWY 19: 659 MSL TREE 621102.00N/1595034.00W, 789 MSL AAO 620920.60N/1595500.73W, 559 MSL TREE 621101.00N/1594947.00W, 528 MSL TREE 621039.00N/1595016.00W, 706 MSL TOWER 621204.69N/1594654.30W.

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

CHART: B3, V480. T222
REFERENCE MAG VAR: HCA/PAHC 18E EPOCH YR: 00
DME/DME ASSESSMENT: NOT CONDUCTED
CHART: TOP ALTITUDE: ASSIGNED BY ATC



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ANIAK	TWO	ANIAK2.ANIAK	ONE	27 AUG 2009	21 JUL 2016

AIRPORTS SERVED:

HOLY CROSS

HOLY CROSS, AK

COMMUNICATIONS:

ASOS: HCA/PAHC. DEP CON: ZAN. CTAF: HCA/PAHC.

FIXES AND/OR NAVAIDS:

ANIAK

REMARKS:



**U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
ANIAK	TWO	ANIAK2.ANIAK	ONE	27 AUG 2009	21 JUL 2016

REQUIRED EFFECTIVE DATE:

ROUTINE

COORDINATED WITH:

ALPA, AOPA, NBAA, ZAN, AMGR

CHANGES:

ADDED: CHART: TOP ALTITUDE: ASSIGNED BY ATC

REASONS:

ATC REQUEST



DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code					Superseded Number	Dated	Effective Date
ANIAK	TWO	ANIAK2.ANIAK					ONE	27 AUG 2009	21 JUL 2016
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RW01 (AER)	621101.00N/1594651.58W	N	-	-	-	-			
1000 MSL		-	-	VA	031.08	-			
CUNAN	615701.67N /1594740.40W	Y	FB	DF	-	-			RIGHT TURN
ANIAK	613702.22N /1593752.61W	Y	FB	TF	166.86	20.58			
RW19 (AER)	621134.73N /1594608.06W	N	-	-	-	-			
1000 MSL		-	-	VA	211.09	-			
CUNAN	615701.67N /1594740.40W	Y	FB	DF	-	-			
ANIAK	613702.22N /1593752.61W	Y	FB	TF	166.86	20.58			