

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
NAKED	SIX	NAKED6.NAKED	FIVE	01/10/2013	21 JUL 2016

TYPE: SID

DP ROUTE DESCRIPTION:

PROCEED IN VISUAL CONDITIONS FROM VALDEZ AIRPORT TO BLIGH (JOH R-314/25.00 DME) TO CROSS BLIGH AT OR ABOVE 1900' (VISUAL CONDITIONS MUST BE MAINTAINED FROM TAKEOFF UNTIL ESTABLISHED OVER BLIGH AT OR ABOVE 1900') (DOD AIRCRAFT: CROSS BLIGH AT OR ABOVE 2700'). PROCEED CCW ON JOH 25.00 DME ARC TO NAKED: CROSS RANMO AT OR ABOVE 3200'. CROSS RPYU AS ASSIGNED BY ATC. THENCE VIA (ASSIGNED ROUTE)

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

RWY 6, 24, 2000-3 (DOD AIRCRAFT 3500-3) NA AT NIGHT.
 NOTE: DO NOT PROCEED CCW BEYOND BLIGH WITHOUT ATC CLEARANCE.
 NOTE: DME REQUIRED

TAKEOFF OBSTACLES NOTES:

CONTROLLING OBSTACLES:

1854 MSL AAO 605144.80N/1470834.00W

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

CHART VALDEZ (PAVD) AIRPORT.
 CHART V319
 CHART: TOP ALTITUDE: ASSIGNED BY ATC

AIRPORTS SERVED:

VALDEZ PIONEER FIELD

VALDEZ, AK

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
NAKED	SIX	NAKED6.NAKED	FIVE	01/10/2013	21 JUL 2016

COMMUNICATIONS:

ZAN, JNU FSS, CTAF

FIXES AND/OR NAVAIDS:

REMARKS:



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
NAKED	SIX	NAKED6.NAKED	FIVE	01/10/2013	21 JUL 2016

REQUIRED EFFECTIVE DATE:

ROUTINE

COORDINATED WITH:

ATA, ALPA, AOPA, NBAA, APT MGR, ANC APP CON

CHANGES:

ADDED: CHART: TOP ALTITUDE: ASSIGNED BY ATC

REASONS:

ATC REQUEST



DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
NAKED	SIX	NAKED6 . NAKED	FIVE	01/10/2013	21 JUL 2016

ARINC SUMMARY - PAVD

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
ALL	010	BLIGH	IF	FB			JOH					AA 01900		E
ALL	020	RANMO	AF	FB		314.0	JOH		L			AA 03200		E
ALL	030	RAPYU	AF	FB		289.0	JOH		L					E
ALL	040	NAKED	AF	FB		279.0	JOH		L					EE

POINTS

POINT NAME	LATITUDE	LONGITUDE
JOH	N602851.43	W1463557.61
BLIGH	N605050.03	W1465956.93
NAKED	N603734.49	W1472323.87
RANMO	N604345.60	W1471637.20
RAPYU	N604003.00	W1472114.40

RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION
RW06	N610758.32	W1461546.57	00050
RW24	N610808.03	W1461335.72	00121

QUALITY
15
CHECKED