

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
LAKEPORT	THREE	LAKPT3.ENI	TWO	10/22/2009	15 SEP 2016

TYPE: RNAV SID

DP ROUTE DESCRIPTION:

TAKEOFF RWY 10: CLIMB HEADING 103.11 TO 1880, THEN CLIMB ON 032.86 COURSE TO CEVLA, THEN VIA 304.22 TRACK TO HEBLU, THEN VIA 237.60 TRACK TO ENI VORTAC, THENCE . . .

. . . VIA ASSIGNED ROUTE, EXPECT CLEARANCE TO FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

NOTE: GPS REQUIRED
 NOTE: RNAV 1

TAKEOFF MINIMUMS:

TAKEOFF RWY 10: STANDARD WITH MINIMUM CLIMB OF 496' PER NM TO 4500.
 NOTE: TAKEOFF RWY 10: DO NOT EXCEED 175 KNOTS UNTIL PASSING HEBLU.
 TAKEOFF RWY 28: NA – RAPIDLY RISING TERRAIN.

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 10, VEHICLE ON ROAD 347' FROM DER, 7' RIGHT OF CENTERLINE, 15' AGL/1394' MSL. TREES BEGINNING 280' FROM DER, 201' LEFT OF CENTERLINE, UP TO 100' AGL/1479' MSL. TREES BEGINNING 494' FROM DER, 219' RIGHT OF CENTERLINE, UP TO 100' AGL/1479' MSL.

CONTROLLING OBSTACLES:

RWY 10: 2275 MSL AAO 390006.51N/1224812.76W, 4486 MSL AAO 385824.67N/1224615.44W, 3679 MSL AAO 390300.01N/1230317.75W.

LOST COMMUNICATIONS PROCEDURES:



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
LAKEPORT	THREE	LAKPT3.ENI	TWO	10/22/2009	15 SEP 2016

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: NOT CONDUCTED.
REFERENCE MAG VAR: 102 16E, EPOCH YEAR: 1990.
CHART: TOP ALTITUDE: 6000.

AIRPORTS SERVED:

LAMPSON FIELD

LAKEPORT, CA

COMMUNICATIONS:

DEP CON

FIXES AND/OR NAVAIDS:**REMARKS:**

COORDINATED WITH: Apr 25, 2016
ALPA, AOPA, NBAA, ZOA ARTCC

QUALITY
15
CHECKED

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
LAKEPORT	THREE	LAKPT3.ENI	TWO	10/22/2009	15 SEP 2016

CHANGES:

ADDED CHART: TOP ALTITUDE: 6000.

REASONS:

ATC REQUEST



DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
LAKEPORT	THREE	LAKPT3.ENI	TWO	10/22/2009	15 SEP 2016

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RW10 (AER)	385934.80N/1225422.50W	N						AT/BELOW 175K	
1880 MSL	385847.40N/1225233.46W			VA	119.11	1.03	AT/ABOVE 1880	AT/BELOW 175K	CG 496 FT/NM TO 4500, 175K FOR 2.4 NM TURN RADIUS
CEVLA	390255.74N/1224628.62W	Y	FB	CF	048.86	6.29		AT/BELOW 175K	
HEBLU	390841.72N/1225238.72W	Y	FB	TF	320.22	7.50		AT/BELOW 175K	
ENI VORTAC	390311.60N/1231627.10W	Y	FB	TF	253.60	19.33			

