

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

**RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

MISSED APPROACH

FROM	TO	COURSE AND DISTANCE	ALTITUDE
INIKE (IAF)	JODVU (NOPT) (FB)	197.61 / 6.40	2100
FOGOB (IAF)	JODVU (NOPT) (FB)	017.58 / 6.40	2100
JODVU (IF/IAF)	JITOL (FB)	107.59 / 6.70	2000
JITOL (FAF)	RW11 (MAP) (FO)	107.67 / 4.10	
RW11 (MAP)	1400 MSL	107.67	1400
1400 MSL	JODVU (FO)		2100

LNAV: RW11

CLIMB TO 1400 THEN CLIMBING LEFT TURN TO 2100 DIRECT JODVU AND HOLD.

ADDITIONAL FLIGHT DATA:
CHART FAS OBST: 572 TREE 332920N/0820629W
729 AAO 332921N/0820639W
CHART: ASR.
CHART CIRCLING ICON.
CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES.

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. **HOLD W JODVU, RT, 107.59 INBOUND, 2100 FT. IN LIEU OF PT (IAF)**
3. FAC: 107.67 FAF: JITOL DIST FAF TO MAP: 4.10 THLD: 4.10
4. MIN. ALT: **JODVU 2100, JITOL 2000**
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
6. MIN GS INCPT: GS ALT AT: OM: MM: IM:
7. GS ANGLE: TCH: **34:1 IS NOT CLEAR**
8. MSA FROM:

MAG VAR: **4W** EPOCH YEAR: **1990**

MINIMUMS

TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A			STANDARD @					
CATEGORY >>>>>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	840	1	418	840	1	418	840	1 1/8	418	840	1 1/8	418			
CIRCLING	920	1	498	920	1	498	1400	3	978	1400	3	978			

NOTES:
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART NOTE: PROCEDURE NA AT NIGHT.
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE AUGUSTA RGNL AT BUSH FIELD ALTIMETER SETTING AND INCREASE ALL MDA 60 FEET AND INCREASE LNAV CAT C AND D VISIBILITY 1/4 SM.
 CHART NOTE: RWY 11 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.
 @ CAT C, D 1000-3



CITY AND STATE AUGUSTA, GA	ELEVATION: 422 TDZE: 422 AIRPORT NAME: DANIEL FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) Y RWY 11, AMDT 2 2 MARCH 2017	SUP: RNAV (GPS) RWY 11 AMDT: 1A DATED 09/17/2015
--------------------------------------	--	-------------------------------------	---	---

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TAA	FROM	TO	ALT
1.	018/30 CW 198/30 (NOPT)	018/8 CW 198/8	2900
2.	018/8 CW 198/8	JODVU (IF/IAF) (FB)	2100
3.	198/30 CW 288/30	INIKE (IAF) (FB)	3000
4.	288/30 CW 018/30	FOGOB (IAF) (FB)	3000



CITY AND STATE AUGUSTA, GA	ELEVATION: 422 TDZE: 422 AIRPORT NAME: DANIEL FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) Y RWY 11, AMDT 2 2 MARCH 2017	SUP: RNAV (GPS) RWY 11
				AMDT: 1A
				DATED: 09/17/2015

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - KDNL

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
FOGOB	010	FOGOB	IF	FB										E A
FOGOB	020	JODVU	TF	FB	1.0	017.6						AA 02100		EE B
INIKE	010	INIKE	IF	FB										E A
INIKE	020	JODVU	TF	FB	1.0	197.6						AA 02100		EE B
JODVU	010	JODVU	HF	FO		107.6			R			AA 02100		EE A
	010	JODVU	IF	FB								AA 02100		E I
	020	JITOL	TF	FB	1.0	107.6						AA 02000		E F
	030	RW11	TF	FO	0.3	107.7		3.50				AT 00476		GY M
	040		CA	FB		107.7						AA 01400		M
	050	JODVU	DF	FO					L			AA 02100		EY
	060	JODVU	HM	FO		107.6			R			AA 02100		EE

POINTS

POINT NAME	LATITUDE	LONGITUDE
FOGOB	N332429.53	W0821702.14
INIKE	N333657.40	W0821326.24
JITOL	N332908.57	W0820727.14
JODVU	N333043.48	W0821514.32

RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW11	N332810.23	W0820241.31	00422	54.3

QUALITY
14
CHECKED

CITY AND STATE AUGUSTA, GA	ELEVATION: 422 TDZE: 422	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) Y RWY 11, AMDT 2 2 MARCH 2017	SUP: RNAV (GPS) RWY 11
	AIRPORT NAME: DANIEL FIELD			AMDT: 1A
				DATED: 09/17/2015