

**RNAV - STANDARD  
INSTRUMENT APPROACH PROCEDURE  
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**TERMINAL ROUTES**

**MISSED APPROACH**

FROM	TO	COURSE AND DISTANCE	ALTITUDE
MACEY	JELEX (FB)	189.58 / 11.08	3700
JRAMS	ZILOX (FB)	020.39 / 26.30	3000
AHN VOR/DME	ZILOX (FB)	274.08 / 15.47	3000
JELEX (IAF)	JOKLI (FB)	203.71 / 5.00	3000
ZILOX (IAF)	JOKLI (FB)	330.75 / 9.20	3000
JOKLI (IF)	ATUDE (FB)	248.81 / 6.55	2800
ATUDE (FAF)	RW25 (MAP) (FO)	248.75 / 5.40	

LPV: DA  
LNAV/VNAV: DA  
LNAV: RW25

CLIMB TO 1600 THEN CLIMBING LEFT TURN TO 3000 DIRECT TUCKR AND HOLD.

ADDITIONAL FLIGHT DATA:  
HOLD SE, RT, 325.00 INBOUND.  
CHART FAS OBST: 1219 TREE 335951N/0835604W  
FAS OBST: 1279 AAO 340123N/0835234W  
DISTANCE TO THLD FROM 200 HATH: 0.48 NM.  
CHART VDP AT 1.45 NM TO RW25\*  
\*LNAV ONLY.  
WAAS CHANNEL # 82021  
REFERENCE PATH ID: W25A  
LTP HAE: 284.8 M

MAG VAR: 5W                      EPOCH YEAR: 2010

1. PT        SIDE OF COURSE        OUTBOUND        FT WITHIN        MILES OF        (IAF)
2. PROFILE STARTS AT JOKLI
3. FAC: 248.75 FAF: ATUDE DIST FAF TO MAP: 5.40 THLD: 5.40
4. MIN. ALT: JOKLI 3000, ATUDE 2800
5. DIST TO THLD FROM OM:        MM:        IM:        150 HAT:        100 HAT:        GS ANT:
6. MIN GS INCPT: 2800 GS ALT AT: ATUDE 2800 OM:        MM:        IM:
7. GS ANGLE: 3.00 TCH: 48.0 34:1 IS NOT CLEAR
8. MSA FROM: RW25 3700

**MINIMUMS**

TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A			STANDARD @					
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	1238	1/2	200	1238	1/2	200	1238	1/2	200	1238	1/2	200			
LNAV/VNAV DA	1544	1 1/4	506	1544	1 1/4	506	1544	1 1/4	506	1544	1 1/4	506			
LNAV MDA	1540	1/2	502	1540	1/2	502	1540	1	502	1540	1	502			
CIRCLING	1640	1	578	1640	1	578	1640	1 1/2	578	1700	2	638			

NOTES:  
 CHART NOTE: BARO-VNAV NA WHEN USING WINDER ALTIMETER SETTING. @ NA WHEN LOCAL WEATHER NOT AVAILABLE.  
 CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -17C (2F) OR ABOVE 54C (130F).  
 CHART NOTE: DME/DME RNP-0.3 NA.  
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT MACEY ON V222 NORTHEAST BOUND.  
 (CONTINUED ON PAGE 2)



CITY AND STATE <b>LAWRENCEVILLE, GA</b>	ELEVATION: 1062      TDZE: 1038 AIRPORT NAME: <b>WINNETT COUNTY - BRISCOE FIELD</b>	FACILITY IDENTIFIER: <b>RNAV</b>	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: <b>RNAV (GPS) RWY 25, ORIG-D</b> 15 SEPTEMBER 2016	SUP: AMDT: <b>ORIG-C</b> DATED <b>07/21/2016</b>
--	---	-------------------------------------	---	--

**US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV - STANDARD**  
**INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**TERMINAL ROUTES, (CONT.):**

<u>FROM</u>	<u>TO</u>	<u>COURSE AND DISTANCE</u>	<u>ALTITUDE</u>
RW25 (MAP)	1600 MSL	248.75	1600
1600 MSL	TUCKR (FO)		3000

**NOTES, (CONT.):**

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON AHN VOR/DME AIRWAY RADIALS 195 CW 340.

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WINDER ALTIMETER SETTING AND INCREASE ALL DA 51 FT AND ALL MDA 60 FT; INCREASE LNAV/VNAV ALL CATS, LNAV CAT C/D AND CIRCLING CAT C/D VISIBILITY 1/4 MILE.

CHART NOTE: FOR INOPERATIVE MALSR, INCREASE LNAV CAT C/D VISIBILITY TO 1 3/8 MILE.

CHART NOTE: FOR INOPERATIVE MALSR WHEN USING WINDER ALTIMETER SETTING; INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 1 7/8 MILE AND LNAV CAT C/D VISIBILITY TO 1 5/8 MILE.

QUALITY  
24  
CHECKED

CITY AND STATE <b>LAWRENCEVILLE, GA</b>	ELEVATION: 1062 TDZE: 1038 AIRPORT NAME: <b>GWINNETT COUNTY - BRISCOE FIELD</b>	FACILITY IDENTIFIER: <b>RNAV</b>	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: <b>RNAV (GPS) RWY 25, ORIG-D</b>  15 SEPTEMBER 2016	SUP:	<b>ORIG-C</b>
				AMDT:	
				DATED:	<b>07/21/2016</b>

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**FAS DATA BLOCK INFORMATION**

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KLZU
RUNWAY	RW25
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W25A
LTP/FTP LATITUDE	335854.2450N
LTP/FTP LONGITUDE	0835712.5840W
LTP/FTP ELLIPSOIDAL HEIGHT	+02848
FPAP LATITUDE	335814.6700N
FPAP LONGITUDE	0835848.6200W
THRESHOLD CROSSING HEIGHT (TCH)	00048.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0920
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	35.0

**CRC REMAINDER** F2B22A81

**ADDITIONAL PATH POINT RECORD INFORMATION**

ICAO CODE	K7
LTP ORTHOMETRIC HEIGHT	+03143
FPAP ORTHOMETRIC HEIGHT	+03143

QUALITY  
24  
CHECKED

CITY AND STATE <b>LAWRENCEVILLE, GA</b>	ELEVATION: 1062 TDZE: 1038 AIRPORT NAME: <b>GWINNETT COUNTY - BRISCOE FIELD</b>	FACILITY IDENTIFIER: <b>RNAV</b>	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: <b>RNAV (GPS) RWY 25, ORIG-D</b> 15 SEPTEMBER 2016	SUP:	<b>ORIG-C</b>
				AMDT:	
				DATED:	<b>07/21/2016</b>

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - KLZU

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
AHN	010	AHN	IF	FB										V
AHN	020	ZILOX	TF	FB	2.0	274.1						AA 03000		E A
AHN	030	JOKLI	TF	FB	1.0	330.8						AA 03000		EE B
JRAMS	010	JRAMS	IF	FB										E
JRAMS	020	ZILOX	TF	FB	2.0	020.4						AA 03000		E A
JRAMS	030	JOKLI	TF	FB	1.0	330.8						AA 03000		EE B
MACEY	010	MACEY	IF	FB										E
MACEY	020	JELEX	TF	FB	2.0	189.6						AA 03700		E A
MACEY	030	JOKLI	TF	FB	1.0	203.7						AA 03000		EE B
	010	JOKLI	IF	FB								AA 03000		E I
	020	ATUDE	TF	FB	1.0	248.8				RW25		AA 02800		E F
	030	RW25	TF	FO	0.3	248.8		3.00				AT 01079		GY M
	040		CA	FB		248.8						AA 01600		M
	050	TUCKR	DF	FO					L			AA 03000		EY
	060	TUCKR	HM	FO		325.0			R			AA 03000		EE

POINTS

POINT NAME	LATITUDE	LONGITUDE
AHN	N335651.34	W0831929.13
JRAMS	N333110.87	W0834628.28
MACEY	N342000.25	W0834119.08
TUCKR	N334508.67	W0835054.20
ATUDE	N340118.06	W0835122.92
JELEX	N340856.59	W0834223.06
JOKLI	N340411.92	W0834418.89
ZILOX	N335635.00	W0833804.89

RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW25	N335854.25	W0835712.58	01031	48.0

CITY AND STATE  
**LAWRENCEVILLE, GA**

ELEVATION: **1062** TDZE: **1038**  
 AIRPORT NAME:  
**GWINNETT COUNTY - BRISCOE FIELD**

FACILITY IDENTIFIER:  
**RNAV**

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:  
**RNAV (GPS) RWY 25, ORIG D**  
 15 SEPTEMBER 2016

SUP:  
 AMDT: **ORIG-C**  
 DATED: **07/21/2016**

QUALITY  
 24  
 CHECKED