

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
 VOR STANDARD INSTRUMENT APPROACH PROCEDURE
 FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

MISSED APPROACH

FROM	TO	COURSE AND DISTANCE	ALTITUDE

MAP: GRI VOR/DME

CLIMB TO 3600 THEN RIGHT TURN DIRECT GRI VOR/DME AND HOLD.

ADDITIONAL FLIGHT DATA:
**HOLD N, RT, 173.00 INBOUND.
 CHART FAS OBST: 1997 TREE 410403N/0982130W
 FAC CROSSES RWY C/L EXTENDED 2788 FT FROM THLD.**

- 1. PT L SIDE OF COURSE 352.96 OUTBOUND 3600 FT WITHIN 10 MILES OF GRI VOR/DME (IAF)
- 2. _____
- 3. FAC 172.96 FAF _____ DIST FAF TO MAP _____ THLD _____
- 4. MIN. ALT _____
- 8. MSA FROM: **GRI VOR/DME 4100**

MAG VAR: **7E** EPOCH YEAR: **1995**

MINIMUMS

TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A	STANDARD								
CATEGORY =====>	A			B			C			D			E			
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	
S-17	2300	3/4	456	2300	3/4	456	2300	1 1/4	456	2300	1 1/2	456				
CIRCLING	2300	1	453	2300	1	453	2300	1 1/2	453	2400	2	553				

NOTES:
CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE AURORA ALTIMETER SETTING AND INCREASE ALL MDA 60 FT, AND INCREASE S-17 CAT C AND D VISIBILITY 1/4 MILE.
CHART NOTE: INOPERATIVE TABLE DOES NOT APPLY TO S-17 CAT C.

CITY AND STATE GRAND ISLAND, NE	ELEVATION: 1847 TDZE: 1844	FACILITY IDENTIFIER: GRI	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR RWY 17, AMDT 24B 15 SEPTEMBER 2016	SUP	QUALITY 24 CHECKED	
	AIRPORT NAME: CENTRAL NEBRASKA RGNL			AMDT		24A
				DATE		11/13/2014