

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23										Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.									
TERMINAL ROUTES										MISSED APPROACH									
FROM			TO			COURSE AND DISTANCE				ALTITUDE		MAP: 7.00 NM AFTER PVD VOR/DME OR AT XUDAJ/PVD 7.00 DME FIX							
FALMA INT/MVY 25.26 DME			PVD VOR/DME			345.00 / 24.08				2100		CLIMBING LEFT TURN TO 2000 ON HEADING 100 AND PVD R-165 TO FALMA INT/MVY 25.26 DME AND HOLD. ALTERNATE MA (DO NOT CHART): CLIMB TO 2000 ON PVD R-188 AND SEY R-046 TO MINNK INT/SEY 13.50 DME AND HOLD.							
										ADDITIONAL FLIGHT DATA: HOLD W, RT, 102.00 INBOUND. CHART IN PLANVIEW: ALTERNATE MA HOLDING, HOLD SW MINNK INT/SEY 13.50 DME, RT, 045.54 INBOUND. CHART FAS OBST: 214 TANK 413829N/0712607W. CHART IN PLANVIEW: MINNK INT/SEY 13.50 DME. CHART CIRCLING ICON. FAC CROSSES 140 FT. WEST OF AIRPORT REFERENCE POINT.									
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)										MAG VAR: 14W EPOCH YEAR: 1965									
2. HOLD N PVD VOR/DME, RT, 187.91 INBOUND, 2100 FT. IN LIEU OF PT (IAF)																			
3. FAC 187.91 FAF PVD VOR/DME _____ DIST FAF TO MAP 7.00 THLD _____																			
4. MIN. ALT PVD VOR/DME 2100																			
8. MSA FROM: PVD VOR/DME 2600																			
MINIMUMS																			
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		STANDARD @							
CATEGORY =====>		A			B			C			D			E					
		MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA			
CIRCLING		620	1	602	620	1	602	620	1 3/4	602	880	2 3/4	862						
NOTES:																			
CHART NOTE: CIRCLING RWY 5 NA AT NIGHT. @ CAT D 900-2 3/4																			
QUALITY 23 CHECKED																			
CITY AND STATE NORTH KINGSTOWN, RI				ELEVATION: 18 TDZE:			FACILITY IDENTIFIER: PVD		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR-A, AMDT 6 1 FEBRUARY 2018					SUP					
				AIRPORT NAME: QUONSET STATE										AMDT 5D					
														DATE 07/21/2016					

**VOR STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - - TITLE 14 CFR PART 97.23**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.



CITY AND STATE

NORTH KINGSTOWN, RI

ELEVATION: 18

TDZE:

AIRPORT NAME:

QUONSET STATE

FACILITY
IDENTIFIER:
PVD

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

VOR-A, AMDT 6

1 FEBRUARY 2018

SUP:

AMDT: 5D

DATED: 07/21/2016