## U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR STANDARD INSTRUMENT APPROACH PROCEDURE

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

		indicated, except visibilities which are in statute miles or in feet RVR.															
	·				MISSED APPROACH												
FROM			ТО			COURSE AND DISTANC			ALTITUE		MAP: 6.70 NM AFTER IGB VORTAC OR AT MACXI/IGB 6.70 DME FIX						
											CLIMBI	NG RIGHT TU	RN TO 2000	DIRECT I	GB VORTA	C AND HOLD.	
THIS IS A CO						LLY PUBLI					ADDITI (IAF)	ONAL FLIGH HOLD W, RT FAS OBST: CHART KCE CHART CIRC FAC CROSS	, 096.22 INB 459 AAO 332 M CLING ICON.	806N/088			
2.	OURSE 276	0.22	JIBOUND_2	2000 FT VVI	THIN	10 MILES O	<u> </u>	IGB VO	DRTAC		(IAF)						
3. FAC <b>096.22</b> FAF <b>I</b> 0	GB VORTAC					DIST	FAF TO MA	λP	6.70 TH	LD							
4. MIN. ALT IGB VORTA	AC 2000																
8. MSA FROM: IGB VO	RTAC 3400											MAG VAR:	4E	EPOC	CH YEAR:1	965	
							MINIMUMS										
TAKEOFF:	SEE FA	A FOR	RM 8260-15A I	ATE: N													
CATEGORY ====>		Α			В		С		;			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS		/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	
CIRCLING	780	1	592	780	1	592	1040	2 1	/2   8	352	1040	2 3/4	852				
								_					<del></del>				
			+					-			-						
NOTES:	L						<u> </u>										
CHART NOTE: USE COL SETTING AND INCREAS				3; WHEN NO	OT RECEI	VED, USE GO	LDEN TRIAI	NGLE R	RGNL ALTI	METE	R						
															o'	SALITY	
																27	
CITY AND STATE   ELEVATION: 188 TD						E: FACILITY F			PROCE	NIRE	NO /AM	/AMDT NO./EFFECTIVE DATE:			CLID	ECKE	
COLUMBUS, MS			AIRPORT NA	IDENTIFI	1,1,000			OR-A, AMDT 14			301						
				IGB			17 AUGUST 2017				AMDT	13A					
		COLU										06/27/2013					