

**FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
 TITLE 14 CFR PART 97.33**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
 Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT</u> CHEROKEE COUNTY RGNL	<u>AIRPORT ID</u> KCKP	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 18	<u>ORIGINAL/AMENDMENT</u> ORIG	<u>CITY</u> CHEROKEE	<u>STATE</u> IA
<u>AIRPORT ELEVATION</u> 1226	<u>TDZE</u> 1214	<u>SUPERSEDED</u>	<u>ORIGINAL/AMENDMENT</u>	<u>DATED</u>	<u>MAG VAR</u> 5E
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 24 MAY 2018	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL SUSPEND</u>	<u>EPOCH YEAR</u> 1985

TAA

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>ALTITUDE</u>
1. 088/30 CW 268/30	NOPT	WARAP	IF/IAF	3200
2. 268/30 CW 088/30	PT	WARAP	IF/IAF	3200

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
WARAP	IF/IAF	GOTTA		TF	FB	1.00	177.73	6.39	3000
GOTTA	FAF	KALNE/2.09 NM TO RW18		TF	FB	0.30	177.73	3.39	
KALNE/2.09 NM TO RW18		RW18	MAP	TF	FO	0.30	177.73	2.09	
RW18	MAP	1627 MSL		CA			177.73		
1627 MSL		YACYU		DF	FO	1.00			3000

MISSED APPROACH

MAP:

LNAV: RW18

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 3000 DIRECT YACYU AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:



PROFILE:

- 1. PT **SIDE OF COURSE** **OUTBOUND** **FT WITHIN** **MILES OF (IAF)**
- 2. HOLD N WARAP, RT, 177.73 INBOUND, 3200 FT. IN LIEU OF PT (IF/IAF), MAX 5000.
- 3. **FAC:** 177.73 **FAF:** GOTTA **DIST FAF TO MAP:** 5.49 **DIST FAF TO THLD:** 5.49
- 4. **MIN ALT:** WARAP 3200, GOTTA 3000, KALNE/2.09 NM TO RW18 1920
- 5. **DIST TO THLD FROM OM:** **MM:** **IM:** **150 HAT:** **HAT:**
- 6. **MIN GP INCPT:** **GP ALT AT FAF :** **OM:** **MM:** **IM:**
- 7. **GP ANGLE:** **34:1:** IS NOT CLEAR **20:1:** IS NOT CLEAR **TCH:**
- 8. **MSA FROM:**

PBN EQUIPMENT REQUIREMENTS NOTES

RNP APCH.

NOTES:

CHART NOTE: CIRCLING NA TO RWYS 1 AND 19.
 CHART NOTE: RWY 18 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.
 CHART NOTE: RWY 18 STRAIGHT-IN AND CIRCLING NA AT NIGHT.

ADDITIONAL FLIGHT DATA:

CHART CIRCLING ICON.
 GOTTA TO RW18: 3.00/41.1.
 CHART FAS OBST: 1440 TOWER 424510N/0953313W.
 HOLD S, RT, 357.71 INBOUND

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA STANDARD - CAT C 900-2 1/2, CAT D 1000-3

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
LNAV MDA	1740	1	526	1740	1	526	1740	1 1/2	526	1740	1 1/2	526			
CIRCLING	1760	1	534	1820	1	594	2100	2 1/2	874	2160	3	934			

CHANGES - REASONS



COORDINATED WITH:

A4A ALPA AOPA APA HAI NBAA OTHER: ZMP, AMGR

FLIGHT CHECKED BY

ANTHONY D VALLERA

OFFICE

FICO

DATE

04/10/2018

Digitally signed by
ADOLFO D URRUTIA
Apr 11, 2018

DEVELOPED BY

ADOLFO URRUTIA (CHRISTINE BAYSE)

OFFICE

AJV-5432

DATE

03/14/2018

Digitally signed by
ADOLFO D URRUTIA
Apr 11, 2018

APPROVED BY

PATRICK MULQUEEN

Digitally signed by
ADOLFO D URRUTIA OFFICE
Apr 11, 2018 AJV-5430

DATE

TITLE
MANAGER

