

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.

Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
SEEV R RNAV	FOUR	SEEV R.SEEVR4	THREE	31 MAR 2016	05 JAN 2017

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Mag Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
AXXEE	AXXEE.SEEVR4	AXXEE	AXXEE						
			MMANN	195.82	15.67	10000	2200		
			LKINS	196.27	10.00	10000	2100		BETWEEN FL210 AND FL230
			SEEV R	195.56	30.00	5000	2100		BETWEEN 13000 AND 16000
CHMLI	CHMLI.SEEVR4	CHMLI	CHMLI						
			JUSST	215.72	09.51	10000	1900		
			SWTCH	215.61	09.97	10000	2000		BETWEEN FL240 AND FL300
			THEMM	215.86	10.03	10000	2000		AT/ABOVE FL210
			SEEV R	215.53	29.99	5000	2100		BETWEEN 13000 AND 16000
FEWWW	FEWWW.SEEVR4	FEWWW	FEWWW						
			PROWD	245.85	65.92	10000	2200		
			LETHR	245.14	10.12	10000	1900		
			NECKK	244.93	09.98	10000	2100		BETWEEN FL240 AND FL300
			SAYLR	244.81	10.01	10000	2300		AT/ABOVE FL210
			SEEV R	244.73	29.99	5000	2100		BETWEEN 13000 AND 16000
HITUG	HITUG.SEEVR4	HITUG	HITUG						
			SSLID	167.05	56.01	10000	3700		
			PLEZE	169.46	31.26	10000	3200		
			CHMLI	215.90	20.13	10000	2700		
			JUSST	215.72	09.51	10000	1900		
			SWTCH	215.61	09.97	10000	2000		BETWEEN FL240 AND FL300
			THEMM	215.86	10.03	10000	2000		AT/ABOVE FL210
			SEEV R	215.53	29.99	5000	2100		BETWEEN 13000 AND 16000
JRHED	JRHED.SEEVR4	JRHED	JRHED						
			PROWD	266.68	36.56	10000	1800		
			LETHR	245.14	10.12	10000	1900		
			NECKK	244.93	09.98	10000	2100		BETWEEN FL240 AND FL300
			SAYLR	244.81	10.01	10000	2300		AT/ABOVE FL210

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.

Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name SEEV RNAV		Number FOUR		STAR Computer Code SEEV.R.SEEVR4		Superseded Number THREE			Dated 31 MAR 2016	Effective Date 05 JAN 2017
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Mag Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes	
			SEEV	244.73	29.99	5000	2100		BETWEEN 13000 AND 16000	
PROWD	PROWD.SEEVR4	PROWD	PROWD							
			LETHR	245.14	10.12	10000	1900			
			NECKK	244.93	09.98	10000	2100		BETWEEN FL240 AND FL300	
			SAYLR	244.81	10.01	10000	2300		AT/ABOVE FL210	
			SEEV	244.73	29.99	5000	2100		BETWEEN 13000 AND 16000	
RRNET	RRNET.SEEVR4	RRNET	RRNET							
			PLEZE	216.18	27.55	10000	3600			
			CHMLI	215.90	20.13	10000	2700			
			JUSST	215.72	09.51	10000	1900			
			SWTCH	215.61	09.97	10000	2000		BETWEEN FL240 AND FL300	
			THEMM	215.86	10.03	10000	2000		AT/ABOVE FL210	
			SEEV	215.53	29.99	5000	2100		BETWEEN 13000 AND 16000	
RRONY	RRONY.SEEVR4	RRONY	RRONY							
			ROWZE	255.22	12.56	10000	2300		BETWEEN FL210 AND FL230	
			SEEV	255.08	30.00	5000	2100		BETWEEN 13000 AND 16000	

ARRIVAL ROUTE DESCRIPTION:

FROM SEEV ON TRACK 225.17/10.95 TO CROSS BRDJE BETWEEN 11000 AND 12000 AND AT 250 KIAS (MEA 4000/MOCA 2400), THEN ON TRACK 247.57/7.44 TO CROSS NUSSS BETWEEN 8000 AND 10000 AND AT 240 KIAS (MEA 4000/MOCA 2400), THEN ON TRACK 262.91/13.96 TO CROSS YAHBT AT 6000 AND AT 230 KIAS (MEA 4000/MOCA 2100), THEN ON TRACK 265.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PROCEDURAL DATA NOTES:

NOTE: RADAR REQUIRED.

NOTE: RNAV 1.

NOTE: DME/DME/IRU OR GPS REQUIRED.

NOTE: TURBOJET AIRCRAFT ONLY.

NOTE: FOR USE WHEN DFW IS OPERATING IN A SOUTH FLOW. WHEN DFW IS OPERATING IN A NORTH FLOW, FILE AND EXPECT THE BRDJE RNAV STAR.

NOTE: PROWD TRANSITION: ATC ASSIGNED ONLY.

NOTE: CHMLI TRANSITION: ATC ASSIGNED ONLY

NOTE: JRHED TRANSITION: ATC ASSIGNED ONLY

NOTE: AXSEE AND RRONY TRANSITIONS: FOR AIRCRAFT FILING FL230 AND BELOW ONLY.

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.

Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
SEEV RNAV	FOUR	SEEV.R.SEEVR4	THREE	31 MAR 2016	05 JAN 2017

FIXES AND/OR HOLDING PATTERNS:

CHART BGLEY, KOMMA, AND MEEOW AS STAND ALONE WAYPOINTS.

CHART HOLDING AT SEEV: HOLD NE, RT, 225.00 INBOUND, 10 NM LEGS. CHART HOLDING AT CHML: HOLD NE, RT, 215.90 INBOUND, 10 NM LEGS. CHART HOLDING AT PROWD: HOLD NE, RT, 245.14 INBOUND, 10 NM LEGS. CHART HOLDING AT KOMMA: HOLD NE, RT, 217.00 INBOUND, 15 NM LEGS. CHART HOLDING AT MEEOW: HOLD NE, RT, 248.00 INBOUND, 15 NM LEGS.

COMMUNICATIONS:

DFW ATIS, REGIONAL APP CON

AIRPORTS SERVED:

DALLAS/FORT WORTH INTL AIRPORT, DALLAS-FORT WORTH, TX

LOST COMMUNICATIONS PROCEDURE:REMARKS:

ABBREVIATED AMENDMENT

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0).

REFERENCE MAGNETIC VARIATION = KDFW 04E/2015

FLIGHT INSPECTED BY:

Name	Organization	Date	Signature
<u>DEVELOPED BY:</u>			<i>Digitally signed by</i> PATRICK J MULQUEEN
CARY DAVIS	FORT WORTH ARTCC		Nov 07, 2016
Name	Organization	Date	Signature
<u>APPROVED BY:</u>			<i>Digitally signed by</i> PATRICK J MULQUEEN
MARLON J. ROBINSON, MANAGER	AJV-5440		Nov 07, 2016
Name	Organization	Date	Signature

CHANGES:

1. RENAMED NAAVY WAYPOINT TO SAYLR
2. RENAMED PAAMY WAYPOINT TO NUSSS

REASONS:

- 1,2, SIMILAR FIX NAMES

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

STAR (DATA RECORD)

Arrival Name SEEV RNAV	Number FOUR	STAR Computer Code SEEV.R.SEEVR4	Superseded Number THREE	Dated 31 MAR 2016	Effective Date 05 JAN 2017
----------------------------------	-----------------------	--	-----------------------------------	-----------------------------	--------------------------------------

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
AXXEE	341916.58N / 0955255.12W	Y		IF					AXXEE.SEEVR4
MMANN	340430.31N / 0955918.97W	Y	FB	TF	199.82	15.67			
LKINS	335506.36N / 0960328.73W	Y	FB	TF	200.27	10.00	FL210BFL230	AT 290K	
SEEV	332646.50N / 0961528.78W	Y	FB	TF	199.56	30.00	13000B16000	AT 270K	

En Route Transition									
CHMLI	341243.87N / 0952959.51W	Y		IF					CHMLI.SEEVR4
JUSST	340523.97N / 0953718.53W	Y	FB	TF	219.72	09.51			
SWTCH	335741.94N / 0954457.14W	Y	FB	TF	219.61	09.97	FL240BFL300	AT 290K	
THEMM	334958.96N / 0955240.17W	Y	FB	TF	219.86	10.03	AT/ABOVE FL210	AT 290K	
SEEV	332646.50N / 0961528.78W	Y	FB	TF	219.53	29.99	13000B16000	AT 270K	

En Route Transition									
FEWWW	341144.05N / 0935408.25W	Y		IF					FEWWW.SEEVR4
PROWD	334836.39N / 0950824.21W	Y	FB	TF	249.85	65.92			
LETHR	334459.28N / 0951944.45W	Y	FB	TF	249.14	10.12			
NECKK	334123.05N / 0953054.38W	Y	FB	TF	248.93	09.98	FL240BFL300	AT 290K	
SAYLR	333744.99N / 0954205.07W	Y	FB	TF	248.81	10.01	AT/ABOVE FL210	AT 290K	
SEEV	332646.50N / 0961528.78W	Y	FB	TF	248.73	29.99	13000B16000	AT 270K	

En Route Transition									
HITUG	355445.26N / 0952919.73W	Y		IF					HITUG.SEEVR4
SSLID	345919.73N / 0951843.33W	Y	FB	TF	171.05	56.01			
PLEZE	342813.22N / 0951425.13W	Y	FB	TF	173.46	31.26			
CHMLI	341243.87N / 0952959.51W	Y	FB	TF	219.90	20.13			
JUSST	340523.97N / 0953718.53W	Y	FB	TF	219.72	09.51			
SWTCH	335741.94N / 0954457.14W	Y	FB	TF	219.61	09.97	FL240BFL300	AT 290K	

QUALITY
17
CHECKED

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

STAR (DATA RECORD)

Arrival Name SEEV RNAV		Number FOUR		STAR Computer Code SEEV.R.SEEVR4		Superseded Number THREE		Dated 31 MAR 2016		Effective Date 05 JAN 2017	
FIX/NAVAID		LAT/LONG		C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
THEMM		334958.96N / 0955240.17W		Y	FB	TF	219.86	10.03	AT/ABOVE FL210	AT 290K	
SEEV		332646.50N / 0961528.78W		Y	FB	TF	219.53	29.99	13000B16000	AT 270K	
En Route Transition											
JRHED		334818.19N / 0942431.90W		Y		IF					JRHED.SEEVR4
PROWD		334836.39N / 0950824.21W		Y	FB	TF	270.68	36.56			
LETHR		334459.28N / 0951944.45W		Y	FB	TF	249.14	10.12			
NECKK		334123.05N / 0953054.38W		Y	FB	TF	248.93	09.98	FL240BFL300	AT 290K	
SAYLR		333744.99N / 0954205.07W		Y	FB	TF	248.81	10.01	AT/ABOVE FL210	AT 290K	
SEEV		332646.50N / 0961528.78W		Y	FB	TF	248.73	29.99	13000B16000	AT 270K	
En Route Transition											
PROWD		334836.39N / 0950824.21W		Y		IF					PROWD.SEEVR4
LETHR		334459.28N / 0951944.45W		Y	FB	TF	249.14	10.12			
NECKK		334123.05N / 0953054.38W		Y	FB	TF	248.93	09.98	FL240BFL300	AT 290K	
SAYLR		333744.99N / 0954205.07W		Y	FB	TF	248.81	10.01	AT/ABOVE FL210	AT 290K	
SEEV		332646.50N / 0961528.78W		Y	FB	TF	248.73	29.99	13000B16000	AT 270K	
En Route Transition											
RRNET		344919.94N / 0945255.33W		Y		IF					RRNET.SEEVR4
PLEZE		342813.22N / 0951425.13W		Y	FB	TF	220.18	27.55			
CHMLI		341243.87N / 0952959.51W		Y	FB	TF	219.90	20.13			
JUSST		340523.97N / 0953718.53W		Y	FB	TF	219.72	09.51			
SWTCH		335741.94N / 0954457.14W		Y	FB	TF	219.61	09.97	FL240BFL300	AT 290K	
THEMM		334958.96N / 0955240.17W		Y	FB	TF	219.86	10.03	AT/ABOVE FL210	AT 290K	
SEEV		332646.50N / 0961528.78W		Y	FB	TF	219.53	29.99	13000B16000	AT 270K	



US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
SEEVN RNAV	FOUR	SEEVN.SEEVR4	THREE	31 MAR 2016	05 JAN 2017

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
RRONY	333455.16N / 0952530.56W	Y		IF					RRONY.SEEVR4
ROWZE	333233.02N / 0954016.52W	Y	FB	TF	259.22	12.56	FL210BFL230	AT 290K	
SEEVN	332646.50N / 0961528.78W	Y	FB	TF	259.08	30.00	13000B16000	AT 270K	
Common Route									
SEEVN	332646.50N / 0961528.78W	Y		IF			13000B16000	AT 270K	SEEVN.SEEVR4
BRDJE	331935.59N / 0962522.28W	Y	FB	TF	229.17	10.95	11000B12000	AT 250K	
NUSSS	331713.83N / 0963347.69W	Y	FB	TF	251.57	07.44	8000B10000	AT 240K	
YAHBT	331627.48N / 0965024.97W	Y	FO	TF	266.91	13.96	AT 6000	AT 230K	
KDFW				FM	269.00				RECOMMENDED NAVAID: HOT VOR/DME

