

**RNAV - STANDARD  
INSTRUMENT APPROACH PROCEDURE  
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**TERMINAL ROUTES**

**MISSED APPROACH**

FROM	TO	COURSE AND DISTANCE	ALTITUDE

ADDITIONAL FLIGHT DATA:

1. PT \_\_\_\_\_ SIDE OF COURSE \_\_\_\_\_ OUTBOUND \_\_\_\_\_ FT WITHIN \_\_\_\_\_ MILES OF \_\_\_\_\_ (IAF)  
 2. \_\_\_\_\_  
 3. FAC: \_\_\_\_\_ FAF: \_\_\_\_\_ DIST FAF TO MAP: \_\_\_\_\_ THLD: \_\_\_\_\_  
 4. MIN. ALT: \_\_\_\_\_  
 5. DIST TO THLD FROM OM: \_\_\_\_\_ MM: \_\_\_\_\_ IM: \_\_\_\_\_ 150 HAT: \_\_\_\_\_ 100 HAT: \_\_\_\_\_ GS ANT: \_\_\_\_\_  
 6. MIN GS INCPT: \_\_\_\_\_ GS ALT AT: \_\_\_\_\_ OM: \_\_\_\_\_ MM: \_\_\_\_\_ IM: \_\_\_\_\_  
 7. GS ANGLE: \_\_\_\_\_ TCH: \_\_\_\_\_  
 8. MSA FROM: \_\_\_\_\_

MAG VAR: \_\_\_\_\_ EPOCH YEAR: \_\_\_\_\_

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: N A

CATEGORY >>>>>	DH/MDA	VIS	DH/MDA	VIS	DH/MDA	VIS	DH/MDA	VIS	DH/MDA	VIS

NOTES:  
  
**PROCEDURE CANCELED EFFECTIVE 5 JANUARY 2017**

QUALITY  
12  
CHECKED

CITY AND STATE <b>DWIGHT, IL</b>	ELEVATION: <b>632</b> TDZE: <b>629</b> AIRPORT NAME: <b>DWIGHT</b>	FACILITY IDENTIFIER: <b>RNAV</b>	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: <b>RNAV (GPS) RWY 27, ORIG 10/27/05</b>	SUP: AMDT: <b>NONE</b> DATED
-------------------------------------	--	-------------------------------------	---	------------------------------------