

**Federal Aviation  
Administration**

**Transmittal Letter 18-07**

**February 9, 2018**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,  
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,  
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
29-Mar-18	PA	Mount Pocono	Pocono Mountains Muni	7/6959	1/30/18	RNAV (GPS) RWY 5, Orig-B

**AIRAC Date: 29 MARCH 2018**

**FDC 7/6959 MPO IAP POCONO MOUNTAINS MUNI, Mount Pocono, PA. RNAV (GPS) RWY 5, ORIG-B... CIRCLING CAT C MDA 2600/HAA 685, CIRCLING CAT D MDA 2660/HAA 745, VISIBILITY CAT C 2, CAT D 2-1/2. CHART CIRCLING ICON. CHART NOTE; WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WILKES-BARRE/SCRANTON ALTIMETER SETTING: INCREASE LPV DA TO 2339 FEET, LNAV/VNAV DA TO 2431 FEET AND ALL VISIBILITIES 1/4 SM; INCREASE ALL MDAS 180 FEET AND VISIBILITY CAT C AND D 1/2 SM. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WILKES-BARRE/SCRANTON ALTIMETER SETTING AND INCREASE ALL DA 179 FEET AND ALL MDA 180 FEET. INCREASE LPV ALL CATS VISIBILITY 1/2 MILE, LNAV/VNAV ALL CATS 3/4 MILE, LNAV CAT C 1/4 MILE, CAT D 1/2 MILE, CIRCLING CAT B 1/4 MILE, CAT C 3/4 MILE, AND CAT D 1/2 MILE. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT BEERS ON T221, V149 SOUTHBOUND AND V232 EASTBOUND. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT WHITT ON V29-147 NORTHBOUND. DELETE NOTE: PROCEDURE NA FOR ARRIVALS AT BEERS VIA V149-408 SOUTHBOUND AND V232 SOUTHEAST BOUND. CHART NOTE: RWY 5 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE:**

HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.  
ALTERNATE MINIMUMS: STANDARD EXCEPT CAT D 800-2 1/2, NA WHEN LOCAL  
WEATHER NOT AVAILABLE. THIS IS RNAV (GPS) RWY 5, ORIG-C. 1712181946-  
PERM