

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
SQUAT	FOUR	SQUAT4.SQUAT	THREE	11/18/2010	1 FEBRUARY 2018

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

TAKEOFF RWY 26: CLIMB HEADING 258.46 TO INTERCEPT COURSE 235.27 TO YIRDU, THEN ON TRACK 218.05 TO SQUAT, MAINTAIN 10500 OR AS ASSIGNED.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	-------------------------------------	----------------------------	--------------------------	---------------	-----------------	------------	-------------	------------------------------------

PROCEDURAL DATA NOTES:

NOTE: GPS REQUIRED.

NOTE: RNAV 1.

TAKEOFF MINIMUMS:

RWY 8: NA - AIR TRAFFIC.

RWY 26: STANDARD WITH MINIMUM CLIMB OF 399 FT PER NM TO 9700.

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 26, POLES BEGINNING 1446 FT FROM DER, 634 FT LEFT OF CENTERLINE, UP TO 58 FT AGL/5531 FT MSL.

CONTROLLING OBSTACLES:

RWY 26: 9074 FT MSL AAO 393115.78N/1075816.23W

OBSTACLE MANDATING ODP ROUTE DEVELOPMENT: RWY 26 - 11360 FT MSL AAO 392311.10N/1075202.50W

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

REFERENCE MAG VAR: KRIL 10E EPOCH YR: 2010

DME/DME ASSESSMENT: NOT CONDUCTED.

AIRPORTS SERVED:

<u>AIRPORT NAME</u>	<u>CITY</u>	<u>STATE</u>
RIFLE GARFIELD COUNTY	RIFLE	CO

COMMUNICATIONS:

ZDV

FIXES AND/OR NAVAIDS:

REMARKS:

RNAV LEVEL 1 USED TO AVOID OBSTACLES.

ABBREVIATED AMENDMENT.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
SQUAT	FOUR	SQUAT4.SQUAT	THREE	11/18/2010	1 FEBRUARY 2018

FLIGHT INSPECTED BY:

FLIGHT INSPECTION REVIEW NOT REQUIRED - PROCESSED IAW FLIGHT INSPECTION TEAM (AJW-333) MEMO, MAY 30, 2017

OFFICE SYMBOL:

DATE:

Digitally signed by

ALLAN WILL

Dec 06, 2017

OFFICE SYMBOL:

DATE:

AJV-5412

11/20/2017

DEVELOPED BY:

Digitally signed by

BETTY F RICHARDS

BETTY F. RICHARDS

Nov 20, 2017

APPROVED BY:

Digitally signed by

ALLAN WILL

GEORGE DAVIS

Dec 05, 2017

OFFICE SYMBOL:

DATE:

AJV-5410

REQUIRED EFFECTIVE DATE:

ROUTINE

COORDINATED WITH:

A4A

ALPA

AOPA

APA

HAI

NBAA

☐
☒
☒
☐
☐
☒

OTHER:

ZDV, CO AERO, AMGR

CHANGES - REASONS:

AIRPORT NAME CHANGED FROM GARFIELD COUNTY RGNL TO RIFLE GARFIELD COUNTY - PER FPT AND AMGR REQUEST.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

DP NAME							NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	EFFECTIVE DATE
SQUAT							FOUR	SQUAT4.SQUAT	THREE	11/18/2010	1 FEBRUARY 2018
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS		
RWY 26 (AER)	393136.90N/1074255.78W	N	-	-	-	-					
	393128.80N/1074919.23W	-	-	VI	268.46	4.95			CG 399 FT/NM TO 9700		
YIRDU	392716.39N/1080104.29W	Y	FB	CF	245.27	10.01			RECOMMENDED NAVAID: RIL VOR/DME		
SQUAT	391842.30N1081319.78W	Y	FB	TF	228.06	12.79					

QUALITY
3
CHECKED