

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
EDUKY	FIVE	EDUKY5.EDUKY	FOUR	07/21/2016	01 FEB 2018

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

This is a corrected copy of the procedure published in NFDD 237.

DP ROUTE DESCRIPTION:

TAKE-OFF RWY 8: CLIMB HEADING 078.44 TO INTERCEPT COURSE 161.67 TO SLOLM, THEN ON TRACK 245.70 TO EDUKY, THENCE...

...ON ASSIGNED ROUTE, MAINTAIN 14000, EXPECT CLEARANCE TO ASSIGNED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	-------------------------------------	----------------------------	--------------------------	---------------	-----------------	------------	-------------	------------------------------------

PROCEDURAL DATA NOTES:

NOTE: RNAV 1
NOTE: GPS REQUIRED

TAKEOFF MINIMUMS:

RWY 26: NA - ATC
RWY 8: STANDARD WITH A MINIMUM CLIMB OF 396 FEET PER NM TO 11100.

TAKEOFF OBSTACLES NOTES:

RWY 8: TERRAIN BEGINNING 155 FT FROM DER, 380 FT RIGHT OF CENTERLINE, UP TO 5551 FT MSL. POLE 4049 FT FROM DER, 1379 FT RIGHT OF CENTERLINE, 42 FT AGL/5642 FT MSL.
OBSTRUCTION LIGHT ON NDB TWR 41 FT FROM DER, 300 FT LEFT OF CENTERLINE, 46 FT AGL/5586 FT MSL.

CONTROLLING OBSTACLES:

RWY 8: 8355 FT MSL AAO 392212.55N/1074104.32W (CLIMB GRADIENT), 9755 FT MSL AAO 391600.00N/1073824.80W (CLIMB TO ALTITUDE),
OBSTACLE MANDATING ODP ROUTE DEVELOPMENT: RWY 8: 11360 FT MSL AAO 392311.10N/1075202.50W

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

REFERENCE MAG VAR: KRIL 10E EPOCH YEAR 2010
DME/DME ASSESSMENT: NOT CONDUCTED
CHART: TOP ALTITUDE: 14000.

AIRPORTS SERVED:

<u>AIRPORT NAME</u>	<u>CITY</u>	<u>STATE</u>
RIFLE GARFIELD COUNTY	RIFLE	CO

COMMUNICATIONS:

DEP CON

FIXES AND/OR NAVAIDS:



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
EDUKY	FIVE	EDUKY5.EDUKY	FOUR	07/21/2016	01 FEB 2018

REMARKS:
ABBREVIATED AMENDMENT

FLIGHT INSPECTED BY:

FLIGHT INSPECTION REVIEW NOT REQUIRED - PROCESSED IAW FLIGHT INSPECTION TEAM (AJW-333) MEMO, MAY 30, 2017

OFFICE SYMBOL:

DATE: *Digitally signed by*
ALLAN WILL
Dec 20, 2017

DEVELOPED BY:

BETTY F. RICHARDS *Digitally signed by*
BETTY F RICHARDS
Nov 27, 2017

OFFICE SYMBOL:

DATE:
AJV-5412 11/17/2107

APPROVED BY:

GEORGE DAVIS, MANAGER *Digitally signed by*
ALLAN WILL
Dec 20, 2017

OFFICE SYMBOL:

DATE:

AJV-5410

REQUIRED EFFECTIVE DATE:

ROUTINE

COORDINATED WITH:

A4A	ALPA	AOPA	APA	HAI	NBAA
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

OTHER:

ZDV, CO AERO, AMGR

CHANGES - REASONS:

1. CHANGED AIRPORT NAME FROM GARFIELD COUNTY RGNL TO RIFLE GARFIELD COUNTY PER FPT AND AMGR REQUEST.

**12/9/2018: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 12/05/2017.
1. ADDED 23.10 TO THE EDUKY SEGMENT DISTANCE ON THE 8260-15C.**



FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 DEPARTURE (DATA RECORD)

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
EDUKY	FIVE	EDUKY5.EDUKY	FOUR	07/21/2016	01 FEB 2018

<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
RWY 08 (AER)	393134.85N/1074425.39W	N	-	-	-	-			
	393140.02N/1074016.56W	-	-	VI	088.44	3.21			CG 396 FT/NM TO 11100
SLOLM	391748.53N/1073739.90W	Y	FB	CF	171.67	13.99			RECOMMENDED NAVAID: RIL VOR/DME
EDUKY	391202.39N/1080627.38W	Y	FB	TF	255.70	23.10			

