

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
KINGDOM	FOUR	KING4.TTT	THREE	01/05/2017	04-27-2017
<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

DP ROUTE DESCRIPTION:
DALLAS/FORT WORTH INTL

JETS:
TAKEOFF RWY 17L/C/17R, 18L/R, 35L/C/R, 36L/R, 13L/R, 31L/R:
FLY ASSIGNED HEADING, EXPECT VECTORS TO APPROPRIATE ROUTE, THENCE...
...MAINTAIN 10000 AND EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

PROPS:
TAKEOFF RWY 13L/R, 17C/L/R, 18L/R: CLIMB HEADING 240.00, THENCE...
TAKEOFF RWY 31L/R, 35C/L/R 36L/R: CLIMB HEADING 270.00, THENCE...

...EXPECT VECTORS TO APPROPRIATE ROUTE, MAINTAIN 2000 AND EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

DALLAS-LOVE FIELD: ALL JET AIRCRAFT DEPARTING DALLAS-LOVE FIELD MUST CONTACT CLEARANCE DELIVERY FOR DEPARTURE INSTRUCTIONS.
TAKEOFF RWY 13L/R: CLIMB HEADING 193.00, EXPECT RADAR VECTORS TO APPROPRIATE ROUTE. MAINTAIN 3000 AND EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.
TAKEOFF RWY 31L/R: CLIMB HEADING 333.00, EXPECT VECTORS TO APPROPRIATE ROUTE. MAINTAIN 2000 AND EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.
ALL JET AIRCRAFT MUST CONTACT CLEARANCE DELIVERY FOR DEPARTURE INSTRUCTIONS.

DALLAS EXECUTIVE

TAKEOFF RWY 13: CLIMB HEADING 129.08 TO 1800 BEFORE TURNING WESTBOUND.
TAKEOFF RWY 17: CLIMB HEADING 174.13 TO 2600 BEFORE TURNING WESTBOUND.
TAKEOFF RWY 31: CLIMB HEADING 309.09 TO 1500 BEFORE TURNING SOUTHBOUND.
TAKEOFF RWY 35: CLIMB HEADING 354.13 TO 1400 BEFORE TURNING SOUTHBOUND.

FORT WORTH ALLIANCE

TAKEOFF RWY 16R: CLIMB HEADING 166.21 TO 1100 BEFORE TURNING RIGHT.

FORT WORTH MEACHAM INTL

TAKEOFF RWY 16: CLIMB HEADING 163.90 TO 1600 BEFORE PROCEEDING ON COURSE.
TAKEOFF RWY 17: CLIMB HEADING 163.90 TO 1600 BEFORE PROCEEDING ON COURSE.

FORT WORTH SPINKS

TAKEOFF RWY 17R: CLIMB HEADING 173.11 TO 1200 BEFORE TURNING RIGHT.

ARLINGTON MUNI

TAKEOFF RWY 16: CLIMB HEADING 162.02 TO 2500 BEFORE TURNING LEFT.
TAKEOFF RWY 34: CLIMB HEADING 342.02 TO 1400 BEFORE TURNING SOUTHEAST BOUND.

GRAND PRAIRIE MUNI

TAKEOFF RWY 17: CLIMB HEADING 189.34 TO 2500 BEFORE PROCEEDING ON COURSE.

LANCASTER RGNL

TAKEOFF RWY 31: CLIMB HEADING 314.32 TO 1800 BEFORE TURNING LEFT.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
KINGDOM	FOUR	KING4.TTT	THREE	01/05/2017	04-27-2017

DECATUR MUNI:

TAKEOFF RWY 17: CLIMB HEADING 163.45 TO 1700 BEFORE PROCEEDING NORTH.

BOURLAND FIELD

TAKEOFF RWY 17: CLIMB HEADING 165.44 TO 1400 BEFORE TURNING RIGHT.

MID-WAY RGNL

TAKEOFF RWY 18: CLIMB HEADING 177.98 TO 1700 BEFORE PROCEEDING NORTHBOUND.

TAKEOFF RWY 36: CLIMB HEADING 012.98 TO 2700 BEFORE TURNING LEFT.

PARKER COUNTY

TAKEOFF RWY 35: CLIMB HEADING 355.37 TO 1600 BEFORE TURNING LEFT.

DEPARTING ADDISON, DALLAS EXECUTIVE, MC KINNEY NATIONAL, FORT WORTH ALLIANCE, FORT WORTH MEACHAM INTL, FORT WORTH SPINKS, FORT WORTH NAS JRB/CARSWELL FIELD, ARLINGTON MUNI, DENTON ENTERPRISE, GRAND PRAIRIE MUNI, LANCASTER RGNL, MESQUITE METRO, CLEBURNE RGNL, DECATUR MUNI, ENNIS MUNI, BOURLAND FIELD, MID-WAY RGNL, RALPH M. HALL/ROCKWELL MUNI, PARKER COUNTY: WHEN ENTERING CONTROLLED AIRSPACE, FLY ASSIGNED HEADING AND ALTITUDE, EXPECT VECTOR TO APPROPRIATE ROUTE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
GUTHRIE	KING4.GTH	TTT VOR/DME	FUZ VORTAC	273.86 (TTT R-274)	7.12	2100		
		FUZ VORTAC	CEOLA	261.32 (FUZ R-261)	28.02	4000		
		CEOLA	RUWLO	261.32 (FUZ R-261)	75.17	8000		
		RUWLO	BEKLE	265.00 (MQP R-265)	31.13	8500		
		BEKLE	GTH VORTAC	326.00 (GTH R-146)	62.68	8500		
MILLSAP	KING4.MQP	TTT VOR/DME	PODDE	250.47 (TTT R-250)	36.07	4000		
		PODDE	MQP VORTAC	260.89 (MQP R-081)	13.37	4000		
PODDE	KING4.PODDE	TTT VOR/DME	PODDE	250.47 (TTT R-250)	36.07	4000		
WICHITA FALLS	KING4.SPS	TTT VOR/DME	FERRA	285.01 (TTT R-285)	37.41	4000		
		FERRA	MUZZO	285.01 (TTT R-285)	27.43	4000		
		MUZZO	KARYN	329.53 & 328.20 (MQP R-330 & SPS R-148)	22.26	4000		
		KARYN	SPS VORTAC	328.20 (SPS R-148)	25.16	4000		

PROCEDURAL DATA NOTES:**GUTHRIE TRANSITION:** FOR ALL AIRCRAFT LANDING WITHIN THE LUBBOCK TERMINAL AREA OR PROCEEDING WESTBOUND ON V18 TO GTH VORTAC.**MILLSAP TRANSITION:** FOR ALL AIRCRAFT OVERFLYING THE MQP VORTAC WESTBOUND ON V18 OR DIRECT.**PODDE TRANSITION:** ATC ASSIGNED.**WICHITA FALLS TRANSITION:** FOR ALL AIRCRAFT LANDING WITHIN THE WICHITA FALLS TERMINAL AREA OR OVERLYING THE SPS VORTAC.**NOTE (ALL AIRPORTS):** RADAR REQUIRED.**NOTE (ALL AIRPORTS):** FOR ALL AIRCRAFT REQUESTING 17000 AND BELOW.

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	EFFECTIVE DATE
KINGDOM	FOUR	KING4.TTT	THREE	01/05/2017	04-27-2017

TAKEOFF MINIMUMS:**DALLAS/FORT WORTH INTL**

RWY 13L, 13R, 17C, 17L, 17R, 18L, 18R, 31L, 31R, 35C, 35L, 36L, 36R, STANDARD.

RWY 35R, 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 221 FT PER NM TO 800, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1700 FT PRIOR TO DER.

DALLAS-LOVE FIELD

RWY 31L/R, STANDARD.

RWY 13L, STANDARD WITH A MINIMUM CLIMB OF 290 FT PER NM TO 1700.

RWY 13R, STANDARD WITH A MINIMUM CLIMB OF 315 FT PER NM TO 1700.

ADDISON

RWY 33, STANDARD.

RWY 15, 400 -2 1/2 OR STANDARD WITH A MINIMUM CLIMB OF 325 FT PER NM TO 1100.

DALLAS EXECUTIVE

RWY 13, 31, 35, STANDARD.

RWY 17, 400 -2 3/4 OR STANDARD WITH A MINIMUM CLIMB OF 220 FT PER NM TO 1200.

MCKINNEY NATIONAL

RWY 18, 36, STANDARD.

FORT WORTH ALLIANCE

RWY 34R, 34L STANDARD.

RWY 16L, 300 -2 1/4 OR STANDARD WITH A MINIMUM CLIMB OF 208 FT PER NM TO 1100, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1400 FT PRIOR TO DER.

RWY 16R, 300 -2 1/4 OR STANDARD WITH A MINIMUM CLIMB OF 210 FT PER NM TO 1100, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1500 FT PRIOR TO DER.

FORT WORTH MEACHAM INTL

RWY 16, 17, STANDARD.

RWY 34, 300 -2 OR STANDARD WITH A MINIMUM CLIMB OF 220 FT PER NM TO 1100, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1800 FT PRIOR TO DER.

RWY 35, 300-1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 205 FT PER NM TO 900, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1200 FT PRIOR TO DER.

FORT WORTH SPINKS

RWY 17L, 35R, NA-ENVIRONMENTAL.

RWY 17R, 35L, STANDARD.

FORT WORTH NAS JRB/CARSWELL FIELD

REFER TO APPROPRIATE MILITARY SERVICE DIRECTIVES.

ARLINGTON MUNI

RWY 16, 34, STANDARD.

DENTON ENTERPRISE

RWY 18, 36, STANDARD.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
KINGDOM	FOUR	KING4.TTT	THREE	01/05/2017	04-27-2017
GRAND PRAIRIE RWY 35, NA-ATC. RWY 17, STANDARD.					
LANCASTER RGNL RWY 13, STANDARD. RWY 31, 300 -1 1/4 OR STANDARD WITH A MINIMUM CLIMB OF 205 FT PER NM TO 800, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1200 FT PRIOR TO DER.					
MESQUITE METRO RWY 18, 36, STANDARD.					
CLEBURNE RGNL RWY 15, STANDARD. RWY 33, 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 422 FT PER NM TO 1200.					
DECATUR MUNI RWY 17, STANDARD RWY 35, STANDARD WITH MINIMUM CLIMB OF 320 FT PER NM TO 3500.					
ENNIS MUNI RWY 15, 33, STANDARD.					
BOURLAND FIELD RWY 35, STANDARD. RWY 17, 300-2 OR STANDARD WITH MINIMUM CLIMB OF 512 FT PER NM TO 1300.					
MID-WAY RGNL RWY 18, 36, STANDARD.					
RALPH M HALL/ROCKWALL MUNI RWY 17, 35, STANDARD.					
PARKER COUNTY RWY 17, 35, STANDARD.					

TAKEOFF OBSTACLES NOTES:

DALLAS/FORT WORTH INTL

NOTE: RWY 31L, TREES BEGINNING 928 FT FROM DER, 724 FT LEFT OF CENTERLINE, UP TO 55 FT AGL/654 FT MSL. TREES 1229 FT FROM DER, 729 FT RIGHT OF CENTERLINE, UP TO 28 FT AGL/637 FT MSL. TRANSMISSION POLES AND TOWERS BEGINNING 3402 FT FROM DER, 1398 FT RIGHT OF CENTERLINE, UP TO 110 FT AGL/730 FT MSL.

NOTE: RWY 31R, BUILDING 732 FT FROM DER, 633 FT LEFT OF CENTERLINE, 34 FT AGL/604 FT MSL.

NOTE: RWY 35R, BUILDING 5466 FT FROM DER, 758 FT RIGHT OF CENTERLINE, 135 FT AGL/674 FT MSL. BUILDING 1.1 NM FROM DER, 240 FEET RIGHT OF CENTERLINE, 173 FT AGL/714 FT MSL.

DALLAS-LOVE FIELD

NOTE: RWY 13L, TREES, POLES, AND ELECTRICAL SYSTEMS BEGINNING 844 FT FROM DER, 515 FT LEFT OF CENTERLINE, UP TO 45 FT AGL/541 FT MSL. CRANE 5720 FT FROM DER, 568 FT

QUALITY
4
CHECKED

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
KINGDOM	FOUR	KING4.TTT	THREE	01/05/2017	04-27-2017

LEFT OF CENTERLINE, 130 FT AGL/630 FT MSL.

NOTE: RWY 13R, POLES AND FENCES BEGINNING 693 FT FROM DER, 601 FT RIGHT OF CENTERLINE, UP TO 29 FT AGL/501 FT MSL. SIGN 779 FT FROM DER, 669 FT LEFT OF CENTERLINE, 30 FT AGL/503 FT MSL. TREES BEGINNING 1122 FT FROM DER, 670 FT LEFT AND RIGHT OF CENTERLINE, UP TO 40 FT AGL/514 FT MSL. SIGN 1424 FT FROM DER, 763 FT LEFT OF CENTERLINE, 45 FT AGL/516 FT MSL. ROD ON STACK 2234 FT FROM DER, 979 FT LEFT OF CENTERLINE, 65 FT AGL/537 FT MSL.

NOTE: RWY 31L, TREES BEGINNING 327 FT FROM DER, 374 FT RIGHT OF CENTERLINE, UP TO 60 FT AGL/501 FT MSL.

NOTE: RWY 31R, POLE 38 FT FROM DER, 501 FT LEFT OF CENTERLINE, 27 FT AGL/487 FT MSL. TREES BEGINNING 366 FT FROM DER, 552 FT RIGHT OF CENTERLINE, UP TO 65 FT AGL/530 FT MSL. POLE 1531 FT FROM DER, 719 FT RIGHT OF CENTERLINE, UP TO 61 FT AGL/521 FT MSL.

ADDISON

NOTE: RWY 15, VEHICLES ON ROAD AND IN PARKING LOTS, RAILROADS, AND POLES BEGINNING 168 FT FROM DER, 118 FT RIGHT OF CENTERLINE, UP TO 36 FT AGL/665 FT MSL. NAVAID, SIGN, VEHICLES IN PARKING LOTS, RAILROADS, POLES, TREES, AND BUILDINGS BEGINNING 316 FT FROM DER, 1 FT LEFT OF CENTERLINE, UP TO 50 FT AGL/683 FT MSL. POLE AND TREES BEGINNING 1705 FT FROM DER, 46 FT RIGHT OF CENTERLINE, UP TO 59 FT AGL/690 FT MSL. BUILDINGS BEGINNING 3191 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 149 FT AGL/787 FT MSL. BUILDING 1.1 NM FROM DER, 279 FT LEFT OF CENTERLINE, 229 FT AGL/850 FT MSL. BUILDING 1.9 NM FROM DER, 970 FT RIGHT OF CENTERLINE, 345 FT AGL/975 FT MSL. BUILDING 2.1 NM FROM DER, 58 FT RIGHT OF CENTERLINE, 362 FT AGL/973 FT MSL.

NOTE: RWY 33, SERVICE ROAD AND BUILDINGS BEGINNING 45 FT FROM DER, 458 FT RIGHT OF CENTERLINE, UP TO 10 FT AGL/653 FT MSL. SIGN, VEHICLES IN PARKING LOTS, POLES, BUILDINGS, AND TREES BEGINNING 641 FT FROM DER, 335 FT LEFT OF CENTERLINE, UP TO 34 FT AGL/693 FT MSL. SIGN, VEHICLES ON ROAD AND IN PARKING LOTS, POLES, BUILDINGS, AND TREES BEGINNING 651 FT FROM DER, 455 FT RIGHT OF CENTERLINE, UP TO 37 FT AGL/696 FT MSL. BUILDINGS, POLES, AND TREES BEGINNING 1597 FT FROM DER, 3 FT RIGHT OF CENTERLINE, UP TO 54 FT AGL/723 FT MSL. BUILDINGS, POLES, AND TREES BEGINNING 1667 FT FROM DER, 4 FT LEFT OF CENTERLINE, UP TO 47 FT AGL/716 FT MSL.

DALLAS EXECUTIVE

NOTE: RWY 13, REIL AND OBSTRUCTION LIGHT ON BLAST FENCE BEGINNING 19 FT FROM DER, 115 FT LEFT OF CENTERLINE, UP TO 10 FT AGL/658 FT MSL. REIL 20 FT FROM DER, 115 FT RIGHT OF CENTERLINE, 6 FT AGL/651 FT MSL.

NOTE: RWY 17, REIL 38 FT FROM DER, 116 FT RIGHT OF CENTERLINE, 5 FT AGL/663 FT MSL. REIL 40 FT FROM DER, 160 FT LEFT OF CENTERLINE, 5 FT AGL/664 FT MSL. TREES BEGINNING 61 FT FROM DER, 340 FT LEFT OF CENTERLINE, UP TO 63 FT AGL/702 FT MSL. TREES BEGINNING 113 FT FROM DER, 304 FT RIGHT OF CENTERLINE, UP TO 37 FT AGL/686 FT MSL. TOWER 2.2 NM FROM DER, 583 FT LEFT OF CENTERLINE, 314 FT AGL/1027 FT MSL.

NOTE: RWY 31, REIL 29 FT FROM DER, 152 FT LEFT OF CENTERLINE, 5 FT AGL/656 FT MSL. REIL 29 FT FROM DER, 151 FT RIGHT OF CENTERLINE, 5 FT AGL/658 FT MSL. TREES BEGINNING 11 FT FROM DER, 237 FT LEFT OF CENTERLINE, UP TO 29 FT AGL/700 FT MSL. TREES BEGINNING 23 FT FROM DER, 268 FT RIGHT OF CENTERLINE, UP TO 47 FT AGL/686 FT MSL. TREES BEGINNING 1095 FT FROM DER, 167 FT RIGHT OF CENTERLINE, UP TO 69 FT AGL/708 FT MSL. TREES BEGINNING 1560 FT FROM DER, 554 FT LEFT OF CENTERLINE, UP TO 71 FT AGL/740 FT MSL.

NOTE: RWY 35, TERRAIN AND REIL BEGINNING 4 FT FROM DER, 10 FT RIGHT OF CENTERLINE, UP TO 5 FT AGL/656 FT MSL. REIL 40 FT FROM DER, 118 FT LEFT OF CENTERLINE, 5 FT AGL/654 FT MSL. TREES BEGINNING 87 FT FROM DER, 302 FT LEFT OF CENTERLINE, UP TO 51 FT AGL/680 FT MSL. BUILDING AND TREES BEGINNING 82 FT FROM DER, 284 FT RIGHT OF CENTERLINE, UP TO 65 FT AGL/691 FT MSL.

MCKINNEY NATIONAL

NOTE: RWY 18, TREE 2445 FT FROM DER, 689 FT RIGHT OF CENTERLINE, 70 FT AGL/653 FT MSL.

NOTE: RWY 36, TREE 1126 FT FROM DER, 703 FT RIGHT OF CENTERLINE, 35 FT AGL/610 FT MSL.

FORT WORTH ALLIANCE

NOTE: RWY 16L, LIGHT POLE 1285 FT FROM DER, 689 FT LEFT OF CENTERLINE, 49 FT AGL/697 FT MSL. TANK 1.8 NM FROM DER, 3121 FT RIGHT OF CENTERLINE, 148 FT AGL/954 FT MSL.

NOTE: RWY 16R, FENCE 4 FEET FROM DER, 249 FT RIGHT OF CENTERLINE, 8 FT AGL/669 FT MSL. TANK 1.8 NM FROM DER, 2520 FT RIGHT OF CENTERLINE, 148 FT AGL/954 FT MSL.

NOTE: RWY 34L, FENCE 8 FT FROM DER, 250 FT LEFT OF CENTERLINE, 5 FT AGL/719 FT MSL. RAILROAD BEGINNING 421 FT FROM DER, 287 FEET LEFT OF CENTERLINE, UP TO 23 FT AGL/738 FT MSL.

NOTE: RWY 34R, POLE 217 FT FROM DER, 145 FT LEFT OF CENTERLINE, 29 FT AGL/728 FT MSL.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
KINGDOM	FOUR	KING4.TTT	THREE	01/05/2017	04-27-2017
FORT WORTH MEACHAM INTL					
NOTE: RWY 17 , BUSHES 16 FT FROM DER, 160 FT RIGHT OF CENTERLINE, UP TO 3 FT AGL/674 FT MSL. LIGHT POLE 140 FT FROM DER, 454 FT LEFT OF CENTERLINE, 34 FT AGL/677 FT MSL. POLE, TOWER, HANGAR, BUILDINGS, TREES, AND ANTENNAS BEGINNING 531 FT FROM DER, 388 FT LEFT OF CENTERLINE, UP TO 59 FT AGL/722 FT MSL. NOTE: RWY 34 , VEHICLES ON ROAD BEGINNING 4 FT FROM DER, 236 FT LEFT OF CENTERLINE, UP TO 17 FT AGL/722 FT MSL. POLES AND TREES BEGINNING 973 FT FROM DER, 681 FT RIGHT OF CENTERLINE, UP TO 30 FT AGL/746 FT MSL. LIGHT POLES BEGINNING 2468 FT FROM DER, 1138 FT RIGHT OF CENTERLINE, UP TO 47 FT AGL/787 FT MSL. BUILDING 1.5 NM FROM DER, 2768 FT RIGHT OF CENTERLINE, 256 FT AGL/970 FT MSL.					
NOTE: RWY 35 , VEHICLES ON ROAD AND TREES BEGINNING ABEAM DER, 294 FT LEFT OF CENTERLINE, UP TO 29 FT AGL/705 FT MSL. TERRAIN, FENCES, VEHICLES ON ROAD, AND POLES BEGINNING 20 FT FROM DER, 229 FT RIGHT OF CENTERLINE, UP TO 17 FT AGL/697 FT MSL. TERRAIN, DAM, FENCES, AND VEHICLES ON ROAD BEGINNING 979 FT FROM DER, 1 FT RIGHT OF CENTERLINE, UP TO 17 FT AGL/720 FT MSL. SIGN AND POLE BEGINNING 1531 FT FROM DER, 282 FT LEFT OF CENTERLINE, UP TO 62 FT AGL/755 FT MSL. TRANSMISSION TOWER 6006 FT FROM DER, 1294 FT LEFT OF CENTERLINE, 99 FT AGL/821 FT MSL. TRANSMISSION TOWER 1.0 NM FROM DER, 1957 FT LEFT OF CENTERLINE, 98 FT AGL/826 FT MSL.					
FORT WORTH SPINKS					
NOTE: RWY 17R , TREE 4909 FT FROM DER, 1556 FT LEFT OF CENTERLINE, 60 FT AGL/830 FT MSL.					
ARLINGTON MUNI					
NOTE: RWY 16 , REILS BEGINNING 80 FT FROM DER, 126 FT LEFT OF CENTERLINE, UP TO 15 FT AGL/601 FT MSL. REILS BEGINNING 77 FT FROM DER, 126 FT RIGHT OF CENTERLINE, UP TO 19 FT AGL/603 FT MSL. TREES 593 FT FROM DER, 479 FT RIGHT OF CENTERLINE, UP TO 26 FT AGL/614 FT MSL. TRANSMISSION TOWER 3596 FT FROM DER, 1433 FT LEFT OF CENTERLINE, 112 FT AGL/702 FT MSL.					
NOTE: RWY 34 , TREES BEGINNING 228 FT FROM DER, 403 FT LEFT OF CENTERLINE, UP TO 35 FT AGL/654 FT MSL. TREES BEGINNING 1090 FT FROM DER, 439 FT RIGHT OF CENTERLINE, UP TO 61 FT AGL/670 FT MSL. TREES 1525 FT FROM DER, 339 FT LEFT OF CENTERLINE, UP TO 72 FT AGL/681 FT MSL.					
DENTON ENTERPRISE					
NOTE: RWY 18 , VEHICLES ON ROAD BEGINNING 36 FT FROM DER, 274 FT LEFT OF CENTERLINE, UP TO 10 FT AGL/636 FT MSL. TREES BEGINNING 8 FT FROM DER, 381 FT RIGHT OF CENTERLINE, UP TO 27 FT AGL/636 FT MSL.					
NOTE: RWY 36 , TREES BEGINNING 88 FT FROM DER, 218 FT RIGHT OF CENTERLINE, UP TO 17 FT AGL/646 FT MSL. TREES 123 FT FROM DER, 217 FT LEFT OF CENTERLINE, UP TO 22 FT AGL/652 FT MSL. TREES BEGINNING 574 FT FROM DER, 517 FT RIGHT OF CENTERLINE, UP TO 43 FT AGL/682 FT MSL. TREES BEGINNING 864 FT FROM DER, 497 FT LEFT OF CENTERLINE, UP TO 43 FT AGL/672 FT MSL.					
GRAND PRAIRIE MUNI					
NOTE: RWY 17 , ANTENNA, TOWER, VEHICLES ON ROAD, SIGN, POLE, AND TREES BEGINNING 190 FT FROM DER, 410 FT RIGHT OF CENTERLINE, UP TO 37 FT AGL/620 FT MSL.					
NOTE: RWY 35 , POLE 2686 FT FROM DER, 121 FT LEFT OF CENTERLINE, 75 FT AGL/653 FT MSL.					
LANCASTER RGNL					
NOTE: RWY 31 , TREES 888 FT FROM DER, 637 FT RIGHT OF CENTERLINE, UP TO 35 FT AGL/536 FT MSL. TREES BEGINNING 1133 FT FROM DER, 479 FT LEFT OF CENTERLINE, UP TO 45 FT AGL/541 FT MSL. TRANSMISSION TOWER 1.0 NM FROM DER, 1685 FT RIGHT OF CENTERLINE, 127 FT AGL/661 FT MSL.					
MESQUITE METRO					
NOTE: RWY 18 , FENCE AND TREES BEGINNING ABEAM DER, 362 FT LEFT OF CENTERLINE, UP TO 5 FT AGL/447 FT MSL. SIGN, VEHICLES ON ROAD, AND TREES BEGINNING 254 FT FROM DER, 453 FT LEFT OF CENTERLINE, UP TO 49 FT AGL/478 FT MSL.					
NOTE: RWY 36 , TREES BEGINNING 45 FT FROM DER, 389 FT RIGHT OF CENTERLINE, UP TO 29 FT AGL/452 FT MSL. POLE 814 FT FROM DER, 288 FT RIGHT OF CENTERLINE, 27 FT AGL/467 FT MSL. BUILDING, POLE, AND TREES BEGINNING 53 FT FROM DER, 497 FT LEFT OF CENTERLINE, UP TO 41 FT AGL/483 FT MSL.					
CLEBURNE RGNL					
NOTE: RWY 15 , MULTIPLE POLES BEGINNING 952 FT FROM DER, 425 FT RIGHT OF CENTERLINE, UP TO 30 FT AGL/883 FT MSL. TREE 441 FT FROM DER, 501 FT RIGHT OF CENTERLINE, 55 FT AGL/868 FT MSL. POLE 1137 FT FROM DER, 742 FT LEFT OF CENTERLINE, 35 FT AGL/875 FT MSL.					
NOTE: RWY 33 , MULTIPLE TREES BEGINNING 602 FT FROM DER, 300 FT LEFT OF CENTERLINE, UP TO 55 FT AGL/873 FT MSL. WELL DRILLING RIG 3268 FT FROM DER, 123 FT LEFT OF CENTERLINE, 174 FT AGL/1043 FT MSL. WELL DRILLING RIG 1.2 NM FROM DER, 615 FT LEFT OF CENTERLINE, 104 FT AGL/976 FT MSL. TRANSMISSION POLE 1817 FT FROM DER, 183 FT LEFT OF CENTERLINE, 80 FT AGL/900 FT MSL.					

QUALITY
CHECKED

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
KINGDOM	FOUR	KING4.TTT	THREE	01/05/2017	04-27-2017

DECATUR MUNI

NOTE: RWY 17, TREES AND POLES BEGINNING 120 FT FROM DER, 372 FT LEFT OF CENTERLINE, UP TO 51 FT AGL/1071 FT MSL. TERRAIN AND TREES BEGINNING 327 FT FROM DER, 452 FT RIGHT OF CENTERLINE, UP TO 18 FT AGL/1067 FT MSL. POLES 766 FT FROM DER, 45 FT RIGHT OF CENTERLINE, UP TO 33 FT AGL/1065 FT MSL. POLES 2287 FT FROM DER, 662 FT LEFT OF CENTERLINE, UP TO 54 FT AGL/1095 FT MSL. STACKS AND BUILDINGS BEGINNING 2495 FT FROM DER, 786 FT RIGHT OF CENTERLINE, UP TO 62 FT AGL/1112 FT MSL. TOWER 5149 FT FROM DER, 895 FT RIGHT OF CENTERLINE, 117 FT AGL/1173 FT MSL.

NOTE: RWY 35, TREES BEGINNING 378 FT FROM DER, 276 FT RIGHT OF CENTERLINE, UP TO 31 FT AGL/1050 FT MSL.

ENNIS MUNI

NOTE: RWY 15, VEHICLE ON ROAD 362 FT FROM DER, 561 FT RIGHT OF CENTERLINE, 15 FT AGL/494 FT MSL. TREES BEGINNING 870 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 100 FT AGL/579 FT MSL.

NOTE: RWY 33, VEHICLES ON ROAD BEGINNING 423 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 15 FT AGL/534 FT MSL. TREES BEGINNING 40 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 100 FT AGL/609 FT MSL.

BOURLAND FIELD

NOTE: RWY 17, TREES BEGINNING 9 FT FROM DER, 87 FT RIGHT OF CENTERLINE, UP TO 60 FT AGL/886 FT MSL. TREES BEGINNING 17 FT FROM DER, 113 FT LEFT OF CENTERLINE, UP TO 57 FT AGL/886 FT MSL. TREES 188 FT FROM DER, 28 FT LEFT OF CENTERLINE, UP TO 15 FT AGL/844 FT MSL. TERRAIN, POLE, VEHICLES ON ROAD, AND TREES BEGINNING 680 FT FROM DER, 15 FT RIGHT OF CENTERLINE, UP TO 38 FT AGL/988 FT MSL. TERRAIN, VEHICLES ON ROAD, AND TREES BEGINNING 871 FT FROM DER, 10 FT LEFT OF CENTERLINE, UP TO 47 FT AGL/987 FT MSL. TREES 2723 FT FROM DER, 533 FT RIGHT OF CENTERLINE, UP TO 32 FT AGL/1011 FT MSL. TRANSMISSION TOWER 1.4 NM FROM DER, 2471 FT RIGHT OF CENTERLINE, 123 FT AGL/1123 FT MSL. TRANSMISSION TOWER 1.5 NM FROM DER, 2849 FT RIGHT OF CENTERLINE, 93 FT AGL/1092 FT MSL.

NOTE: RWY 35, TERRAIN, FENCES, VEHICLES IN PARKING LOT, VEHICLES ON ROAD, SIGNS, POLES, AND TREES BEGINNING 22 FT FROM DER, 30 FT LEFT OF CENTERLINE, UP TO 26 FT AGL/935 FT MSL. TERRAIN, FENCES, VEHICLES ON ROAD, POLES, TREES, AND SIGNS BEGINNING 165 FT FROM DER, 42 FT RIGHT OF CENTERLINE, UP TO 42 FT AGL/925 FT MSL. TERRAIN, VEHICLES IN PARKING LOT, VEHICLES ON ROAD, AND TREES BEGINNING 1013 FT FROM DER, 29 FT RIGHT OF CENTERLINE, UP TO 15 FT AGL/956 FT MSL. TERRAIN, VEHICLES IN PARKING LOT, VEHICLES ON ROAD, AND TREES BEGINNING 2606 FT FROM DER, 328 FT RIGHT OF CENTERLINE, UP TO 16 FT AGL/995 FT MSL. TERRAIN, VEHICLES IN PARKING LOT, VEHICLES ON ROAD, AND TREES BEGINNING 2433 FT FROM DER, 663 FT LEFT OF CENTERLINE, UP TO 17 FT AGL/1006 FT MSL.

MID-WAY RGNL

NOTE: RWY 18, VEHICLES ON ROAD, CATENARIES, AND POLES BEGINNING 159 FT FROM DER, 465 FT RIGHT OF CENTERLINE, UP TO 39 FT AGL/712 FT MSL. TREES BEGINNING 956 FT FROM DER, 594 FT LEFT OF CENTERLINE, UP TO 71 FT AGL/722 FT MSL.

NOTE: RWY 36, TREES BEGINNING 6 FT FROM DER, 334 FT LEFT OF CENTERLINE, UP TO 34 FT AGL/753 FT MSL. TREES BEGINNING 82 FT FROM DER, 251 FT RIGHT OF CENTERLINE, UP TO 40 FT AGL/759 FT MSL. CATENARIES AND TREES BEGINNING 1067 FT FROM DER, 629 FT LEFT OF CENTERLINE, UP TO 37 FT AGL/765 FT MSL.

RALPH M HALL/ROCKWALL MUNI

NOTE: RWY 17, VEHICLES ON ROAD BEGINNING 19 FT FROM DER, ON CENTERLINE AND LEFT AND RIGHT OF CENTERLINE, UP TO 15 FT AGL/584 FT MSL. TREES BEGINNING 128 FT FROM DER, 354 FT LEFT OF CENTERLINE, UP TO 30 FT AGL/599 FT MSL. TREES BEGINNING 135 FT FROM DER, 205 FT RIGHT OF CENTERLINE, UP TO 30 FT AGL/589 FT MSL. TREES BEGINNING 810 FT FROM DER, ON CENTERLINE AND LEFT AND RIGHT OF CENTERLINE, UP TO 100 FT AGL/679 FT MSL.

NOTE: RWY 35, TRANSMISSION LINE AND TRANSMISSION TOWERS BEGINNING 362 FT FROM DER, ON CENTERLINE AND LEFT AND RIGHT OF CENTERLINE, UP TO 91 FT AGL/607 FT MSL.

PARKER COUNTY

NOTE: RWY 17, TREES BEGINNING 430 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 35 FT AGL/1016 FT MSL. HOUSES BEGINNING 952 FT FROM DER, 76 FT LEFT OF CENTERLINE, UP TO 30 FT AGL/1012 FT MSL. UTILITY POLES BEGINNING 1958 FT FROM DER, 185 FT RIGHT OF CENTERLINE, UP TO 55 FT AGL/1037 FT MSL.

NOTE: RWY 35, TREES BEGINNING 25 FT FROM DER, 176 FT LEFT OF CENTERLINE, UP TO 35 FT AGL/1014 FT MSL. VEHICLES ON ROAD 105 FT FROM DER, ACROSS CENTERLINE, 17 FT AGL/1007 FT MSL. SIGN AND POLE 193 FT FROM DER, 295 FT RIGHT OF CENTERLINE, 30 FT AGL/1008 FT MSL.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
KINGDOM	FOUR	KING4.TTT	THREE	01/05/2017	04-27-2017

CONTROLLING OBSTACLES:**DALLAS/FORT WORTH INTL**

RWY 35R: 714 FT MSL BUILDING 325502.00N/0970032.00W, 1016 FT MSL TOWER 325629.00N/0965931.00W.

DALLAS-LOVE FIELD

RWY 13L, 13R: 1368 FT MSL ANTENNA ON BLDG 324648.00N/0964814.00W.

RWY 31L, 31R: 1049 FT MSL TOWER 325216.00N/0965523.00W.

ADDISON

RWY 15: 850 FT MSL BUILDING 325629.00N/0964925.00W. 975 FT MSL BUILDING 325540.81N/0964919.57W. 973 FT MSL BUILDING 325536.93N/0964906.47W.

DALLAS EXECUTIVE

RWY 17: 1027 FT MSL TOWER 323817.80N/0965154.09W. 2549 FT MSL TOWER 323502.67N/0965748.75W.

RWY 13, 35: 2549 FT MSL TOWER 323502.67N/0965748.75W.

RWY 31: 2449 FT MSL TOWER 323506.00N/0965842.00W.

FORT WORTH ALLIANCE

RWY 16L: 954 FT MSL TANK 325641.21N/0971909.98W.

RWY 16R: 954 FT MSL TANK 325641.21N/0971909.98W. 1002 FT MSL TOWER 325653.00N/0971932.00W.

FORT WORTH MEACHAM INTL

RWY 16, 17: 1743 FT MSL TOWER 324501.00N/0971608.00W.

RWY 34: 970 FT MSL BUILDING 325123.18N/0972128.11W.

RWY 35: 821 FT MSL TRANSMISSION TOWER 325026.45N/0972224.41W. 826 FT MSL TRANSMISSION TOWER 325026.78N/0972232.32W.

FORT WORTH SPINKS

RWY 17R: 1772 FT MSL TOWER 323212.00N/0972446.86W.

ARLINGTON MUNI

RWY 16, 34: 2549 FT MSL TOWER 323502.67N/0965748.75W.

GRAND PRAIRIE MUNI

RWY 17: 2549 FT MSL TOWER 323502.67N/0965748.75W.

LANCASTER RGNL

RWY 31: 661 FT MSL TRANSMISSION TOWER 323601.76N/0964358.15W. 2549 FT MSL TOWER 323502.67N/0965748.75W.

CLEBURNE RGNL

RWY 33: 976 FT MSL WELL DRILLING RIG 322211.95N/0972629.30W. 1043 FT MSL WELL DRILLING RIG 322243.27N/0972649.63W.

DECATUR MUNI

RWY 17, 35: 2859 FT MSL TOWER 332312.00N/0973358.00W.

BOURLAND FIELD

RWY 17: 1011 FT MSL TREES 323407.39N/0973524.72W. 1123 FT MSL TRANSMISSION TOWER 323306.16N/0973536.73W. 1092 TRANSMISSION TOWER 323258.36N/0973539.81W. 1275 FT MSL TOWER 323156.00N/0973623.00W.

MID-WAY RGNL

RWY 18: 2449 FT MSL TOWER 323235.00N/0965733.00W.

RWY 36: 2549 FT MSL TOWER 323502.67N/0965748.75W.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
KINGDOM	FOUR	KING4.TTT	THREE	01/05/2017	04-27-2017

PARKER COUNTY**RWY 35:** 1418 FT MSL TOWER 324648.00N/0974155.00W.**LOST COMMUNICATIONS PROCEDURES:****ADDITIONAL FLIGHT DATA:**

CHART: JEN R-006 AT PODDE; BWD R-338 AT RUWLO; JEN R-004 AT CEOLA; UKW R-165 AT FERRA; UKW R-225 AND MQP R-330 AT MUZZO; UKW R-271 AT KARYN.

CHART: V568 BETWEEN MUZZO AND KARYN.

CHART: V568 BETWEEN KARYN AND SPS VORTAC.

CHART: V18 BETWEEN RUWLO AND BEKLE.

CHART: V18 BETWEEN BEKLE AND GTH VORTAC.

CHART NOTE: DALLAS/FORT WORTH INTL DEPARTURES: DO NOT EXCEED 240 KIAS UNTIL LEAVING 5000.

DALLAS-LOVE FIELD: CHART TOP ALTITUDE RWY 13L/R: 3000. CHART TOP ALTITUDE RWY 31L/R: 2000.

ALL OTHER AIRPORTS CHART TOP ALTITUDE: (PROPS) 2000 / (JETS) 10000.

MOCAS NOT CHARTED BY ATC REQUEST.

AIRPORTS SERVED:

<u>AIRPORT NAME</u>	<u>CITY</u>	<u>STATE</u>
DALLAS/FORT WORTH INTL	DALLAS-FORT WORTH	TX
DALLAS-LOVE FIELD	DALLAS	TX
ADDISON	DALLAS	TX
DALLAS EXECUTIVE	DALLAS	TX
MC KINNEY NATIONAL	DALLAS	TX
FORT WORTH ALLIANCE	FORT WORTH	TX
FORT WORTH MEACHAM INTL	FORT WORTH	TX
FORT WORTH SPINKS	FORT WORTH	TX
FORT WORTH NAS JRB/CARSWELL FIELD	FORT WORTH	TX
ARLINGTON MUNI	ARLINGTON	TX
DENTON ENTERPRISE	DENTON	TX
GRAND PRAIRIE MUNI	GRAND PRAIRIE	TX

QUALITY
TX 4
CHECKED

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
KINGDOM	FOUR	KING4.TTT	THREE	01/05/2017	04-27-2017
LANCASTER RGNL			LANCASTER		TX
MESQUITE METRO			MESQUITE		TX
CLEBURNE RGNL			CLEBURNE		TX
DECATUR MUNI			DECATUR		TX
ENNIS MUNI			ENNIS		TX
BOURLAND FIELD			FORT WORTH		TX
MID-WAY RGNL			MIDLOTHIAN/WAXAHACHIE		TX
RALPH M HALL/ROCKWALL MUNI			ROCKWALL		TX
PARKER COUNTY			WEATHERFORD		TX

COMMUNICATIONS:**ATIS:** DFW, DAL, ADS, RBD, AFW, FTW, FWS, NFW. **CLNC DEL:** DFW, DAL, ADS, RBD, TKI, AFW, FTW, NFW, GKY, DTO.**GND CON:** DFW, DAL, ADS, RBD, TKI, AFW, FTW, FWS, NFW, GKY, DTO, GPM. **TOWER:** DFW, DAL, ADS, RBD, TKI, AFW, FTW, FWS, NFW, GKY, DTO, GPM.**CTAF:** ADS, RBD, TKI, FWS, GKY, DTO GPM, LNC, HQZ, 50F, CPT, F41, F46, JWY, LUD, WEA. **DEP CON (DFW ONLY):** 126.4/363.15 (JETS ONLY); 135.975/379.9 (PROPS ONLY RWY 13L/R, 17L/C/R, 18L/R), 118.1/306.95 (PROPS ONLY RWY 31L/R, 35L/C/R, 36L/R). **DEP CON:** ALL OTHER AIRPORTS.**FIXES AND/OR NAVAIDS:****REMARKS:****FLIGHT INSPECTED BY:**

JEFFREY W HARING

*Digitally signed by***DANIEL D OLSON**

Feb 28, 2017

OFFICE SYMBOL:

FICO

DATE:

02/23/2017

DEVELOPED BY:

HEIDI SNIDER/DANNY OLSON

*Digitally signed by***DANIEL D OLSON**

Feb 28, 2017

OFFICE SYMBOL:

AJV-5423

DATE:

01/23/2017

APPROVED BY:

JULIE MORGAN

*Digitally signed by***DANIEL D OLSON**

Feb 28, 2017

OFFICE SYMBOL:

AJV-5420

DATE:

QUALITY
4
CHECKED

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
KINGDOM	FOUR	KING4.TTT	THREE	01/05/2017	04-27-2017

REQUIRED EFFECTIVE DATE:

COORDINATED WITH:

<u>A4A</u>	<u>ALPA</u>	<u>AOPA</u>	<u>APA</u>	<u>HAI</u>	<u>NBAA</u>
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

OTHER:

ATA, ZFW, REGIONAL DEP CON, DFW TOWER, DAL TOWER, ADS TOWER, RBD TOWER, TKI TOWER, AFW TOWER, FTW TOWER, FWS TOWER, NFW TOWER, GKY TOWER, DTO TOWER, GPM TOWER, AMGR(S).

CHANGES - REASONS:

1. UPDATED ADDITIONAL FLIGHT DATA CHART NOTE FROM TOP ALTITUDE (JETS) 10000 / (PROPS) 2000 TO ALL OTHER AIRPORTS CHART TOP ALTITUDE (PROPS) 2000 / (JETS) 10000 - ATC REQUEST.
2. REMOVED NOTE ADDITIONAL FLIGHT DATA: DALLAS/FT WORTH INTL: CHART TOP ALTITUDE: 2000 - UPDATED TOP ALTITUDE NOTE ATC REQUEST.
3. UPDATED AIRPORT NAME FROM COLLIN COUNTY RGNL AT MC KINNEY TO MCKINNEY NATIONAL - AIRNAV.
4. UPDATED AIRPORT NAME FROM DENTON MUNI TO DENTON ENTERPRISE - AIRNAV.

